



GROUND S9338 - 3W


3 watt adjustable IP67 LED inground luminaire

Application

Decorative residential exterior solution, ideal for gardens and decorative pathways

Design Specifications

- Die-cast aluminium body
- Stainless steel face panel & screws, clear tempered glass diffuser
- High output LED chips 24V AC / DC driver required
- Beam angle 30°, optical adjustment between 50°~60°
- PC installation canister included, 600 mm 2 core rubber flex
- Suitable SAL LED drivers, PLUTO 15DV, PLUTO 30DV, PLUTO 50DV, PLUTO 100/24V



- IP67
- ta40
- III
- WARM WHITE
3000K
- DAYLIGHT
6000K
- 2 YEAR
COMMERCIAL WARRANTY
- 3 YEAR
RESIDENTIAL WARRANTY

Technical Specification

Model No.	Input Voltage (V/AC)	Input Voltage (V/DC)	Power (W)	Lumens (lm)	CCT (K)	CRI
S9338/3W/30 WW	24	24	3	150	3000	70
S9338/3W/30 DL	24	24	3	200	6000	70


Model No.	Beam Angle (°)	Diameter (mm)	Dim (mm)	Body Colour
S9338/3W/30 WW	30	130	130(W) x 115(H)	STAINLESS STEEL
S9338/3W/30 DL	30	130	130(W) x 115(H)	STAINLESS STEEL

Due to continued product and technology enhancements, data sourced from sal.net.au shall not form part of any contract and or technical performance guarantee unless expressly confirmed in writing by SAL at the time of order. Products are sold in accordance with [SAL Terms and Conditions of sale](#) and all images shown are for illustration purposes only and may vary from the actual colour or finish. Unless specifically stated, all IP ratings nominated for Interior products are from "below the ceiling".

Dimensions

S9338

Optical adjustment





Why is the IP rating important? In brief, IP (Ingress Protection) ratings are defined in EN 60529 and simply defines the ability of an electrical product to seal and protect against the intrusion of foreign objects and water.

(I) As the first numeral stands for intrusion of a foreign object, where (P) as the second numeral stands for the penetration of moisture.

As a guide IP20 rated products would be seen in interior spaces with no requirement for protection against the elements, where an IP65 product would be found in an exterior application which required substantial protection against the elements.

Need more information on IP ratings? Check out the SAL web FAQ's or speak to your local SAL team member.

**For more
information
please
scan me**

