



MEMPHIS SQUARE SL9719SQ - 22W

Vandal resistant, IP65 LED square surface mount luminaire, IK10 rated

Application

A robust solution for industrial and commercial spaces

Design Specifications

- Die-cast aluminium body, designed with multi access 20mm rear or side conduit entry points
- Frosted polycarbonate diffuser, silicon gasket, designed with multi access rear or side conduit entry points
- Stainless steel allen screws
- High efficiency SMD LED chips
- Integral constant current non-dimmable LED driver, with optional corridorSTANDBY function.
- Product selections compliant to AS/NZS2293
Emergency Lighting & Exit Signs are located in the exterior emergency section of this catalogue



-
-
-
-
-
-
-

Performance

Dimmable - **OPTIONAL**

Dimmer Type - **Trailing edge, 1-10V, DALI/DSI**

In Built Sensor - **OPTIONAL**

Sensor Type - **MICROWAVE**

Technical Specification

| Model No. | Input Voltage (V/AC) | Power (W) | Lumens (lm) | CCT (K) | CRI | Body Colour |
|------------|----------------------|-----------|-------------|---------|-----|-------------|
| SL9719SQ | 240 | 22 | 1700 | 4000 | 80 | WHITE |
| SL9719SQ/C | 240 | 22 | 1700 | 4000 | 80 | WHITE |

| Model No. | Dim (mm) |
|------------|--------------------------|
| SL9719SQ | 316(L) x 316(W) x 102(H) |
| SL9719SQ/C | 316(L) x 316(W) x 102(H) |


Due to continued product and technology enhancements, data sourced from sal.net.au shall not form part of any contract and or technical performance guarantee unless expressly confirmed in writing by SAL at the time of order. Products are sold in accordance with [SAL Terms and Conditions of sale](#) and all images shown are for illustration purposes only and may vary from the actual colour or finish. Unless specifically stated, all IP ratings nominated for Interior products are from "below the ceiling".

Dimensions



Photometric Data

Unit: cd C0/C180 — C90/C270 —





PIXIE AMBIENCE, CHANGE YOUR COLOUR TO MATCH YOUR STYLE.

The innovative PIXIE AMBIENCE SWITCH PLATES have been designed with the end user and installer in mind, allowing you to change the colour face plate as fashion demands.

For more
information
please
scan me

