

3A AUSTRALIA LIGHTING E-mail: 3alighting@gmail.com


AC Ceiling Fans

Product Features

- 1320mm 4 blades ceiling fan
- Powerful & efficient 70W AC motor
- Energy efficient
- Remote control adaptable (sold separately)
- 12.5° blade pitch
- Indoor or enclosed alfresco installation
- Suitable for coastal conditions tropical rated

Technical Specification

Model	MP1248	CAN
Power	70W	ATTIONALS
Moter	AC	_
Voltage	185-265V/50Hz	CE
Rotational Diameter	52"	
No. Of blades	4	
IP Grade	IP 20	
Blade Pitch	12.5°	
Colour	White/Black/Sliver	
Carton Size	L61*W30.5*H32.5 1pc/CTN	





* The information in this datasheet may be changed by 3A Lighting at any time without prior notice.



3A AUSTRALIA LIGHTING E-mail: 3alighting@gmail.com


AC Ceiling Fans

Product Features

- -1320mm 4 blades ceiling fan
- -Powerful & efficient 70W AC motor
- -Energy efficient
- -Remote control adaptable (sold separately)
- -12.5° blade pitch
- -Indoor or enclosed alfresco installation
- -Suitable for coastal conditions tropical rated
- -*Suppiled with E27 lamp holder(globe not included)

Technical Specification

Model	MP1248-4-E27	
Power	70W	
Moter	AC	
Voltage	185-265V/50Hz	
Rotational Diameter	52"	
No. Of blades	4	
IP Grade	IP 20	
Blade Pitch	12.5°	
Colour	White/Black/Sliver	
Carton Size	L61*W30.5*H32.5 1pc/CTN	





3A AUSTRALIA LIGHTING E-mail: 3alighting@gmail.com


AC Ceiling Fans

Product Features

- -1320mm 4 blades ceiling fan
- -Powerful & efficient 70W AC motor
- -Energy efficient
- -Remote control adaptable (sold separately)
- -12.5° blade pitch
- -Indoor or enclosed alfresco installation
- -Suitable for coastal conditions tropical rated
- -*20W Tri-colour switchable 3000K-4000K-6500K

Technical Specification

Model	MP1248-4-LED	6
Power	70W	×.
Moter	AC	
Voltage	185-265V/50Hz	
Rotational Diameter	52"	
No. Of blades	4	
Colour Temp.	3000K/4000K/6500K	
Lumens Output	1320lm/1440lm/1440lm	
Blade Pitch	12.5°	
IP Grade	IP 20	
Colour	White/Black/Sliver	
Carton Size	L61*W30.5*H32.5 1pc/CTN	



* The information in this datasheet may be changed by 3A Lighting at any time without prior notice.