Data Sheet



Last modification

2023-06-12

ARTHUR TL-RUSWH 9329501059616



The ARTHUR table lamp features an antique weathered finish and is truly a unique piece of craftsmanship. The fabric shade is a simple drum shape, softly diffusing the light and providing the perfect accent to the gorgeous base.

Overview

Family name Arthur

Categories Table Lamps

This item includes Shade

Shade Shape Drum

Switch Inline Switch

Usage Indoor Lighting

Color / Material

Fixture Color Rusty, White Fixture Finish Gloss

Fixture Material Fabric, Ceramic

Shade Color White

Shade Material Fabric, Plastic

Base ColorSilverBase MaterialCeramicCable ColorBlackCable MaterialPVC

Size

 Fixture Diameter (cm)
 30.0

 Fixture Height (cm)
 53.5

 Base Diameter (cm)
 18.0

 Base Height (cm)
 30.5

 Shade Diameter (cm)
 30.0

 Shade Height (cm)
 20.0

Cable Length (cm)180 (30+Inline Switch+150)

Data Sheet



Specification

Voltage Input240VTotal Wattage (max)25Globe TypeE27Globe / Light Source qty1Globe / Light Source includedNo

Dimmable Globe Dependant

Electrical Protection CLASS II - DOUBLE INSULATED, EARTH NOT REQUIRED

IP ratingIP20Lead and PlugYesApprovalsRCMAssembly RequiredYes

Box Contents Instruction


Care Instructions Do not use strong liquid cleaners, Wipe clean with a dry cloth

Replacement Warranty *3 Years

Barcode

GTIN 9329501059616

Image -dimensions



Note: Dimensions are only a guide and may vary due to manufacturing variations.

Globe Type Recommended

Label	Color Temperature	Thumbnail	GTIN
G 4608F27CI			

All representations within this document are subject to copyright.ELECTRICAL INSTALLATIONS MUST BE PERFORMED BY A QUALIFIED ELECTRICAL CONTRACTOR AND INSTALLED IN ACCORDANCE WITH AS/NZS 3000. NOTE: All images, descriptions and dimensions are indicative. Please check latest version of item detail on Telbix website prior to ordering or installation.

Telbix.









All representations within this document are subject to copyright.ELECTRICAL INSTALLATIONS MUST BE PERFORMED BY A QUALIFIED ELECTRICAL CONTRACTOR AND INSTALLED IN ACCORDANCE WITH AS/NZS 3000.

NOTE: All images, descriptions and dimensions are indicative. Please check latest version of item detail on Telbix website prior to ordering or installation.