Data Sheet



Last modification

2023-11-11

BEXLEY TL-WH 9329501066973



The Bexley Table Lamp, a marriage of LED innovation and design excellence. With energy-efficient LED technology, this lamp provides brilliant illumination while being eco-friendly. Convenient touch dimming on the lamp's back allows you to customize the lighting to suit your mood. The Bexley Table Lamp's modern and minimalistic design brings a touch of elegance to any space, making it a versatile addition to your decor. Also available as floor lamp. Other available colours include black and green.

Overview

Family nameBexleyCategoriesTable LampsUsageIndoor LightingERAC Product RegistrationGMA-515024-EA

Color / Material

Fixture Color White
Fixture Pantone Color RAL9002
Fixture Finish Sand
Fixture Material Iron

<u>Size</u>

Fixture Height (cm) 49.0
Fixture Projection (cm) 31.0
Base Diameter (cm) 14.0
Shade Diameter (cm) 4.5
Shade Height (cm) 10.0
Height Adjustable? No

Specification

1

Voltage Input240VTotal Wattage (max)3Globe TypeLEDGlobe / Light Source qty1Globe / Light Source includedYesLumens270

All representations within this document are subject to copyright. ELECTRICAL INSTALLATIONS MUST BE PERFORMED BY A QUALIFIED ELECTRICAL CONTRACTOR AND INSTALLED IN ACCORDANCE WITH AS/NZS 3000.

NOTE: All images, descriptions and dimensions are indicative. Please check latest version of item detail on Telbix website prior to ordering or installation.

Data Sheet



Color TemperatureWarm WhiteColor Kelvin3000kDimmableTouch

Electrical Protection CLASS III - LOW VOLTAGE, <54v

IP rating IP20
Lead and Plug Yes
Approvals RCM


Care Instructions Do not use strong liquid cleaners, Wipe clean with a dry cloth

Replacement Warranty *3 Years

Barcode

GTIN 9329501066973

Image -dimensions



Note: Dimensions are only a guide and may vary due to manufacturing variations.



All representations within this document are subject to copyright.ELECTRICAL INSTALLATIONS MUST BE PERFORMED BY A QUALIFIED ELECTRICAL CONTRACTOR AND INSTALLED IN ACCORDANCE WITH AS/NZS 3000. NOTE: All images, descriptions and dimensions are indicative. Please check latest version of item detail on Telbix website prior to ordering or installation.