

Last modification 2023-07-07

**BLOC EX5-WH3C**  
**9329501065693**



The BLOC LED Indoor/Outdoor Wall Sconce features a simple rectangular wall lamp with a soft angle projecting light suitable for both indoors or outdoor applications. The robust polycarbonate frame will provide ample lighting for either a hallway or outdoor space. This fixture utilizes a color-changeable LED light source, and is a modern and energy-efficient lighting alternative.

## Overview

<b>Family name</b>	Bloc
<b>Categories</b>	Wall Lights
<b>Mounting</b>	Surface
<b>Usage</b>	Indoor Lighting, Outdoor Lighting, Trade Selection

## Color / Material

<b>Fixture Color</b>	White, Opal
<b>Fixture Material</b>	Polycarbonate
<b>Diffuser Color</b>	Opal
<b>Diffuser Material</b>	Polycarbonate

## Size

<b>Fixture Length (cm)</b>	22.0
<b>Fixture Height (cm)</b>	11.3
<b>Fixture Projection (cm)</b>	5.1

## Specification

<b>Voltage Input</b>	240V
<b>Total Wattage (max)</b>	5
<b>Globe Type</b>	LED integrated SMD
<b>Globe / Light Source qty</b>	1
<b>Globe / Light Source included</b>	Yes
<b>Lumens</b>	400
<b>Color Temperature</b>	Warm White; Natural White; Cool White
<b>Color Kelvin</b>	3 CCT (3000k - 4000k - 5000k)
<b>Color Rendering</b>	>80
<b>Dimmable</b>	No

All representations within this document are subject to copyright. ELECTRICAL INSTALLATIONS MUST BE PERFORMED BY A QUALIFIED ELECTRICAL CONTRACTOR AND INSTALLED IN ACCORDANCE WITH AS/NZS 3000.  
NOTE : All images , descriptions and dimensions are indicative. Please check latest version of item detail on Telbix website prior to ordering or installation.

<b>Electrical Protection</b>	CLASS I - HIGH VOLTAGE, EARTH REQUIRED
<b>IP rating</b>	IP65
<b>Lead and Plug</b>	No
<b>Approvals</b>	RCM
<b>Assembly Required</b>	No
<b>Box Contents</b>	Basic mounting screws, Instruction
<b>Installation Required</b>	Yes (by Licensed Electrician only)
<b>Care Instructions</b>	Do not use strong liquid cleaners, Wipe clean with a dry cloth
<b>Replacement Warranty</b>	*3 Years

### Barcode

**GTIN** 9329501065693

### Image -dimensions



