

Last modification

2021-05-31

EDGE 120.40.3C

9329501059470



Overview

Family name	Edge
Item Type	Batten (BTN)
Mounting	Surface
This item includes	Diffuser
Usage	Interior

Color / Material

Fixture Material	Aluminium
Glass Finish	Powder Coated
Diffuser Colour	Opaline
Diffuser Material	Polycarbonate

Size

Fixture Length (cm)	120.0
Fixture Width (cm)	8.3
Fixture Projection (cm)	3.8

Specification

Voltage Input	240V
Wattage (max)	40
Globe Type	LED integrated SMD
Globe / Light Source qty	1
Globe / Light Source included	Yes
Lumens	4000
Color Temperature	Warm White; Cool White; Daylight
Color Kelvin	3 CCT (3000k - 4500k - 6500k)
Color Rendering	>82
Beam Angle	120
Power Factor	>0.90
Surge Protection	Yes (1.5 Kva)
Control Gear Included	Yes-integrated
Current Output	500

All representations within this document are subject to copyright. ELECTRICAL INSTALLATIONS MUST BE PERFORMED BY A QUALIFIED ELECTRICAL CONTRACTOR AND INSTALLED IN ACCORDANCE WITH AS/NZS 3000.
NOTE : All images , descriptions and dimensions are indicative. Please check latest version of item detail on Telbix website prior to ordering or installation.

Electrical Protection	CLASS I - HIGH VOLTAGE, EARTH REQUIRED
IP rating	IP20
Approvals	AS/NZS 60598.1.2003
Box Contents	Basic mounting screws, Instruction
Installation Required	Yes (by Licensed Electrician only)
Warranty	3 Years

Barcode

GTIN 9329501059470

Pricing

PRICE - RRP incGST 85.0

Image -dimensions



