Data Sheet



Last modification

2024-02-09

ELSEE OY40-CL3C 9329501067390



The Elsee Oyster is a stylish lighting fixture crafted from high-quality acrylic and metal featuring a glossy, crystal-look finish for an elegant aesthetic. With integrated LED technology, it offers 3CCT colour options and is dimmable, allowing for customisable lighting. Offered in two sizes, this versatile luminary effortlessly elevates any space, blending durability with timeless charm.

Overview

Family nameElseeCategoriesOystersMountingSurfaceUsageIndoor LightingERAC Product RegistrationEESS-230843-0

Color / Material

Fixture ColorClearFixture FinishGloss

Fixture Material Metal, Acrylic

Canopy ColorWhiteDiffuser ColorClearDiffuser MaterialAcrylic

Size

Fixture Diameter (cm) 40.0 Fixture Projection (cm) 14.5

Specification

Voltage Input 240V Total Wattage (max) 32

Globe Type LED integrated SMD

Globe / Light Source qty 1
Globe / Light Source included Yes
Lumens 2880

Color Temperature Warm White; Natural White; Cool White

Color Kelvin 3 CCT (3000k - 4000k - 5000k)

All representations within this document are subject to copyright.ELECTRICAL INSTALLATIONS MUST BE PERFORMED BY A QUALIFIED ELECTRICAL CONTRACTOR AND INSTALLED IN ACCORDANCE WITH AS/NZS 3000.

NOTE: All images, descriptions and dimensions are indicative. Please check latest version of item detail on Telbix website prior to ordering or installation.

Data Sheet



Color Rendering >80
Dimmable Yes

Electrical Protection CLASS I - HIGH VOLTAGE, EARTH REQUIRED

IP rating IP20 Lead and Plug No Approvals RCM

Installation Required Yes (by Licensed Electrician only)


Care Instructions Do not use strong liquid cleaners, Wipe clean with a dry cloth

Replacement Warranty *3 Years

<u>Barcode</u>

GTIN 9329501067390

Image -dimensions



Note: Dimensions are only a guide and may vary due to manufacturing variations.



All representations within this document are subject to copyright.ELECTRICAL INSTALLATIONS MUST BE PERFORMED BY A QUALIFIED ELECTRICAL CONTRACTOR AND INSTALLED IN ACCORDANCE WITH AS/NZS 3000.

NOTE: All images, descriptions and dimensions are indicative. Please check latest version of item detail on Telbix website prior to ordering or installation.