Data Sheet



Last modification

2023-11-25

GENARO W61-3CCT 9329501069370



The Genaro Wide Body Batten is a versatile lighting solution suitable for both commercial and domestic settings. Offering customizable illumination, it features selectable white color options and adjustable power/brightness settings. The batten is equipped with a convenient snap-on polycarbonate diffuser, ensuring optimal light distribution. With an oversized cable entry and terminal block, installation is hassle-free. Available in lengths of 60 or 120 cm, the Genaro Wide Body Batten provides a sleek and efficient lighting solution for various spaces, meeting diverse preferences and requirements.

Overview

Family nameGenaroCategoriesBattensMountingSurfaceUsageIndoor Lighting

ERAC Product Registration GMA-516606

Color / Material

Fixture Color White, Opaline
Fixture Material Polycarbonate, SPCC

Specification

Voltage Input 240V Total Wattage (max) 18 Wattage 9

Globe Type LED integrated SMD

Globe / Light Source qty 2
Globe / Light Source included Yes
Lumens 2200

Color Temperature Warm White; Natural White; Cool White

Color Kelvin3 CCT (3000k - 4000k - 5700k)Additional FunctionsAdjustable power/brightness switchElectrical ProtectionCLASS I - HIGH VOLTAGE, EARTH REQUIRED

IP rating IP20

<u>Barcode</u>

GTIN 9329501069370











All representations within this document are subject to copyright.ELECTRICAL INSTALLATIONS MUST BE PERFORMED BY A QUALIFIED ELECTRICAL CONTRACTOR AND INSTALLED IN ACCORDANCE WITH AS/NZS 3000.

NOTE: All images, descriptions and dimensions are indicative. Please check latest version of item detail on Telbix website prior to ordering or installation.



All representations within this document are subject to copyright.ELECTRICAL INSTALLATIONS MUST BE PERFORMED BY A QUALIFIED ELECTRICAL CONTRACTOR AND INSTALLED IN ACCORDANCE WITH AS/NZS 3000.

NOTE: All images, descriptions and dimensions are indicative. Please check latest version of item detail on Telbix website prior to ordering or installation.