Data Sheet



Last modification

2023-03-10

HARBOR EX.PTL-SL 9329501037485



The Harbor Bollard Pathlight is a versatile and stylish lighting solution for illuminating outdoor walkways and paths. The louvred grille design minimises glare and allows for optimal light distribution, while the option to select standard E27 globes makes it easy to customize the light source to your specific requirements. The impact-resistant and IP54 waterproof design ensures that the Harbor Bollard Pathlight can withstand harsh weather conditions and provide reliable lighting for years to come. The robust aluminum extrusion and polycarbonate lens provide durability and protection against the elements. Upgrade your outdoor lighting with the Harbor Bollard Pathlight and enjoy improved visibility and style.

Overview

Family name Harbor Categories Post Lights Mounting Surface **Switch** Inline Switch

Usage Outdoor Lighting, Trade Selection

Color / Material

Fixture Color Silver **Fixture Material** Aluminium Silver **Canopy Color Diffuser Color** Clear **Diffuser Material** Acrylic

Size

Fixture Diameter (cm) 17.0 Fixture Height (cm) 90.0

Specification

Voltage Input 240V Wattage (max) 40 **Globe Type** F27 Globe / Light Source qty 1 Globe / Light Source included Nο **Color Rendering** >80

All representations within this document are subject to copyright. ELECTRICAL INSTALLATIONS MUST BE PERFORMED BY A QUALIFIED ELECTRICAL CONTRACTOR AND INSTALLED IN ACCORDANCE WITH AS/NZS 3000. NOTE: All images, descriptions and dimensions are indicative. Please check latest version of item detail on Telbix website prior to ordering or installation

Data Sheet



DimmableNoPower Factor>0.90IP ratingIP65Lead and PlugNoApprovalsRCM

Box ContentsBasic mounting screws, InstructionInstallation RequiredYes (by Licensed Electrician only)


Care Instructions Do not use strong liquid cleaners, Wipe clean with a dry cloth

Replacement Warranty *3 Years

Barcode

GTIN 9329501037485

Image -dimensions



All representations within this document are subject to copyright.ELECTRICAL INSTALLATIONS MUST BE PERFORMED BY A QUALIFIED ELECTRICAL CONTRACTOR AND INSTALLED IN ACCORDANCE WITH AS/NZS 3000.

NOTE: All images, descriptions and dimensions are indicative. Please check latest version of item detail on Telbix website prior to ordering or installation.

Data Sheet





All representations within this document are subject to copyright.ELECTRICAL INSTALLATIONS MUST BE PERFORMED BY A QUALIFIED ELECTRICAL CONTRACTOR AND INSTALLED IN ACCORDANCE WITH AS/NZS 3000. NOTE: All images, descriptions and dimensions are indicative. Please check latest version of item detail on Telbix website prior to ordering or installation.



All representations within this document are subject to copyright.ELECTRICAL INSTALLATIONS MUST BE PERFORMED BY A QUALIFIED ELECTRICAL CONTRACTOR AND INSTALLED IN ACCORDANCE WITH AS/NZS 3000.

NOTE: All images, descriptions and dimensions are indicative. Please check latest version of item detail on Telbix website prior to ordering or installation.