Data Sheet



Last modification

2024-02-14

JEREMY FL-GY 9329501068397



The Jeremy range of table and floor lamps redefines contemporary lighting with its stylish design and practical features. Available in sleek black and grey options, these lamps boast a refined sand finish, adding a modern touch to any setting. The standout characteristic is the 360-degree rotatable lamp head, providing unparalleled flexibility in directing light precisely where it's needed.

Overview

Family nameJeremyCategoriesFloor LampsUsageIndoor LightingERAC Product RegistrationSAA-210304-EA

Color / Material

Fixture Color Grey, Antique Brass

Fixture Finish Sand
Fixture Material Iron
Cable Color Black
Cable Material PVC

Size

Fixture Length (cm) 22.0

Fixture Width (cm) 42.0

Fixture Height (cm) 122.0

Base Diameter (cm) 22.0

Shade Diameter (cm) 10.0

Cable Length (cm)200 (50+Inline Switch+150)

Specification

1

Voltage Input 240V
Total Wattage (max) 9
Globe Type GU10
Globe / Light Source qty 1
Globe / Light Source included No

Dimmable Globe Dependant

All representations within this document are subject to copyright. ELECTRICAL INSTALLATIONS MUST BE PERFORMED BY A QUALIFIED ELECTRICAL CONTRACTOR AND INSTALLED IN ACCORDANCE WITH AS/NZS 3000.

NOTE: All images, descriptions and dimensions are indicative. Please check latest version of item detail on Telbix website prior to ordering or installation.

Data Sheet



Electrical Protection CLASS II - DOUBLE INSULATED, EARTH NOT REQUIRED

IP rating IP20
Lead and Plug Yes
Approvals RCM


Care Instructions Do not use strong liquid cleaners, Wipe clean with a dry cloth

Replacement Warranty *3 Years

<u>Barcode</u>

GTIN 9329501068397

Image -dimensions



Note: Dimensions are only a guide and may vary due to manufacturing variations.



All representations within this document are subject to copyright.ELECTRICAL INSTALLATIONS MUST BE PERFORMED BY A QUALIFIED ELECTRICAL CONTRACTOR AND INSTALLED IN ACCORDANCE WITH AS/NZS 3000. NOTE: All images, descriptions and dimensions are indicative. Please check latest version of item detail on Telbix website prior to ordering or installation.