

Last modification 2024-04-11

MANDEL TL-AG 9329501072059



The Mandel Touch Lamp, complete with globe, is a sleek and innovative lighting solution that adds both style and convenience to any space. Crafted from iron and available in a variety of colours, it effortlessly merges contemporary design with practicality.

Overview

| | |
|--------------------|-----------------|
| Family name | Mandel |
| Categories | Table Lamps |
| Switch | Touch |
| Usage | Indoor Lighting |

Color / Material

| | |
|-------------------------|--------------|
| Fixture Color | Antique Gold |
| Fixture Finish | Polished |
| Fixture Material | Iron |
| Cable Material | PVC |

Size

| | |
|------------------------------|------|
| Fixture Diameter (cm) | 15.0 |
| Fixture Height (cm) | 7.5 |
| Base Diameter (cm) | 11.0 |
| Base Height (cm) | 4.0 |
| Shade Diameter (cm) | 15.0 |
| Shade Height (cm) | 7.5 |
| Height Adjustable? | No |
| Cable Length (cm) | 180 |

Specification

| | |
|--------------------------------------|------------|
| Voltage Input | 240V |
| Total Wattage (max) | 5 |
| Globe Type | E14 |
| Globe / Light Source qty | 1 |
| Globe / Light Source included | Yes |
| Color Temperature | Warm White |


All representations within this document are subject to copyright. ELECTRICAL INSTALLATIONS MUST BE PERFORMED BY A QUALIFIED ELECTRICAL CONTRACTOR AND INSTALLED IN ACCORDANCE WITH AS/NZS 3000.
NOTE : All images , descriptions and dimensions are indicative. Please check latest version of item detail on Telbix website prior to ordering or installation.

| | |
|------------------------------|--|
| Color Kelvin | 3000k |
| Dimmable | No |
| Electrical Protection | CLASS II - DOUBLE INSULATED, EARTH NOT REQUIRED |
| IP rating | IP20 |
| Lead and Plug | Yes |
| Approvals | RCM |
| Care Instructions | Do not use strong liquid cleaners, Wipe clean with a dry cloth |
| Replacement Warranty | *3 Years |

Barcode

GTIN 9329501072059

Image -dimensions



Note: Dimensions are only a guide and may vary due to manufacturing variations.

