Data Sheet



Last modification

2022-11-29

NETRA DL15-BKGD 9329501063712



The NETRA LED close to ceiling downlight is the perfect luminaire that can be integrated into many interior styles. At a fixed downward direction it provides a wide light source for a full even effect. Swivel the LED panel and a directional light source now is at your control setting the mood in your living space. Three color temperatures are integrated within the canopy and the added benefit of triac dimming is on hand to set your lighting environment.

Overview

Family nameNetraCategoriesDownlightsMountingSurfaceUsageIndoor LightingERAC Product RegistrationSAA-212163-EA

Color / Material

Fixture Color Black,Gold

Base Material Aluminium

Diffuser Material Plastic

<u>Size</u>

Fixture Diameter (cm)12.0Canopy Diameter (cm)12.0Canopy Projection (cm)5.5

Specification

Voltage Input 240V Wattage (max) 15

Globe Type LED integrated SMD

Globe / Light Source qty 1
Globe / Light Source included Yes
Lumens 1200

Color Temperature Warm White; Natural White; Cool White

Color Kelvin 3 CCT (3000k - 4000k - 5000k)

Dimmable Yes

Data Sheet



IP rating IP20
Lead and Plug No
Approvals RCM
Assembly Required No

Box ContentsInstruction,Basic mounting screwsInstallation RequiredYes (by Licensed Electrician only)


Care Instructions Do not use strong liquid cleaners, Wipe clean with a dry cloth

Replacement Warranty *3 Years

<u>Barcode</u>

GTIN 9329501063712

Image -dimensions




Note: Dimensions are only a guide and may vary due to manufacturing variations.

Telbix.









All representations within this document are subject to copyright.ELECTRICAL INSTALLATIONS MUST BE PERFORMED BY A QUALIFIED ELECTRICAL CONTRACTOR AND INSTALLED IN ACCORDANCE WITH AS/NZS 3000.

NOTE: All images, descriptions and dimensions are indicative. Please check latest version of item detail on Telbix website prior to ordering or installation.