Data Sheet



Last modification

2024-01-12

ORILLA PE-BRW 9329501068304



This sleek and stylish lighting fixture features an integrated LED system with a warm 3000k colour temperature ensuring both energy efficiency and a long-lasting illumination solution. The glass dome-shaped design adds a touch of sophistication, creating a captivating focal point in any room.

Available in three colour options - Smoke, Frost, and Brown, the Orilla pendant light allows you to customise your lighting aesthetic to complement your interior decor.

Overview

Family nameOrillaCategoriesPendantsShade ShapeDomeSuspension TypeCord

Usage Indoor Lighting

Color / Material

Fixture Color Brown

Fixture Material Glass, Iron, Aluminium

Canopy Color Black
Glass Finish Matte

Size

Fixture Diameter (cm) 60.0 Fixture Height (cm) 19.0 Canopy Diameter (cm) 15.0 4.0 Canopy Projection (cm) Shade Diameter (cm) 60.0 200.0 Suspension Length (cm) **Height Adjustable?** Yes Cable Length (cm) 200

Specification

1

Voltage Input 240V

All representations within this document are subject to copyright.ELECTRICAL INSTALLATIONS MUST BE PERFORMED BY A QUALIFIED ELECTRICAL CONTRACTOR AND INSTALLED IN ACCORDANCE WITH AS/NZS 3000.

NOTE: All images, descriptions and dimensions are indicative. Please check latest version of item detail on Telbix website prior to ordering or installation.

Data Sheet



Total Wattage (max) 12
Wattage 6

Globe Type LED integrated SMD

Globe / Light Source qty 2
Globe / Light Source included Yes

Color TemperatureWarm WhiteColor Kelvin3000kDimmableNo

Electrical Protection CLASS I - HIGH VOLTAGE, EARTH REQUIRED

IP rating IP20 Approvals RCM

Installation Required Yes (by Licensed Electrician only)


Care Instructions Do not use strong liquid cleaners, Wipe clean with a dry cloth

Replacement Warranty *3 Years

<u>Barcode</u>

GTIN 9329501068304

Image -dimensions



Note: Dimensions are only a guide and may vary due to manufacturing variations.



All representations within this document are subject to copyright.ELECTRICAL INSTALLATIONS MUST BE PERFORMED BY A QUALIFIED ELECTRICAL CONTRACTOR AND INSTALLED IN ACCORDANCE WITH AS/NZS 3000.

NOTE: All images, descriptions and dimensions are indicative. Please check latest version of item detail on Telbix website prior to ordering or installation.