Data Sheet

Last modification

2023-10-04

Telbıx.

OVERTON PE-BRS 9329501066133



The Overton Artisan Brass Pendant Light is a masterpiece of design and craftsmanship. Its upper tier showcases a stunning lattice pattern crafted from solid brass, elegantly overlaying the acid-frost glass. Handcrafted to perfection, this pendant light combines the durability of brass with the soft, diffused glow of acid frost glass. It's a captivating fusion of artistry and function, a testament to timeless beauty. Illuminate your space with the enchanting allure of the Overton Pendant and watch as it transforms your surroundings into a work of art. Can be mounted as close to ceiling.

<u>Overview</u>

Family name	Overton
Categories	Pendants
Suspension Type	Chain + Rod
Usage	Indoor Lighting

Color / Material

Brass, Frost
Brass
Solid Brass
Frost
Glass
Frost

<u>Size</u>

Fixture Width (cm)	50.0
Fixture Height (cm)	30.0
Shade Diameter (cm)	50.0
Suspension Length (cm)	200.0

Specification

Voltage Input	240V
Total Wattage (max)	150
Wattage	25
Globe Type	E27
Globe / Light Source qty	6

All representations within this document are subject to copyright.ELECTRICAL INSTALLATIONS MUST BE PERFORMED BY A QUALIFIED ELECTRICAL CONTRACTOR AND INSTALLED IN ACCORDANCE WITH AS/NZS 3000. NOTE : All images , descriptions and dimensions are indicative. Please check latest version of item detail on Telbix website prior to ordering or installation.

Data Sheet

Telbıx.


Globe / Light Source included	No
Dimmable	Globe Dependant
Electrical Protection	CLASS I - HIGH VOLTAGE, EARTH REQUIRED
IP rating	IP20
Lead and Plug	No
Approvals	RCM
Installation Required	Yes (by Licensed Electrician only)
Care Instructions	Do not use strong liquid cleaners, Wipe clean with a dry cloth
Replacement Warranty	*3 Years

<u>Barcode</u>

GTIN

9329501066133


Image -dimensions



Note: Dimensions are only a guide and may vary due to manufacturing variations.

All representations within this document are subject to copyright. ELECTRICAL INSTALLATIONS MUST BE PERFORMED BY A QUALIFIED ELECTRICAL CONTRACTOR AND INSTALLED IN ACCORDANCE WITH AS/NZS 3000. NOTE : All images , descriptions and dimensions are indicative. Please check latest version of item detail on Telbix website prior to ordering or installation.

Telbıx.



All representations within this document are subject to copyright. ELECTRICAL INSTALLATIONS MUST BE PERFORMED BY A QUALIFIED ELECTRICAL CONTRACTOR AND INSTALLED IN ACCORDANCE WITH AS/NZS 3000. NOTE : All images , descriptions and dimensions are indicative. Please check latest version of item detail on Telbix website prior to ordering or installation.