

Last modification 2023-01-11

PRIMA EX.SQ-SL
9329501041277



Overview

Family name	Prima
Categories	Wall Lights
Mounting	Surface
Usage	Indoor Lighting,Outdoor Lighting,Trade Selection

Color / Material

Fixture Color	Silver
Fixture Material	Aluminium
Canopy Color	Silver

Size

Fixture Width (cm)	12.5
Fixture Height (cm)	12.5
Fixture Projection (cm)	2.7

Specification

Voltage Input	240V
Wattage (max)	1
Globe Type	LED integrated SMD
Globe / Light Source qty	1
Globe / Light Source included	Yes
Lumens	60
Color Temperature	Natural White
Color Kelvin	4000k
Color Rendering	>80
Dimmable	No
Power Factor	>0.90
Electrical Protection	CLASS II - DOUBLE INSULATED, EARTH NOT REQUIRED
IP rating	IP65
Approvals	RCM
Box Contents	Basic mounting screws,Instruction
Installation Required	Yes (by Licensed Electrician only)

All representations within this document are subject to copyright.ELECTRICAL INSTALLATIONS MUST BE PERFORMED BY A QUALIFIED ELECTRICAL CONTRACTOR AND INSTALLED IN ACCORDANCE WITH AS/NZS 3000.
NOTE : All images , descriptions and dimensions are indicative. Please check latest version of item detail on Telbix website prior to ordering or installation.

Care Instructions

Do not use strong liquid cleaners,Wipe clean with a dry cloth

Replacement Warranty

*3 Years

Barcode

GTIN

9329501041277

Image -dimensions



