Data Sheet



Last modification

2024-04-11

TEATRO TL-AG 9329501070994



The Teatro table lamp combines elegant design with modern functionality. Featuring a sturdy iron base, this lamp is equipped with integrated LED lighting for energy efficiency and longevity. Available in both antique gold and nickel finishes, it effortlessly enhances any interior decor with its timeless charm and versatile appeal.

Overview

Family name Teatro Categories Table Lamps **Switch** Inline Switch Indoor Lighting Usage **ERAC Product Registration** GMA-515018-EA

Color / Material

Fixture Color Antique Gold, Alabastro

Fixture Finish Polished

Fixture Material Iron, Polycarbonate **Diffuser Material** Polycarbonate

Cable Color Black **Cable Material PVC**

Size

Fixture Diameter (cm) 30.0 Fixture Height (cm) 38.5 Base Diameter (cm) 16.0 2.5 Base Height (cm) Shade Diameter (cm) 30.0 Shade Height (cm) 5.5 **Height Adjustable?** No Cable Length (cm) 180

Specification

1

Total Wattage (max)

Globe Type LED integrated SMD

All representations within this document are subject to copyright. ELECTRICAL INSTALLATIONS MUST BE PERFORMED BY A QUALIFIED ELECTRICAL CONTRACTOR AND INSTALLED IN ACCORDANCE WITH AS/NZS 3000. NOTE: All images, descriptions and dimensions are indicative. Please check latest version of item detail on Telbix website prior to ordering or installation

Data Sheet



Globe / Light Source qty 1
Globe / Light Source included Yes
Lumens 380

Color TemperatureWarm WhiteColor Kelvin3000kDimmableNo

Electrical Protection CLASS III - LOW VOLTAGE, <54v

IP rating IP20
Lead and Plug Yes
Approvals RCM
Assembly Required No
Installation Required No


Care Instructions Do not use strong liquid cleaners, Wipe clean with a dry cloth

Replacement Warranty *3 Years


<u>Barcode</u>

GTIN 9329501070994

Image -dimensions



Note: Dimensions are only a guide and may vary due to manufacturing variations.



All representations within this document are subject to copyright.ELECTRICAL INSTALLATIONS MUST BE PERFORMED BY A QUALIFIED ELECTRICAL CONTRACTOR AND INSTALLED IN ACCORDANCE WITH AS/NZS 3000.

NOTE: All images, descriptions and dimensions are indicative. Please check latest version of item detail on Telbix website prior to ordering or installation.