Data Sheet



Last modification

2023-10-04

VALMONT PE-BRS 9329501066140



The Valmont Artisan Brass Pendant Light is a true masterpiece of design. Its composition elegantly marries clear water glass and acid frost glass panels, creating a harmonious play of light and texture. This captivating fixture is adorned with hand-pressed brass emblems, adding a touch of bespoke craftsmanship to its already exquisite design. Illuminate your space with the enchanting allure of the Valmont pendant. Can be mounted close to ceiling.

Overview

Family name Valmont
Categories Pendants
Suspension Type Chain

Usage Indoor Lighting

Color / Material

Fixture Color Brass
Fixture Finish Brass
Fixture Material Solid Brass
Diffuser Material Glass

Size

Fixture Width (cm) 50.0 Fixture Height (cm) 23.0 Suspension Length (cm) 200.0

Specification

Voltage Input240VTotal Wattage (max)125Wattage25Globe TypeE27Globe / Light Source qty5Globe / Light Source includedNo

Dimmable Globe Dependant

Electrical Protection CLASS I - HIGH VOLTAGE, EARTH REQUIRED

IP rating IP20

All representations within this document are subject to copyright. ELECTRICAL INSTALLATIONS MUST BE PERFORMED BY A QUALIFIED ELECTRICAL CONTRACTOR AND INSTALLED IN ACCORDANCE WITH AS/NZS 3000.

NOTE: All images, descriptions and dimensions are indicative. Please check latest version of item detail on Telbix website prior to ordering or installation.

Data Sheet



Lead and PlugNoApprovalsRCM

Installation Required Yes (by Licensed Electrician only)


Care Instructions Do not use strong liquid cleaners, Wipe clean with a dry cloth

Replacement Warranty *3 Years

Barcode

GTIN 9329501066140

Image -dimensions



50

Note: Dimensions are only a guide and may vary due to manufacturing variations.



All representations within this document are subject to copyright.ELECTRICAL INSTALLATIONS MUST BE PERFORMED BY A QUALIFIED ELECTRICAL CONTRACTOR AND INSTALLED IN ACCORDANCE WITH AS/NZS 3000.

NOTE: All images, descriptions and dimensions are indicative. Please check latest version of item detail on Telbix website prior to ordering or installation.