# **Condor Spot**

## 12W Security Spot IP65

- Weatherproof IP65 rating
- Three different selectable colour temperatures
- Large terminals for easy installation
- 3 year warranty



#### **ORDERING INFORMATION**

Order code	13960
Description	12W Security Spot IP65 White
Driver Power	12 W
Driver Type	Fixed output
Item Code	CONDOR SPOT-13960

## **EFFICIENCIES**

Total System Efficiency	108 lm/W
-------------------------	----------

The performance of each component of a luminaire is demonstrated through its efficiencies, which together determine the total system efficiency of the product. The output of the LED chip is first multiplied by the optical and thermal efficiencies to calculate the Luminaire efficiency. However, this calculation does not consider the driver efficiency. To determine the overall efficiency of the system, the Luminaire efficiency must be multiplied by the driver efficiency, which accounts for all losses in the system.

## **MECHANICAL**

Adjustability	Gimbal
Body Material	Diecast Aluminium
Diffuser Material	Tempered Glass
Product Finish	Powdercoated
Fitting Colour	White
Installation Type	Surface mount
IP Rating	IP65

#### **ELECTRICAL**

Electrical Rating	Class I
Input Current	0.12 A
Input Frequency	50 Hz
Input voltage	230Vac

In Australia the Input voltage is defined as 230Vac -6%/+10%. This effectively means that the voltage range of these products are 216Vac - 253Vac or 240V +6%

Maximum Wattage	12 W
Power Factor	0.5
Working Temp Range	-10 to 40 °C

#### **LAMP**

Macadam Steps (SDCM)	6-step MacAdam Ellipse
Beam Angle	90 °
CCT Configuration	TRI-CCT
Colour Rendering Index (CRI)	>80
LED Type	COB

#### **LED LIFETIME**

LED Life	time	50000 hrs

This is the Reported LED Lifetime in Hours based on TM-21. Atom does not list the projected or calculated LED lifetime, which is normally longer as TM-21 Addendum B explicitly states "The Calculated and Projected Lp(Dk) are not to be reported". This Lifetime refers to the life of a single LED however the system life is longer since the probability and binomial distribution of all LEDs in the system means that the average led is performing above the specification and compensates for the LEDs falling below.

LED Lifetime Rating	L70B10
---------------------	--------

1300 438 658 sales@evolt.com.au atomlighting.com.au © 2023 Evolt



# **COLOUR TEMPERATURE**

11 Watts	
Warm White (3000 K)	1100 lm
Cool White (4000 K)	1300 lm
DayLight (5000 K)	1250 lm

## **DRIVER**

Dimmable	No
Driver Included	Yes
Integrated Driver	Yes
Driver Mode	Constant Current
Driver Type	Fixed output

## **COMPLIANCE**

Standards AS/NZS 60598.1   AS/NZS 60598.2.1 AS/NZS 61347.1   AS/NZS 61347.2.13 AS CISPR 15		
AS/NZS 61347.2.13	Standards	*
		AS/NZS 61347.1 AS/NZS 61347.2.13

## **WARRANTY**

Domestic Use Warranty	3 RTB (Total 3 Years)
VIP Warranty	2 Onsite, 3 RTB (Total 5 Years)


VIP warranty is available to registered users and is subjected to additional terms and conditions.

## **DIMENSIONS**


<b>Product Height</b>	167 mm
Product Length	182 mm
<b>Product Weight</b>	505 g
Product Width	121 mm

## **PHOTOMETRICS**

## **CONDOR SPOT/13959/TRI/5000K**



## **CONDOR SPOT/13959/TRI/4000K**





## **CONDOR SPOT/13959/TRI/3000K**

