

## Ceduna

- Efficient 45W AC motor
- Easy installation with our quick connect wiring solution
- Pre-balanced for smoother, quieter operation
- Suitable for indoor and covered outdoor applications
- Metal body and canopy with 3 reinforced ABS blades
- Hangsure canopy up to 15 degrees
- Reversible for summer and winter use
- Compatible with Atom Air ceiling fan remote control ACREMOTE/KIT (sold separately)
- 3 speed wall controller

### ORDERING INFORMATION

<b>Order code</b>	18468
<b>Description</b>	48 inch (1220mm) 3 blade 45W AC ceiling fan white
<b>Item Code</b>	CEDUNA/48/WH

### MECHANICAL

<b>Body Material</b>	Metal
<b>Fitting Colour</b>	Satin White
<b>IP Rating</b>	IP20

### ELECTRICAL

<b>Electrical Rating</b>	Class I
<b>Input Frequency</b>	50 Hz
<b>Input voltage</b>	230Vac

In Australia the Input voltage is defined as 230Vac -6%/+10%. This effectively means that the voltage range of these products are 216Vac - 253Vac or 240V +6%

<b>Working Temp Range</b>	-10 to 40 °C
---------------------------	--------------

### AIR MOVEMENT

<b>Motor Wattage</b>	45 W
<b>Motor Type</b>	AC
<b>No. Speeds</b>	3
<b>Control</b>	Wall control
<b>Ceiling Rake</b>	15 °
<b>Ceiling Drop</b>	270 mm
<b>Blade Pitch</b>	9 °
<b>Blade Material</b>	ABS




<b>Fan Size</b>	1220mm (48inch)
<b>Fan Speed 1</b>	45 W, 245 rpm, 9300 m <sup>3</sup> /h
<b>Fan Speed 2</b>	37 W, 170 rpm, 7800 m <sup>3</sup> /h
<b>Fan Speed 3</b>	20 W, 110 rpm, 5700 m <sup>3</sup> /h

### WARRANTY

<b>Domestic Use Warranty</b>	4 Onsite, 2 RTB (Total 6 years)
------------------------------	---------------------------------

### LINE DRAWINGS

#### CEDUNA/48



### ACCESSORIES

<b>Order code</b>	12509
<b>Description</b>	Remote control receiver and remote kit for AC ceiling fans - White
<b>Item Code</b>	ACREMOTE/KIT/WH



<b>Order code</b>	12513
<b>Description</b>	1500mm Extension rod for ceiling fans w/loom - white
<b>Item Code</b>	ROD/150/WH
<b>Order code</b>	12511
<b>Description</b>	900mm Extension rod for ceiling fans w/loom - white
<b>Item Code</b>	ROD/90/WH