



General Information

| | |
|-----------------|---------------|
| Material number | 20537902 |
| EAN/UPC | 9008606239214 |
| Type | ceiling fan |

Dimensions

| | |
|---------------------------|--------------|
| Article Diameter (in mm) | 1500 |
| Article Height (in mm) | 321 |
| Canopy Height (in mm) | 66 |
| Canopy Diameter (in mm) | 152 |
| Net Weight | 5.6 Kilogram |
| Gross Weight | 7 Kilogram |
| Single-Box Height (in mm) | 250 |
| Single-Box Length (in mm) | 790 |
| Single-Box Depth (in mm) | 325 |

Fan

| | |
|-------------------------------|----------------|
| Motor Type | DC |
| Motor dimension in MM (Ø x H) | 132,5 x 16 |
| Motor Wattage | 60 |
| Adjustable Canopy | 13° |
| Blade pitch in degree | Variable |
| Blade Quantity | 3 |
| Protection Degree | IP20 |
| Mains Voltage | 220-240V, 50Hz |

Functions

| | |
|----------|---|
| Function | remote control incl. timer reversible 6 speeds |
|----------|---|

Material & Colour

| | |
|--------------------|------------|
| Blade Material | ABS |
| Blade Colour (1) | black matt |
| Canopy Material | ABS |
| Canopy Colour | black matt |
| Enclosure Material | ABS |
| Enclosure Colour | black matt |

Performance

| | |
|-----------------------------|-------|
| Wattage by air movement (1) | 3.5 |
| RPM (1) | 62 |
| Air Movement m3/Hr (1) | 3476 |
| Wattage by air movement (2) | 6 |
| RPM (2) | 85 |
| Air Movement m3/Hr (2) | 6462 |
| Wattage by air movement (3) | 10.5 |
| RPM (3) | 115 |
| Air Movement m3/Hr (3) | 8715 |
| Wattage by air movement (4) | 19.5 |
| RPM (4) | 145 |
| Air Movement m3/Hr (4) | 10957 |
| Wattage by air movement (5) | 29 |
| RPM (5) | 170 |
| Air Movement m3/Hr (5) | 13243 |
| Wattage by air movement (6) | 45 |
| RPM (6) | 195 |
| Air Movement m3/Hr (6) | 16089 |



16089 m³/h 6 speed
1h,2h
.4h,6h
.8h 13°

20537902
ILUKA



Technical changes reserved

3/3



Contact | Support
eglo.com/en/eglo-worldwide