

General Information

Material number	20550216
EAN/UPC	9008606263868
Type	ceiling fan & light

Dimensions

Article Diameter (in mm)	1520
Article Height (in mm)	309
Canopy Height (in mm)	73
Canopy Diameter (in mm)	158
Net Weight (in kg)	5.26 Kilogram
Gross Weight	8.56 Kilogram
Single-Box Height (in mm)	236
Single-Box Length (in mm)	800
Single-Box Depth (in mm)	360

Fan

Motor Type	DC
Motor dimension in MM (Ø x H)	106
Motor Wattage	40
Adjustable Canopy	20°
Blade pitch in degree	Variable
Blade Quantity	3
Protection Degree	IPX0
Mains Voltage	220-240V, 50Hz

Functions

Function

timer
CCT
Night Mode
6 speeds

Material & Colour

Blade Material	ABS
Blade Colour (1)	light oak
Canopy Material	ABS
Canopy Colour	white matt
Enclosure Material	ABS
Enclosure Colour	white matt
Glass/Shade Material	acrylic
Glass/Shade Colour	milky

Performance






Wattage by air movement (1)	3.2
RPM (1)	70
Air Movement m3/Hr (1)	4012
Wattage by air movement (2)	4.4
RPM (2)	85
Air Movement m3/Hr (2)	5556
Wattage by air movement (3)	8.4
RPM (3)	115
Air Movement m3/Hr (3)	7911
Wattage by air movement (4)	15.4
RPM (4)	145
Air Movement m3/Hr (4)	10519
Wattage by air movement (5)	26.6
RPM (5)	170
Air Movement m3/Hr (5)	12588
Wattage by air movement (6)	40
RPM (6)	195
Air Movement m3/Hr (6)	14194

Illuminant

Illuminant Type (1)	LED
max. Wattage (1)	20W
Light colour Complete	TRICOLOUR

20550216

SURF

 AIRFLOW	 HANG SURE CANOPY	 LED	 ACCU	 Micro
14194 m ³ /h	20°	0W	AAA, Alkali, LR03, 1,5V	

