





AFFINITY SE7359TC - 8W

Dimmable, 8 watt LED circular profile, IP65 wall mount with selectable CCT

Application


Residential or commercial feature walkways and facades

Design Specifications

- Stylish, indirect optical design
- Durable aluminium circular profile, PC base, choice of white or black
- IP65 for interior or exterior use
- Integral flickerCONTROLLED LED control gear
- Selectable CCT, CRI>80
- IK06

Performance

- Dimmable YES
- Dimmer Type trailing edge









Technical Specification

Product	Model No.	Input Voltage (V/AC)	Power (W)	Lumens (lm)	CCT (K)	CRI
	SE7359TC/WH	240	8	530/600/590	3000/4000/5700	80
	SE7359TC/BK	240	8	530/600/590	3000/4000/5700	80


Beam Angle (°)	Dimmable	Dim (mm)	Diameter (mm)	Body Colour
90	YES	50(H)	160	WHITE
90	YES	50(H)	160	BLACK

Due to continued product and technology enhancements, data sourced from sal.net.au shall not form part of any contract and or technical performance guarantee unless expressly confirmed in writing by SAL at the time of order. Products are sold in accordance with SAL Terms and Conditions of sale and all images shown are for illustration purposes only and may vary from the actual colour or finish. Unless specifically stated, all IP ratings nominated for Interior products are from "below the ceiling".





Dimensions







PIXIE AMBIENCE, CHANGE YOUR COLOUR TO MATCH YOUR STYLE.

The innovative PIXIE AMBIENCE SWITCH PLATES have been designed with the end user and installer in mind, allowing you to change the colour face plate as fashion demands.

For more information please scan me





