



DERBY SO3900/TC/DP - 13/30W

Low profile LED Oyster 13 to 30 watt with selectable CCT and dual power

Application

A perfect choice for apartments or commercial spaces

Design Specifications



- Selectable CCT 3000K / 4000K / 5700K
- Durable powder coated steel body profile with a high performance opal PMMA diffuser
- High efficiency LED optics, CRI > 80
- Integral LED driver, with dual power control 13/18 or 21/30 watts
- Two low profile designs to select 307mm or 397mm diameter



Performance

- Dimmable - NO

Technical Specification

Product	Model No.	Input Voltage (V/AC)	Multiple Wattage	Lumens (lm)	CCT (K)	CRI
	SO3900/30TC/DP	240	13/18	1800/2000/1900	3000/4000/5700	80
	SO3900/40TC/DP	240	21/30	2500/3000/2700	3000/4000/5700	80


Dimmable	Beam Angle (°)	Body Colour	Diameter (mm)	Dim (mm)
NO	135	White	307	69(H)
NO	135	White	397	83(H)

Note: Lumens (lm) values shown are at full power rating

Due to continued product and technology enhancements, data sourced from sal.net.au shall not form part of any contract and or technical performance guarantee unless expressly confirmed in writing by SAL at the time of order. Products are sold in accordance with SAL Terms and Conditions of sale and all images shown are for illustration purposes only and may vary from the actual colour or finish. Unless specifically stated, all IP ratings nominated for Interior products are from "below the ceiling".



Dimensions



PIXIE AMBIENCE, CHANGE YOUR STYLE.



PIXIE AMBIENCE GPO SMART SOCKET
SPO23/BTAM



For more
information
please
scan me

