





#### **ECOGEM S9041TCSM - 10W**

Surface mount dimmable LED downlight with selectable colour temperature

## **Application**

Ideal for residential or commercial interior spaces

## **Design Specifications**

- Precise pressed metal surface mount profile, IP20
- S9041TC LED downlight kit included
- Stylish white powder coat finish
- Constant current trailing edge dimmable LED driver

#### **Performance**

Dimmable - YES

Dimmer Type - Trailing edge, optional 1-10V, DALI / DSI



















## **Technical Specification**

Model No.	Input Voltage (V/AC)	Power (W)	Lumens (lm)	ССТ (К)	Beam Angle (°)	Dimmable
S9041SM/C TC WH	240	10	850/1000/900	3000/4200/5700	90	YES

## **Technical Specification**

Model No.	CRI	Body Colour	Diameter (mm)	Dim (mm)
S9041SM/C TC WH	80	WHITE	152	152(W) x 145(H)

Due to continued product and technology enhancements, data sourced from sal.net.au shall not form part of any contract and or technical performance guarantee unless expressly confirmed in writing by SAL at the time of order. Products are sold in accordance with SAL Terms and Conditions of sale and all images shown are for illustration purposes only and may vary from the actual colour or finish. Unless specifically stated, all IP ratings nominated for Interior products are from "below the ceiling".





## **Dimensions**

H 145 mm

Ø 152 mm





### **Photometric Data**

# **Photometric Data**

Unit: cd C0/C180 \_\_\_\_ C30/C210 \_\_\_\_ cd C60/C240 \_\_\_ C90/C270 \_\_\_

## S9041SM/C at 4000K

