



## ECOLINE EXTRA SL9737TC/DP - 10/50W


LED WIDE (90mm) diffused batten with selectable colour temperature, dual power with emergency and sensor options

### Application

Extra wide 90mm conventional style linear LED batten design for commercial services

### Design Specifications

- Quality white powder coat finish with a robust opal polycarbonate diffuser
- Selectable power with flickerCONTROL technology
- Large terminal block for easier installation
- Selectable colour temperature 3000K/4000K/5700K
- High efficiency SMD LED, CRI >80, 120° beam distribution
- Optional sensor, dimming and emergency configurations



### Performance

- Dimmable - **OPTIONAL**
- Dimmer Type - **Trailing edge, 1-10V, DALI/DSI**
- In Built Sensor - **OPTIONAL**
- Sensor Type - **MICROWAVE**





## Technical Specification

Product	Model No.	Input Voltage (V/AC)	Power (W)	Multiple Wattage	Lumens (lm)	CCT (K)
	SL9737/20TC/DP	240		10/20	2400/2600/2400	3000/4000/5700
	SL9737/40TC/DP	240		20/40	4550/5200/4950	3000/4000/5700
	SL9737/50TC/DP	240		25/50	5600/6450/5950	3000/4000/5700
	SL9737/20TC/DP/EM	240		10/20	2400/2600/2400	3000/4000/5700
	SL9737/40TC/DP/EM	240		20/40	4550/5200/4950	3000/4000/5700
	SL9737/50TC/DP/EM	240		25/50	5600/6450/5950	3000/4000/5700
	SL9737/20TC/DP/S	240		10/20	2400/2600/2400	3000/4000/5700
	SL9737/40TC/DP/S	240		20/40	4550/5200/4950	3000/4000/5700
	SL9737/50TC/DP/S	240		25/50	5600/6450/5950	3000/4000/5700
	SL9737/20TC/DIM	240	20		2400/2600/2400	3000/4000/5700
	SL9737/40TC/DIM	240	40		4550/5200/4950	3000/4000/5700
	SL9737/50TC/DIM	240	50		5600/6450/5950	3000/4000/5700



CRI	Beam Angle (°)	Dimmable	Dim (mm)	Body Colour
80	100	NO	610(L) x 90(W) x 66(H)	WHITE
80	100	NO	1225(L) x 90(W) x 66(H)	WHITE
80	100	NO	1519(L) x 90(W) x 66(H)	WHITE
80	100	NO	610(L) x 90(W) x 66(H)	WHITE
80	100	NO	1225(L) x 90(W) x 66(H)	WHITE
80	100	NO	1519(L) x 90(W) x 66(H)	WHITE
80	100	NO	610(L) x 90(W) x 66(H)	WHITE
80	100	NO	1225(L) x 90(W) x 66(H)	WHITE
80	100	NO	1519(L) x 90(W) x 66(H)	WHITE
80	100	YES	610(L) x 90(W) x 66(H)	WHITE
80	100	YES	1225(L) x 90(W) x 66(H)	WHITE
80	100	YES	1519(L) x 90(W) x 66(H)	WHITE

NOTE: lumens (lm) shown are at FULL power setting

Due to continued product and technology enhancements, data sourced from sal.net.au shall not form part of any contract and or technical performance guarantee unless expressly confirmed in writing by SAL at the time of order. Products are sold in accordance with [SAL Terms and Conditions of sale](#) and all images shown are for illustration purposes only and may vary from the actual colour or finish. Unless specifically stated, all IP ratings nominated for Interior products are from "below the ceiling".