





GEM SO3701/TC/DP2 - 8/30W

LED Oyster 8 to 30 watt satin nickel trim deco with selectable colour temperature, dual power and dimmable options.

Application

A perfect choice for apartments, residential or commercial spaces

Design Specifications

- Select colour temperature with the integral DIP switch, 3000K, 4000K, 6000K
- Durable white powder coated steel body profile
- High performance opal PMMA diffuser
- High efficiency SMD LED chips, CRI >80
- Satin Nickel plated deco trim, two versatile profile sizes 8/16 or 15/30 watt
- Integral constant current LED driver, with selectable power and dimmable options (refer model numbers).



















Performance

- Dimmable OPTIONAL
- Dimmer Type refer code number

Technical Specification

Product	Model No.	Input Voltage (V/AC)	Multiple Wattage	Lumens (lm)	ССТ (К)	CRI
	SO3701/30/TC/DP2	240	8/16	1100/1400/1200	3000/4000/6000	80
	SO3701/40/TC/DP2	240	15/30	2150/2600/2200	3000/4000/6000	80
0	SO3701/40/TC/DPD	240	15/30	2150/2600/2200	3000/4000/6000	80

Dimmable	Beam Angle (°)	Body Colour	Diameter (mm)	Dim (mm)	IPART
NO	120	Satin Nickel	310	78(H)	YES
NO	120	Satin Nickel	390	112(H)	YES
YES	120	Satin Nickel	390	112(H)	

Lumens (Im) shown are displayed at maximum power

Due to continued product and technology enhancements, data sourced from sal.net.au shall not form part of any contract and or technical performance guarantee unless expressly confirmed in writing by SAL at the






time of order. Products are sold in accordance with SAL Terms and Conditions of sale and all images shown are for illustration purposes only and may vary from the actual colour or finish. Unless specifically stated, all IP ratings nominated for Interior products are from "below the ceiling".



PIXIE AMBIENCE, CHANGE YOUR STYLE.



SPO23/BTAM



For more information please scan me



NSW/ACT: 02 9723 3099 QLD: 07 3879 5999 VIC/TAS/SA/NT: 03 9532 3168 WA: 08 9248 7458

© Copyright SAL - All Rights Reserved