





MANTIS MULTI FUNCTION SENSOR SMS806WF

Multi function PIR Sensor with photocell and override functions - surface mount IP66.

Application

Versatile residential and commercial sensor applications

Design Specifications

- Selectable dusk to dawn or motion sensor control
- Manual override function
- Sensitivity, time and light level adjustments, maximum loads (LED) 500W, (CFL) 1000W, (Halogen) 2000W
- Detection angle 110° up to 18 metres at a height of 1.8 - 2.5hm, (Black model detection range 15 metres).
- PE cell function can be controlled manually or via the optional remote controller. The controller contains batteries and is designed for trade use only.
- 3 wire design for interior or exterior use in a choice of **GREY or BLACK**













Performance

- In Built Sensor YES
- Sensor Type PIR

Technical Specification

Product	Model No.	Input Voltage (V/AC)	Body Colour
	SMS806WF	240	GREY
	SMS806WF/BK	240	BLACK
	SMS806WF/RC		WHITE


Due to continued product and technology enhancements, data sourced from sal.net.au shall not form part of any contract and or technical performance guarantee unless expressly confirmed in writing by SAL at the time of order. Products are sold in accordance with SAL Terms and Conditions of sale and all images shown are for illustration purposes only and may vary from the actual colour or finish. Unless specifically stated, all IP ratings nominated for Interior products are from "below the ceiling".









Dimensions









Loop





PIXIE AMBIENCE, CHANGE YOUR STYLE.

The innovative PIXIE AMBIENCE GPO has been designed with the end user and installer in mind, allowing you to change the style or the colour face plate as fashion demands.

In addition to the standard 240V, 2400 watt capacity, the AMBIENCE double GPO includes an innovative PIXIE Multifunction control, which when paired with another PIXIE Master device, you can create a scene, set a schedule and more!

For more information please scan me



NSW/ACT: 02 9723 3099 QLD: 07 3879 5999

VIC/TAS/SA/NT: 03 9532 3168

WA: 08 9248 7458

