



MAXI EYELID SE7137 - 7W

Recessed IP65 LED wall luminaire

Application

A decorative commercial exterior or interior solution

Design Specifications

- Die-cast aluminium body and powder coated face cover
- Opal polycarbonate diffuser
- High efficiency SMD LED chips with integral non-dimmable LED driver
- IP68 PVC cable gland
- ABS installation canister included



-
-
-
-
-
-
-


Technical Specification

Model No.	Input Voltage (V/AC)	Power (W)	Lumens (lm)	CCT (K)	CRI	Dim (mm)
SE7137WW/BK	240	7	50	3000	80	255(L) x 76(W)
SE7137WW/SL	240	7	50	3000	80	255(L) x 76(W)
SE7137CW/BK	240	7	50	4000	80	255(L) x 76(W)
SE7137CW/SL	240	7	50	4000	80	255(L) x 76(W)

Model No.	Body Colour
SE7137WW/BK	BLACK
SE7137WW/SL	SILVER
SE7137CW/BK	BLACK
SE7137CW/SL	SILVER

Due to continued product and technology enhancements, data sourced from sal.net.au shall not form part of any contract and or technical performance guarantee unless expressly confirmed in writing by SAL at the time of order. Products are sold in accordance with [SAL Terms and Conditions of sale](#) and all images shown are for illustration purposes only and may vary from the actual colour or finish. Unless specifically stated, all IP ratings nominated for Interior products are from "below the ceiling".


Dimensions



CANISTER INSTALLATION INSTRUCTIONS

- A1 & A2 are the support plates used during the construction installation process to prevent deformation of the installation canister
- Slot in A1 & A2 plates during construction
- Please remove the support plates (A1 & A2) before final installation

Installation canister: L 235 mm x W 65 mm





Why is the IP rating important? In brief, IP (Ingress Protection) ratings are defined in EN 60529 and simply defines the ability of an electrical product to seal and protect against the intrusion of foreign objects and water.

(I) As the first numeral stands for intrusion of a foreign object, where (P) as the second numeral stands for the penetration of moisture.

As a guide IP20 rated products would be seen in interior spaces with no requirement for protection against the elements, where an IP65 product would be found in an exterior application which required substantial protection against the elements.

Need more information on IP ratings? Check out the SAL web FAQ's or speak to your local SAL team member.

**For more
information
please
scan me**

