





MV SENSOR SMS731

Microwave motion sensor IP65

Application

Versatile IP65 residential and commercial sensor

Design Specifications

- Input voltage: 120~277Vac, 50/60Hz, rated load: 800W
- Detection area: 8m Max. (radius) adjustable, hold time: 5s/30s/1min/3min/5min/10min/ 20min/30min
- Daylight sensor: 5lux/15lux/30lux/50lux/ 100lux/150lux/Disable
- Stand-by period: 0s/10s/1min/3min/5min/10min/30min/+∞
- Stand-by dimming level: 10%/20%/30%/50%, Sensor principle: Microwave motion detector, Microwave frequency: 5.8GHz ± 75MHz, Transmitting power: <0.5mW, Mounting height: 3~15m
- Detection angle: 150° (wall installation), 360° (ceiling installation), Motion detection: 0.5~3m/s











Performance

In Built Sensor - **YES**Sensor Type - **MICROWAVE**

Technical Specification


Model No.	Input Voltage (V/AC)	Power (W)	Body Colour
SMS731CS	240	800	BLACK
SMS731LC	240	800	BLACK
SMS731LP	240	800	BLACK
SMS731WS	240	800	BLACK

Due to continued product and technology enhancements, data sourced from sal.net.au shall not form part of any contract and or technical performance guarantee unless expressly confirmed in writing by SAL at the time of order. Products are sold in accordance with SAL Terms and Conditions of sale and all images shown are for illustration purposes only and may vary from the actual colour or finish. Unless specifically stated, all IP ratings nominated for Interior products are from "below the ceiling".








Dimensions















PIXIE AMBIENCE, CHANGE YOUR STYLE.

The innovative PIXIE AMBIENCE GPO has been designed with the end user and installer in mind, allowing you to change the style or the colour face plate as fashion demands.

In addition to the standard 240V, 2400 watt capacity, the AMBIENCE double GPO includes an innovative PIXIE Multifunction control, which when paired with another PIXIE Master device, you can create a scene, set a schedule and more!

For more information please scan me



NSW/ACT: 02 9723 3099 QLD: 07 3879 5999

VIC/TAS/SA/NT: 03 9532 3168

WA: 08 9248 7458

