





NEW BONDI II SL7224 - 11W

IP65 LED (UP/DOWN) architectural wall luminaire

Application

A decorative residential exterior or interior solution

Design Specifications

- Aluminium body profile, powder coat black or silver finish
- Clear tempered glass cover
- Polycarbonate optical lens
- High efficiency SMD LED chips
- Integral constant current non-dimmable LED driver
- Up and down light distribution



Technical Specification

Model No.	Input Voltage (V/AC)	Power (W)	Lumens (lm)	CCT (K)	CRI	Beam Angle (°)
SL7224WW/BK	240	11	800	3000	80	38
SL7224WW/SL	240	11	800	3000	80	38
Marial Na					Darks Calasso	
Model No.	Diameter (mm)		Dim (mm)		Body Colour	
SL7224WW/BK	63		104(W) x 187(H)		BLACK	
SL7224WW/SL	63		104(W) x 187(H)		SILVER	

* Lumens and Power shown are TOTAL luminaire lumens (Im) and power (W).


Due to continued product and technology enhancements, data sourced from sal.net.au shall not form part of any contract and or technical performance guarantee unless expressly confirmed in writing by SAL at the time of order. Products are sold in accordance with SAL Terms and Conditions of sale and all images shown are for illustration purposes only and may vary from the actual colour or finish. Unless specifically stated, all IP ratings nominated for Interior products are from "below the ceiling".





Dimensions

SL7224







Why is the IP rating important? In brief, IP (Ingress Protection) ratings are defined in EN 60529 and simply defines the ability of an electrical product to seal and protect against the intrusion of foreign objects and water.

(I) As the first numeral stands for intrusion of a foreign object, where (P) as the second numeral stands for the penetration of moisture.

As a guide IP20 rated products would be seen in interior spaces with no requirement for protection against the elements, where an IP65 product would be found in an exterior application which required substantial protection against the elements.

Need more information on IP ratings? Check out the SAL web FAQ's or speak to your local SAL team member.

For more information please scan me



