



## NEW BONDI SL7221


IP65 GU10 (DOWN) LED architectural wall luminaire

### Application

A decorative residential exterior or interior solution

### Design Specifications

- Aluminium body and powder coat black or silver or anodised silver finish
- Clear tempered glass cover
- GU10 lamp base, lamp NOT included
- SAL lamp options GU10L350, GU10L550, GU10LR750, GU10LA750
- Downward light distribution only




### Technical Specification

Model No.	Input Voltage (V/AC)	Diameter (mm)	Dim (mm)	Body Colour
SL7221GU AS	240	63	104(W) x 157(H)	ANODISED SILVER
SL7221GU BK	240	63	104(W) x 157(H)	BLACK
SL7221GU SL	240	63	104(W) x 157(H)	SILVER

Due to continued product and technology enhancements, data sourced from sal.net.au shall not form part of any contract and or technical performance guarantee unless expressly confirmed in writing by SAL at the time of order. Products are sold in accordance with [SAL Terms and Conditions of sale](#) and all images shown are for illustration purposes only and may vary from the actual colour or finish. Unless specifically stated, all IP ratings nominated for Interior products are from "below the ceiling".

## Dimensions

SL7221 GU





Why is the IP rating important? In brief, IP (Ingress Protection) ratings are defined in EN 60529 and simply defines the ability of an electrical product to seal and protect against the intrusion of foreign objects and water.

(I) As the first numeral stands for intrusion of a foreign object, where (P) as the second numeral stands for the penetration of moisture.

As a guide IP20 rated products would be seen in interior spaces with no requirement for protection against the elements, where an IP65 product would be found in an exterior application which required substantial protection against the elements.

*Need more information on IP ratings? Check out the SAL web FAQ's or speak to your local SAL team member.*

**For more  
information  
please  
scan me**

