





NEW BRONTE - SL7022TC

IP65 6W LED architectural wall luminaire with selectable CCT

Application

A decorative residential / commercial exterior or interior solution

Design Specifications

- Aluminium body profile, powder coat black or stainless (AST) finish or 316 Stainless Steel
- Clear tempered glass cover, polycarbonate optical lens
- High efficiency LED optics, beam distribution 36°
- Integral 6 watt non-dimmable LED driver, selectable
- Up / Down light distribution
- IP65, IK08 performance

Performance

• Dimmable - NO























Technical Specification

Product	Model No.	Input Voltage (V/AC)	Power (W)	Lumens (lm)	сст (к)	Mass (kg)
	SL7022TC/SLS	240	6	240/260/280	3000/4000/6000	0.6
þ	SL7022TC/BK	240	6	240/260/280	3000/4000/6000	0.6
	SL7022TC/AST	240	6	240/260/280	3000/4000/6000	0.6













Diameter (mm)	Dim (mm)	Body Colour
40	160(H) x 64(D)	STAINLESS STEEL
40	160(H) x 64(D)	BLACK
40	160(H) x 64(D)	ALUMINIUM STAINLESS

NOTE: lumens (lm) displayed per optical direction

Due to continued product and technology enhancements, data sourced from sal.net.au shall not form part of any contract and or technical performance guarantee unless expressly confirmed in writing by SAL at the time of order. Products are sold in accordance with SAL Terms and Conditions of sale and all images shown are for illustration purposes only and may vary from the actual colour or finish. Unless specifically stated, all IP ratings nominated for Interior products are from "below the ceiling".

Dimensions







Why is the IP rating important? In brief, IP (Ingress Protection) ratings are defined in EN 60529 and simply defines the ability of an electrical product to seal and protect against the intrusion of foreign objects and water.

(1) As the first numeral stands for intrusion of a foreign object, where (P) as the second numeral stands for the penetration of moisture.

As a guide IP20 rated products would be seen in interior spaces with no requirement for protection against the elements, where an IP65 product would be found in an exterior application which required substantial protection against the elements.