



## R SERIES DIMMABLE LR80/D - 7W

7 watt LED directional filament and dimmable reflector lamp

### Application

Perfect for residential spaces

### Design Specifications

- 120° beam distribution
- Mirror reflector, glass body profile
- High efficiency filament LED
- Integral dimmable LED driver
- CCT choice of 2700K / 6000K, CRI > 80
- 1:1 size to traditional R lamp, suits most R lamp fittings

### Performance

- Dimmable - **YES**
- Dimmer Type - **Trailing Edge**



### Technical Specification

Product	Model No.	Input Voltage (V/AC)	Power (W)	Lumens (lm)	CCT (K)	CRI
	LR80WW/D	240	7	650	2700	80
	LR80DL/D	240	7	800	6000	80


  

Beam Angle (°)	Dimmable	Diameter (mm)	Height (mm)	Base Type
120	YES	80	115	E27
120	YES	80	115	E27

Due to continued product and technology enhancements, data sourced from sal.net.au shall not form part of any contract and or technical performance guarantee unless expressly confirmed in writing by SAL at the time of order. Products are sold in accordance with SAL Terms and Conditions of sale and all images shown are for illustration purposes only and may vary from the actual colour or finish. Unless specifically stated, all IP ratings nominated for Interior products are from "below the ceiling".



## Dimensions



# THE SFI SYSTEM ELIMINATES LED FLICKERING.

**SIMPLY  
MATCH THE  
UNIFIT SFI  
DOWNLIGHT  
WITH THIS  
SDD400SFI  
DIMMER.**



**DIM with  
FLICKER  
CONTROL**

For related  
products  
please  
scan me

