



UFO II SHB25HE - 80/180W

Dimmable 1-10V, IP65 LED multi-function highbay or lowbay

Application

Ideal for any commercial or industrial interior space

Design Specifications

- Multi-function highbay or lowbay with optional quick connect CorridorSTANDBY dimming sensor
- Die-cast aluminium body, black powder coat finish
- High efficiency SMD LED optics
- Clear polycarbonate lens, 120° lens
- Integral 1-10V dimmable LED driver with 4KV surge protection, IP65, IK08 rated, complete with flex and plug for easy installation
- Wide selection of optional mounting, optical and control accessories, including a DALI 24V signal converter to 1-10V



Performance

Dimmable - **YES**

Dimmer Type - **1-10V or SAL DALI SIGNAL CONVERTER**

Technical Specification





Model No.	Input Voltage (V/AC)	Power (W)	Lumens (lm)	CCT (K)	Beam Angle (°)	CRI
SHB25HE80DL	240	80	12000	5700	120	80
SHB25HE120DL	240	120	18000	5700	120	80
SHB25HE180DL	240	180	27000	5700	120	80

Technical Specification


Model No.	Body Colour	Dim (mm)	Mass (kg)
SHB25HE80DL	BLACK	251(W) x 175(H)	2.2
SHB25HE120DL	BLACK	271(W) x 183(H)	2.4
SHB25HE180DL	BLACK	341(W) x 184(H)	3.2

Due to continued product and technology enhancements, data sourced from sal.net.au shall not form part of any contract and or technical performance guarantee unless expressly confirmed in writing by SAL at the time of order. Products are sold in accordance with [SAL Terms and Conditions of sale](#) and all images shown are for illustration purposes only and may vary from the actual colour or finish. Unless specifically stated, all IP ratings nominated for Interior products are from "below the ceiling".


Dimensions



SHB25HE80DL



SHB25HE120DL



SHB25HE180DL

Accessories




Bracket for Low Bay
SHB25HE120PLB
SHB25HE180PLB



Metal reflector
SHB25HE120PMR
SHB25HE180PMR



corridorSTANDBY sensor
SHB25HE/CS



Clear polycarbonate reflector
SHB25HE120PPR
SHB25HE180PPR



DALI signal converter
LM-DALI010B




Remote control
SHB25HES/RC




Daylight harvesting sensor
SMS761

Photometric Data


SHB25HE80DL



SHB25HE120DL



SHB25HE180DL



Product Images





Accessories



Bracket for Low Bay
SHB25HE120PLB
SHB25HE180PLB



Metal reflector
SHB25HE120PMR
SHB25HE180PMR



Clear polycarbonate reflector
SHB25HE120PPR
SHB25HE180PPR



DALI signal converter
LM-DALI01DB



corridorSTANDBY sensor
SHB25HE/CS



Remote control
SHB25HE5/RC



Daylight harvesting sensor
SM5761