




Image for illustration purposes only.



Single Colour High Output LED Strip Lighting

- EcoLamp LED flexible strip light
- Red, Green and Blue
- Dimmable using Havit LED controllers
- Peel and stick backing for initial placement
- Beam angle 120 degrees
- All LED strip must be installed using anti-static measures and on an aluminium heat dissipating surface for warranty purposes (HV9705-1003 or HV9705-1603)

IP20 (4.8w,7.7w,)



SMD 3528 Single Colour LED Strip Lighting

IMAGE	PART NUMBER	SMD	IP RATING	COLOUR	OUTPUT	POWER	MAX LENGTH	CUTTING INCREMENT	SIZE WxH
	HV9723-IP20-60-R	3528	IP20 INDOOR	Red	620nm 60 LED per 1m	12v DC 4.8w per 1m	5mtr	50mm	8x2mm
	HV9723-IP20-96-SM-R	335	IP20 INDOOR	Red	620nm 96 LED per 1m	12v DC 7.7w per 1m	5mtr	33mm	8x2mm
	HV9723-IP20-60-G	3528	IP20 INDOOR	Green	465nm 60 LED per 1m	12v DC 4.8w per 1m	5mtr	50mm	8x2mm
	HV9727-IP20-96-SM-G	335	IP20 INDOOR	Green	465nm 96 LED per 1m	12v DC 7.7w per 1m	5mtr	33mm	8x2mm
	HV9723-IP20-60-B	3528	IP20 INDOOR	Blue	520nm 60 LED per 1m	12v DC 4.8w per 1m	5mtr	50mm	8x2mm
	HV9723-IP20-96-SM-B	335	IP20 INDOOR	Blue	520nm 96 LED per 1m	12v DC 7.7w per 1m	5mtr	33mm	8x2mm

All LED strip must be installed on an aluminium heat dissipating surface



All low voltage products that specify LED or are supplied with a 12v DC LED globe must be used with a suitable LED driver, refer to pages (185 - 206)
Lumen output measured at source. All globes supplied with fittings are non dimmable. If you require 240v dimmable globes refer to pages (257 - 258)