


# EVPL303WW



Order Code: **19305**

Product Code: **EVPL303WW**

Colour: **Warm White**  3200K

Description: Anti glare LED side light panel, LCD TFT backlight technology, 3D V-Cut lighting guide panel, Anodised aluminium frame, satin opal diffuser.

Data: High efficiency SMD LED, satin opal diffuser, 700lm output, approx 210 lux @ 1mtr, colour rendering index greater than 82, weight @ 1.5kgs, average life greater than 50,000 hrs, 18W power consumption, supplied with SMPS 12V DC power supply.

Specification: Panel light can be recessed into standard grid ceiling or via optional plaster trim kit for plaster board ceilings or via optional wire suspended or surface mounted kit.

Frame Size: (L) 300mm x (W) 300mm x (H) 13mm

Panel Size: (L) 260mm x (W) 260mm

Warm White  
3200K

Anti Glare  
Opal diffuser

Approx  
210 lux

700  
Lumens


18W total  
power output

**Domus Lighting**

29-31 Richland Street Kingsgrove NSW 2208

Phone: (02) 9554 9600 | Fax: (02) 9554 9433 | Email: [sales@domuslighting.com](mailto:sales@domuslighting.com)

# EVPL303NW



Order Code: **19304**

Product Code: **EVPL303NW**

Colour: **Neutral White**  4000K

Description: Anti glare LED side light panel, LCD TFT backlight technology, 3D V-Cut lighting guide panel, Anodised aluminium frame, satin opal diffuser.

Data: High efficiency SMD LED, satin opal diffuser, 835lm output, approx 270 lux @ 1mtr, colour rendering index greater than 82, weight @ 1.5kgs, average life greater than 50,000 hrs, 18W power consumption, supplied with SMPS 12V DC power supply.

Specification: Panel light can be recessed into standard grid ceiling or via optional plaster trim kit for plaster board ceilings or via optional wire suspended or surface mounted kit.

Frame Size: (L) 300mm x (W) 300mm x (H) 13mm

Panel Size: (L) 260mm x (W) 260mm

Neutral White  
4000K

Anti Glare  
Opal diffuser

Approx  
270 lux

835  
Lumens


18W total  
power output

**Domus Lighting**

29-31 Richland Street Kingsgrove NSW 2208

Phone: (02) 9554 9600 | Fax: (02) 9554 9433 | Email: sales@domuslighting.com

# EVPL303W



Order Code: **19303**

Product Code: **EVPL303W**

Colour: **White**  6500K


Description: Anti glare LED side light panel, LCD TFT backlight technology, 3D V-Cut lighting guide panel, Anodised aluminium frame, satin opal diffuser.

Data: High efficiency SMD LED, satin opal diffuser, 900lm output, approx 280 lux @ 1mtr, colour rendering index greater than 82, weight @ 1.5kgs, average life greater than 50,000 hrs, 18W power consumption, supplied with SMPS 12V DC power supply.

Specification: Panel light can be recessed into standard grid ceiling or via optional plaster trim kit for plaster board ceilings or via optional wire suspended or surface mounted kit.

Frame Size: (L) 300mm x (W) 300mm x (H) 13mm

Panel Size: (L) 260mm x (W) 260mm



**Domus Lighting**

29-31 Richland Street Kingsgrove NSW 2208

Phone: (02) 9554 9600 | Fax: (02) 9554 9433 | Email: sales@domuslighting.com