

White Round Tilt LED Downlight

HV5020
HV5420W
HV5021
HV5421W

- White poly powder coated aluminium
- Kits supplied with LED module, frame and suitable LED driver
- Face: 105mm
- Cut Out: 90mm
- 60° beam angle
- Instant start
- Dimmable with supplied driver






IMAGE	PART NUMBER	COLOUR TEMPERATURE	OUTPUT (lm)	POWER	DIMMABLE	INCLUDED GLOBES
	HV5020	NA - Frame Only	NA	NA	NA	NA - Threaded design for mounting of Ecolamp and BTR LED Module. Can be used with standard halogen or LED MR16 Globe
	HV5420W	Warm White LED 3000k	1000lm	12v LED 14w	YES	Supplied with LED module, frame and suitable LED driver

Silver Round Tilt LED Downlight

- Silver polished aluminium
- Kits supplied with LED module, frame and suitable LED driver
- Face: 105mm
- Cut Out: 90mm
- 60° beam angle
- Instant start
- Dimmable with supplied driver







IMAGE	PART NUMBER	COLOUR TEMPERATURE	OUTPUT (lm)	POWER	DIMMABLE	INCLUDED GLOBES
	HV5021	NA - Frame Only	NA	NA	NA	NA - Threaded design for mounting of Ecolamp and BTR LED Module. Can be used with standard halogen or LED MR16 Globe
	HV5421W	Warm White LED 3000k	1000lm	12v LED 14w	YES	Supplied with LED module, frame and suitable LED driver

White Square Tilt LED Downlight

- White poly powder coated aluminium
- Kits supplied with LED module, frame and suitable LED driver
- Face: 106mm
- Cut Out: 90mm
- 60° beam angle
- Instant start
- Dimmable with supplied driver



HV5024
HV5424W
HV5025
HV5425W






IMAGE	PART NUMBER	COLOUR TEMPERATURE	OUTPUT (lm)	POWER	DIMMABLE	INCLUDED GLOBES
	HV5024	NA - Frame Only	NA	NA	NA	NA - Threaded design for mounting of Ecolamp and BTR LED Module. Can be used with standard halogen or LED MR16 Globe
	HV5424W	Warm White LED 3000k	1000lm	12v LED 14w	YES	Supplied with LED module, frame and suitable LED driver

Silver Square Tilt LED Downlight

- Silver polished aluminium
- Kits supplied with LED module, frame and suitable LED driver
- Face: 106mm
- Cut Out: 90mm
- 60° beam angle
- Instant start
- Dimmable with supplied driver






IMAGE	PART NUMBER	COLOUR TEMPERATURE	OUTPUT (lm)	POWER	DIMMABLE	INCLUDED GLOBES
	HV5025	NA - Frame Only	NA	NA	NA	NA - Threaded design for mounting of Ecolamp and BTR LED Module. Can be used with standard halogen or LED MR16 Globe
	HV5425W	Warm White LED 3000k	1000lm	12v LED 14w	YES	Supplied with LED module, frame and suitable LED driver

White Deep Round Tilt LED Downlight

HV5048
HV5448W
HV5058
HV5458W

- White poly powder coated aluminium
- Kits supplied with LED module, frame and suitable LED driver
- Face: 90mm
- Cut Out: 80mm
- 60° beam angle
- Instant start
- Dimmable with supplied driver




IMAGE	PART NUMBER	COLOUR TEMPERATURE	OUTPUT (lm)	POWER	DIMMABLE	INCLUDED GLOBES
	HV5048	NA - Frame Only	NA	NA	NA	NA - Threaded design for mounting of Ecolamp and BTR LED Module. Can be used with standard halogen or LED MR16 Globe
	HV5448W	Warm White LED 3000k	1000lm	12v LED 14w	YES	Supplied with LED module, frame and suitable LED driver

White Deep Round Tilt LED Downlight(76mm Cut out)

- White powder coated aluminium
- Kits supplied with LED module, frame and suitable LED driver
- Face: 82mm
- Cut Out: 76mm
- 60° beam angle
- Instant start
- Dimmable with supplied driver




IMAGE	PART NUMBER	COLOUR TEMPERATURE	OUTPUT (lm)	POWER	DIMMABLE	INCLUDED GLOBES
	HV5058	NA - Frame Only	NA	NA	NA	NA - Threaded design for mounting of Ecolamp and BTR LED Module. Can be used with standard halogen or LED MR16 Globe
	HV5458W	Warm White LED 3000k	1000lm	12v LED 14w	YES	Supplied with LED module, frame and suitable LED driver