



Caribbean BreezeTM


The compact motor housing of the Caribbean Breeze remains clean and simple in order to showcase the fan's stunning selection of real wicker blades. What better way to bring your fantasy of lush palms and tropical breezes to life?

24457 Weathered Bronze with five solid backed Antique Wicker blades & Wicker bowl light kit












Caribbean BreezeTM

Weathered Bronze



Antique Wicker

SIZE & BLADES:	137cm (54") Dia. from blade tip to blade tip.				
	5 Real Wicker Blades with <i>solid backing for maximum air movement.</i>				
	12 Degree blade pitch.				
MOTOR:	Hunter's High Output motor. 16 pole. 172 x 20mm 81Watt motor with heavy gauge copper windings, silicon steel laminations, and precision sealed bearings, for quiet operation, year after year.				
CONTROLLER:	 Supplied with pull chain for fan & light operation. <ul style="list-style-type: none"> Suitable with Hunter wall controls. Suitable with Hunter remote controls. 	 			
CANOPY:	Hunter's patented WobbleFree TM canopy with Anti Vibration Technology (AVT) Hunter's patented triangular hanger ball system reduces torque and gives Hunter fans the ability to self-balance, eliminating wobble for rock solid performance, year after year.				
LOCATION:	Indoor use only.				
MOUNTING:	Easy to install in one of 3 mounting positions: <ul style="list-style-type: none"> Flush mounting on flat ceilings. Standard mounting on flat ceilings. Angled mounting on raked ceilings up to 34-Deg. 				
LIGHT KIT:	Includes Hunter Wicker Bowl Light Kit with Swirled Marble glass <ul style="list-style-type: none"> 2 x E27, 60W Max. Can also be fitted with Energy Saving CFL light globes NB: Can also be installed without light 				
FEATURES:	Reversing switch for both summer and winter operation. <ul style="list-style-type: none"> Save up to 47% on summer cooling costs, Save up to 24% on winter heating costs. 				
PERFORMANCE: NB: Performance testing carried out in laboratory approved for energy star testing and certification	SPEED	WATTAGE*	RPM	AIRFLOW ** (in M³/HR)	EFFICIENCY (in M³/HR/W)
	HIGH:	57.0	215	5,967	104.70
	MEDIUM:	45.0	195	5,423	120.50
	LOW:	20.0	118	3,070	153.50
	* Wattage for Energy Star data and is based on actual not rated value as shown on rating label ** Airflow data tested using Energy Star Solid State Method (Developed by Hunter Fan Company)				



GENERIC FAN IMAGE

A	B	C	D	E	F	G
STANDARD MOUNT (cm) NB: Using standard downrod.						
38.84	36.32	8.26	19.05	15.75	58.72	N/A
FLUSH MOUNT (cm) NB: No downrod installed.						
31.65	29.13	8.26	19.05	15.75	51.54	N/A
ANGLED MOUNT (cm) NB: Using 91cm downrod.						
122.66	120.14	8.26	19.05	15.75	142.54	N/A