



ALTONA-S PLUS SE7358 - 5W

LED 5 watt surface mount square profile wall luminaire

Application

Residential stairs, walkways and interior commercial features

Design Specifications

- Durable aluminium body profile
- Quality matt black powder coat finish
- High efficiency SMD LED chips
- CCT 3000K or 5000K
- Beam distribution 70°
- Integral control gear



Technical Specification

| Model No. | Input Voltage (V/AC) | Power (W) | Lumens (lm) | CCT (K) | CRI | Beam Angle (°) |
|--------------|----------------------|-----------|-------------|---------|-----|----------------|
| SE7358WW/BK | 240 | 5 | 150 | 3000 | 80 | 70 |
| SE7358NDL/BK | 240 | 5 | 220 | 5000 | 80 | 70 |


Technical Specification

| Model No. | Dim (mm) |
|--------------|-------------------------|
| SE7358WW/BK | 114(L) x 114(W) x 37(H) |
| SE7358NDL/BK | 114(L) x 114(W) x 37(H) |

Due to continued product and technology enhancements, data sourced from sal.net.au shall not form part of any contract and or technical performance guarantee unless expressly confirmed in writing by SAL at the time of order. Products are sold in accordance with [SAL Terms and Conditions of sale](#) and all images shown are for illustration purposes only and may vary from the actual colour or finish. Unless specifically stated, all IP ratings nominated for Interior products are from "below the ceiling".

Dimensions

Dimensions





Photometric Data

Photometric Data

Unit: cd C0/C180 _____ C90/C270 _____

SE7358 at 3000K

