



BUTTON - 6W

6 watt IP65 LED bunker luminaire

Application

A decorative architectural solution for commercial exteriors

Design Specifications

- Robust die-cast aluminium body
- Durable powder coated finish, white or black
- Opal polycarbonate diffuser
- High efficiency SMD LED chips
- Integral constant current non-dimmable LED driver



Technical Specification



Model No.	Input Voltage (V/AC)	Power (W)	Lumens (lm)	CCT (K)	CRI	Dim (mm)
SL7269DL WH	240	6	450	5000	80	165(W) x 65(H)
SL7269DL BK	240	6	450	5000	80	165(W) x 65(H)

Model No.	Body Colour
SL7269DL WH	WHITE
SL7269DL BK	BLACK

Due to continued product and technology enhancements, data sourced from sal.net.au shall not form part of any contract and or technical performance guarantee unless expressly confirmed in writing by SAL at the time of order. Products are sold in accordance with [SAL Terms and Conditions of sale](#) and all images shown are for illustration purposes only and may vary from the actual colour or finish. Unless specifically stated, all IP ratings nominated for Interior products are from "below the ceiling".



Dimensions





Why is the IP rating important? In brief, IP (Ingress Protection) ratings are defined in EN 60529 and simply defines the ability of an electrical product to seal and protect against the intrusion of foreign objects and water.

(I) As the first numeral stands for intrusion of a foreign object, where (P) as the second numeral stands for the penetration of moisture.

As a guide IP20 rated products would be seen in interior spaces with no requirement for protection against the elements, where an IP65 product would be found in an exterior application which required substantial protection against the elements.

Need more information on IP ratings? Check out the SAL web FAQ's or speak to your local SAL team member.

**For more
information
please
scan me**

