



## OPAL LGS8 - 8W

8 watt LED SMD GLS style opal lamps

### Application

Energy efficient LED lamp solutions

### Design Specifications

- Opal polycarbonate diffuser, beam distribution 240 degree
- Poly covered aluminium body, B22 and E27 lamp bases
- High efficiency SMD LED chips, CRI > 80
- Integral non-dimmable LED driver
- Colour temperature 3000K / 4000K / 6000K
- 1:1 size to traditional GLS / A55 lamp, suits most GLS / A55 lamp fittings , double insulation



- 
- 
- 
- 
- 
- 
- 
- 
- 
- 
- 
- 

### Technical Specification

Model No.	Input Voltage (V/AC)	Power (W)	Lumens (lm)	CCT (K)	CRI	Beam Angle (°)
LGS8/830B22	240	8	700	3000	80	240
LGS8/840B22	240	8	750	4000	80	240
LGS8/860B22	240	8	800	6000	80	240
LGS8/830E27	240	8	700	3000	80	240
LGS8/840E27	240	8	750	4000	80	240
LGS8/860E27	240	8	800	6000	80	240


## Technical Specification

Model No.	Dimmable	Diameter (mm)	Length (mm)	Base Type
LGS8/830B22	NO	60	110	B22
LGS8/840B22	NO	60	110	B22
LGS8/860B22	NO	60	110	B22
LGS8/830E27	NO	60	110	E27
LGS8/840E27	NO	60	110	E27
LGS8/860E27	NO	60	110	E27


Due to continued product and technology enhancements, data sourced from sal.net.au shall not form part of any contract and or technical performance guarantee unless expressly confirmed in writing by SAL at the time of order. Products are sold in accordance with [SAL Terms and Conditions of sale](#) and all images shown are for illustration purposes only and may vary from the actual colour or finish. Unless specifically stated, all IP ratings nominated for Interior products are from "below the ceiling".

## Dimensions

LGS8 B22



LGS8 E27



## Product Images

