



PORT SHP210 - 50W

IP65 LED area luminaire, IK10 rated

Application

A decorative and versatile exterior commercial solution

Design Specifications

- Stylish die-cast aluminium body
- Durable powder coated finish in charcoal black, pole mounting angle adjustable from 0 - 180 degree.
- High efficiency SMD LED chips, CRI>70, CCT 5000K, optional 3000K or 4000K
- Integral constant current non-dimmable LED driver, pre-wired with 1500mm of 3 core rubber flex for easy termination
- Standard mounting spigot to suit 60mm diameter pole, see Accessories for an extensive range of optional bracket accessories
- Light distribution - Standard Symmetric (Type V), Optional to order Asymmetric (Type II, III, IV) and Symmetrical (90 degree). Optional PE cell configurations available



Technical Specification

Model No.	Input Voltage (V/AC)	Power (W)	Lumens (lm)	CCT (K)	CRI	Mass (kg)
SHP210/50NDL/CB	240	50	6500	5000	70	3.3

Model No.	Dim (mm)	Body Colour	IPART	REES	VEET
SHP210/50NDL/CB	273(L) x 229(W) x 69(H)	CHARCOAL BLACK	YES	YES	YES


Due to continued product and technology enhancements, data sourced from sal.net.au shall not form part of any contract and or technical performance guarantee unless expressly confirmed in writing by SAL at the time of order. Products are sold in accordance with SAL Terms and Conditions of sale and all images shown are for illustration purposes only and may vary from the actual colour or finish. Unless specifically stated, all IP ratings nominated for Interior products are from "below the ceiling".

Dimensions


SAL LIGHTING A SMARTER FUTURE™

Product	Street Light	Street Light	Street Light	Street Light	Street Light	Street Light	Street Light	Street Light	Street Light
Street Light									
Street Light									
Street Light									
Street Light									


SINCE 1998




SHP210/30/50W




SHP210/75/120W



SHP210/150/180W




SHP210/240/300W



Photometric Data

Unit: cd C0/C180 — C90/C270





Why is the IP rating important? In brief, IP (Ingress Protection) ratings are defined in EN 60529 and simply defines the ability of an electrical product to seal and protect against the intrusion of foreign objects and water.

(I) As the first numeral stands for intrusion of a foreign object, where (P) as the second numeral stands for the penetration of moisture.

As a guide IP20 rated products would be seen in interior spaces with no requirement for protection against the elements, where an IP65 product would be found in an exterior application which required substantial protection against the elements.

Need more information on IP ratings? Check out the SAL web FAQ's or speak to your local SAL team member.

**For more
information
please
scan me**

