

# Brilliant

Trade Catalogue

Edition 02



  
**Brilliant**

[www.brilliantlighting.com.au](http://www.brilliantlighting.com.au)

# Brilliant

## Trade Solutions

Brilliant Lighting is proud to present its range of functional, cost effective and energy efficient trade lighting solutions that feature our extensive range of LED products.

Our LED products range from fully integrated systems to a variety of retro-fit lines, Brilliant will have a solution to suit your requirements.

With a commitment to quality products and veritable light and energy claims, you can be confident in your brilliant LED lighting purchase.

### **Brilliant Lighting**

956 Stud Road  
Rowville VIC 3178 Australia

[www.brilliantlighting.com.au](http://www.brilliantlighting.com.au)

# Contents

SMART INNOVATION	5
COMMERCIAL	15
EMERGENCY	39
CEILING FANS	55
BATHROOM	83
EXTERIOR & SECURITY	113
CEILING & WALL	185
DOWNLIGHT	203
STRIP LIGHTING	228
GLOBES	231
SPOTLIGHTS	259
TABLE & FLOOR LAMPS	267
PENDANTS	277
INDEX	292

## EXPLANATORY

- 1 Brilliant recommends the use of Brilliant dimmers for best results.
- 2 Actual life may vary in individual circumstances. Hours of life corresponds to average life per cycle of approximately 5 hours normal usage per day.
- 3 L70 is life at 30% lumen depreciation.
- 4 Replacement wattages and lumens are approximates and are to be used as a guide only. Lumens  $\pm$ 10%
- 5 Indicative figures only. Product is currently in development.

# Catalogue icon guide



Voltage



Do-It-Yourself installation



Solar powered



Wattage: Rated (max) wattage



Wattage & Lumens: Rated (max) wattage and lumen output



Colour temperature



Colour Rendering Index



Maximum ambient temperature rating for optimal performance and life



Dimmable



Non-dimmable



Beam angle (degrees listed)



IC Rated: Fitting can be abutted and covered with insulation



IC-F Rated: Fitting can be abutted and covered with insulation, fire resistant



IC-F Rated: Fitting can be abutted and covered with insulation, fire resistant



Double Insulated. Earth connection not required



Electronic ballast



Ceramic heating element



Hole cut-out, round



Hole cut-out, rectangle or square



Two or three pin flex plug



Plug-in transformer



Plug-in LED driver



For indoor use only



For indoor and outdoor use



Ingress protect rating:  
Protected from objects larger than 1mm and waterspray



Ingress protect rating:  
Protected from limited dust ingress and waterspray



Ingress protect rating:  
Protected from limited dust ingress and low pressure water jets



Ingress protect rating:  
Protected from total dust ingress and waterspray



Ingress protect rating:  
Protected from total dust ingress and low pressure water jets



Ingress protect rating:  
Protected from total dust ingress and high pressure water jets



With motion detector



Detection angle: 90 degrees



Detection angle: 110 degrees



Detection angle: 130 degrees



Detection angle: 150 degrees



Detection angle: 180 degrees



Detection angle: 210 degrees



Detection angle: 360 degrees



Detection range (range listed)



Adjustable on/off time



Adjustable lux sensor (dusk to dawn)



Manual override switch



Sensor Max Load. Can support lighting and extraction fans



Sensor Max Load. Can support all types of lighting



One way on/off switch



In-cord on/off switch



Foot operated on/off switch



Adjustable head



Flexible neck



Angle poise design



Adjustable pendant height



Manoeuvrable spot lights



Maximum ceiling rake for fan installation (degrees listed)



Wireless remote and receiver



Bluetooth™ compatible



Wireless (Wifi) compatible



Internal speaker



Internal microphone



Rechargeable battery



USB 2.0 port



240V power port



Includes double-sided tape



Includes remote



Includes batteries



# SMART INNOVATION





vodafone AU

12:22

< Back

Timers

Music

Level

12:19

43

pm

am 07:00

Daily

Once

Work Day

Off  On

Temperature 2700K

Brightness 100%



pm 06:15

Daily

Once

Work Day

Off  On

Temperature 2700K

Brightness 100%



# SPECTRUM

SMART RGB LED DOWNLIGHT  
COLOUR CHANGING



**Colourful:** With 16 million colours to choose from, you can adjust the Spectrum downlight to suit every activity and mood. Play music on your phone and sync the colour changes to your favourite tune.

**Convenient:** Control multiple downlights in a room or in separate rooms within the range\*.

**Smart:** Turn the light on and off at any time by programming each downlight or group of up to five lights. Pre-program downlight to turn on/off even if you are away (on holiday).


**Simple:** Download the free Spectrum Pro app, pair and start playing.

## FEATURES

- Colour changing RGB.
- Rated for IC Abutted and Covered usage to allow for covering with thermal insulation.
- Control up to 5 lights.
- Timer and grouping functions.
- Pair with free **Spectrum Pro** app.
- SAA approved with integrated dimmable LED driver.
- 0.8m flex & plug fitted.
- 1 Year Warranty.

## MAIN APPLICATIONS

- All interior residential rooms.



Scan QR code or go to App Store and Google Play to download the free Spectrum Pro app to your smart phone.




MODEL NO.	WATTAGE (w)	LUMENS @2700K (lm)	LUMENS @4200K (lm)	LUMENS @6000K (lm)
19673/05	9	680	720	700

\* Typical range 15m+ (varies depending on the environment) Requires: iOS system: 7.0 or later. Compatible with iPhone, iPad and iPod touch. Android devices that support Bluetooth 4.0 with 4.3 or above system version. Smartphone is not included and is used for illustration purposes only.


# DELTA PLUS

## COLOUR TEMPERATURE CHANGING DOWNLIGHT



### FEATURES

- Includes colour change switch and toggle feature via wall switch.
- 7 configurations in 1.
- Switchable between Warm White (3000K), Cool White (4200K) & Daylight (6500K).
- Rated for IC-4 Abutted and Covered usage to allow for covering with thermal insulation.
- Fixed head downlight.
- Moulded plastic body.
- Includes two fascia rings in the box (White & Silver).
- Wide 100 degree beam angle.
- High efficiency LED SMD Array.
- SAA approved with integrated dimmable LED driver.
- Long lasting up to 30,000 hours<sup>1</sup>.
- 1m flex & plug fitted.
- IP44 (front only).
- 3 Year Warranty.



### MAIN APPLICATIONS

All interior residential rooms.

### CHANGE THE LOOK

BLACK, BRUSHED NICKEL AND WHITE TRIMS SOLD SEPARATELY

MODEL NO.	WATTAGE (w)	LUMENS @3000K (lm)	LUMENS @4200K (lm)	LUMENS @6500K (lm)	BLACK FACIA RING ONLY	BRUSHED NICKEL FACIA RING ONLY	MATT WHITE FACIA RING ONLY
19769/05	8	780	820	800	19598/06	19598/13	19598/35

<sup>1</sup> Actual life may vary depending on individual circumstances.

# REMOTES

## SMART BLUETOOTH CONTROL KIT



### APP REMOTE

Control your “Brilliant Devices” by using your tablet or smartphone.

- Suitable for use with most AC motor ceiling fans.
- Bluetooth® 4.0 (BLE) remote control technology.
- Control and individually name multiple ceiling fan devices with separate security.
- Advanced timer features.
- App works seamlessly alongside provided handheld remote control.

### FUNCTIONS

- Light - On/Off.
- Fan - On/Off, Speed - variable via slide control.
- Fan has auto on and auto off function.

### COMPANION REMOTE

- Bluetooth® connectivity.
- Suitable for use with most AC motor ceiling fans.

### FUNCTIONS

- Light - On/Off,
- Fan - On/Off, Fan Speed - LOW/MED/HI.
- Includes 9V Battery & Wall Mount Bracket.

### QUICK CONNECT RECEIVER



**MODEL NO.**

19575/06

# TECHNOLED

## LED GLOBE WITH WIRELESS SPEAKER



240V	50Hz		CRI(Ra) >80				UV SAFE		
------	------	--	-------------	--	--	--	---------	--	--

### FEATURES

Turn any light socket in your house into a wireless speaker. Play your music directly from your phone, tablet or PC including Pandora™, Spotify™, Youtube™ etc. wirelessly through the speaker.

TechnoLED's 5W speaker delivers precise highs and crisp clear sounds.

Use the in-built microphone to take and receive phone calls.

Lifespan: Up to 20,000 hours\*.

#### Super simple setup.


- Insert the TechnoLED globe into lamp holder.
- Connect to the "Brilliant LED" device from your smartphone's wireless settings.
- Now you can listen to music or take and receive phone calls.

Suitable for table, desk, and floor lamps, ceiling fittings and pendants.

### DETAILS

Speaker: 2" 5 Watt RMS.

Range: Up to 20 metres.



MODEL NO.	WATTAGE (w)	LUMENS (lm)	COLOUR TEMP	BASE	DIMMABLE	BEAM ANGLE	SPEAKER WATTAGE
18633/05	7	400	4200K Cool White	E27	No	160°	5W
18634/05	7	400	4200K Cool White	B22	No	160°	5W

\* Relates to LED life - actual life may vary depending on individual circumstances. Hours of life corresponds to approximately 6 hours of use per day.

# WAVE

## LED SPEAKER LAMP



- 3W 200 Lumen LED Array.
- Portable USB rechargeable.
- Touch on/off switch.
- Touch dimmer.
- Flexible goose neck.
- Wireless sound:
  - Up to 10m range.
  - Will operate with most wireless devices.
  - 2" 3W RMS speaker.
- Supplied with 1m USB cord.
- 12 Month Warranty.



MODEL NO.	COLOURS
19533/05	White
19533/06	Black


Smartphone is not included and is used for illustration purposes only.

# STEALTH

## RGB LED SLIMLINE FLOODLIGHT



- Modern and stylish slim design.
- 16 colour variations & 4 modes.
- Choose colour using remote.
- Durable cast aluminium housing.
- Adjustable arms.
- RF remote control 483 MHz, 10m range.
- Easy Do-It-Yourself installation.
- Suitable for residential and commercial applications.
- IP65 Weather-resistant rated.
- Supplied with 1.2m SAA approved lead and plug.
- All colours are dimmable.
- 2 Year Warranty.



MODEL NO.	WATTAGE (w)	COLOUR TEMPERATURE (°K)	LUMENS (lm)	SENSOR
19499/06	30	RGB	900	No





# COMMERCIAL



# DISCUS

## LED INDUSTRIAL HIGHBAY



<b>100W</b> 11000lm	<b>150W</b> 15000lm	<b>200W</b> 20000lm		<b>5000K</b> COOL WHITE	<b>7000K</b> DAY LIGHT			
------------------------	------------------------	------------------------	--	-------------------------------	------------------------------	--	--	--

Discus LED high-bay lights are the ideal answer for factories, stockrooms, supermarkets, gyms, petrol stations, warehouses, and other places that may need lighting. Designed for applications of 6 metres or more with an IP65 rating guarantees that these lights are waterproof and can be applied both indoors and outdoors.

### FEATURES

- Black Diecast alloy housing with painted steel bracket.
- 304 stainless steel hook and external bolts.
- High performance LED SMD Arrays.
- High efficiency LED driver with SAA approved 1m flex & plug.
- Includes 840mm high tensile steel safety lanyard with steel carabiner's.
- 1 Year Warranty.

### BENEFITS

- Instant start, no re-strike delays.
- Easy-install fitting for fast, effortless retro-fitting.
- Improved illumination quality.
- Reduce your energy usage and save money on your utility bills.
- Reduce maintenance costs as our LED Highbay have longer life than traditional lighting solutions.
- Short payback period possible depending on usage.
- Suitable for dry, damp and wet locations.

### APPROVALS (150W & 200W only)

VEET (ESC)	4683
ESS (IPART)	99103S16-N0IFQIG 99103D16-LIFEBGGQ



### HIGHBAY

Operating Voltage	: 240V 50Hz
LED Type	: 19704: 112 PCS SMD : 19599: 168 pcs SMD : 19600: 224 pcs SMD
Beam Angle	: 110 degrees
IP Rating	: IP65
Dimmable	: No
CRI	: >83
Max. Ta (Safety)	: 50° Celsius
Rated Lifetime	: 100W: 30,000 hours (50°C Ambient) : 40,000 hours (25°C Ambient)

MODEL NO.	WATTAGE (w)	COLOUR TEMP	LUMENS (lm)
19704 (Black)	100	5000K	11,000
19599 (Black)	150	7000K	15,000
19600 (Black)	200	7000K	20,000

## DISCUS

## LED INDUSTRIAL Highbay WITH MICROWAVE SENSOR



VIA SENSOR

**FEATURES**

- Black Diecast alloy housing with painted steel bracket.
- 304 stainless steel hook and external bolts.
- High performance Nichia LED Array.
- High efficiency MeanWell LED driver with SAA approved 1m flex & plug.
- Long lasting, up to 50,000 hours.
- Includes 840mm high tensile steel safety lanyard with steel carabiner's.
- 1 Year Warranty.

**BENEFITS**

- Instant start, no re-strike delays.
- Easy-install fitting for fast, effortless retro-fitting.
- Improved illumination quality.
- Reduce your energy usage and save money on your utility bills.
- Reduce maintenance costs as our LED Highbay have longer life than traditional lighting solutions.
- Short payback period possible depending on usage.
- Suitable for dry, damp and wet locations.

**APPROVALS**

VEET (ESC)	4683
ESS (IPART)	99103S16-N0IFQIG 99103D16-LIFEBGGQ

MODEL NO.	WATTAGE (w)	COLOUR TEMP	LUMENS (lm)
19601 (Black)	150	7000K	17,000

**HIGHBAY**


Code	: 150W: 19601
Operating Voltage	: 240V 50/60Hz
Wattage	: 150W
Lumens	: 17,000 Lumens
LED Type	: 168pcs Nichia
Driver	: MeanWell HLG-150H-48B
Colour Temp	: 7000K
Beam Angle	: 110 degrees
IP Rating	: IP65
Dimmable	: No
CRI	: >83
Max. Ta (Safety)	: 60° Celsius
Rated Lifetime	: 50,000 hours (40°C Ambient)

**MICROWAVE SENSOR**

Power Consumption	: ≤0.8W (standby), ≤1.5W (operation)
Detection Zone	: Max. (D x H) 16 x 15m
Detection Sensitivity	: 100% / 50%
Hold Time	: 5s / 30s / 90s / 3min / 20min / 30min
Daylight Sensor	: 50lux / 100lux / 200lux / Disable
Stand-by Period	: 5s / 5min / 10min / 30min / 1h / +∞
Stand-by Dimming	: 10% / 20% / 30% / 50%
Mounting Height	: 15m Max.
Motion Detection	: 0.5~3m/s
Detection Angle	: 360°



# LED PANEL LIGHTING



240V	40W	SMD LED	4200K COOL WHITE	6500K DAY LIGHT	120° BEAM ANGLE	NON-DIMMABLE	CRI(Ra) >81	POWER FACTOR 0.97	
------	-----	---------	------------------------	-----------------------	--------------------	--------------	----------------	-------------------------	--

LED light panels are a cutting edge solution in the lighting industry and are considered to be a revolutionary replacement for traditional fluorescent tubes. Our LED light panels use a high brightness quality LED chip modules as a light source which consume up to 70% less energy and can last up to ten times longer than conventional fluorescent tubes. Designed for hotels, office, meeting room, home interior and school classrooms.

## FEATURES

- Designed to fit standard T-Bar ceilings.
- Available with or without a surface mount and suspension kits in the box.
- Each panel uses SMD strip technology, which allows greater energy efficiencies and weight savings.
- High grade aluminium, with white powder coated finish.
- Long lasting up to 30,000 hours.
- SAA approved LED driver and flex & plug.
- High efficient and uniform light output.
- 3 Year Warranty.

## APPROVALS

VEET (ESC)	44194
ESS (IPART)	99103S15-S0KEAD

## BENEFITS

- Instant start, no re-strike delays
- Easy-installation for fast retro-fitting.
- Improved illumination quality

## ACCESSORIES KIT

- Suspension Option
- Codes:19069/05 (4200K) and 19070/05 (6500K)

## ACCESSORIES KIT:

- Surface Mount Option
- Codes:19069/05 (4200K) and 19070/05 (6500K)

## RECESSED PLASTER KIT ONLY

- Code:19625/05

MODEL NO.	WATTAGE (w)	LUMENS (lm)	COLOUR TEMP	FITTING COLOUR	OTHER
19250/05	40	3100	4200K	White	Panel only
19069/05	40	3100	4200K	White	With suspension kit and surface mount accessories
19251/05	40	3200	6500K	White	Panel only
19070/05	40	3200	6500K	White	With suspension kit and surface mount accessories
19625/05	NA	NA	NA	White	Recessed plaster kit only



# LINKABLE LED BATTEN

## SLIMLINE INDOOR FITTING



240V 50Hz	18W 1800lm	36W 3600lm	SMD LED	5000K COOL WHITE	NON DIMMABLE	INDOOR ONLY	CRI(Ra) >83	POWER FACTOR 0.98
--------------	---------------	---------------	---------	------------------------	--------------	-------------	----------------	-------------------------

Brilliant's linkable slimline LED battens are a perfect replacement for those old fluorescent batten fittings, and are a much more aesthetic fixture.

### FEATURES

- Link up to 26 18W or 13 36W battens.
- Elegant slimline profile.
- Aluminium body with polycarbonate end caps and diffuser.
- Two rows of SMD LED arrays provide a uniform light output.
- Long lasting up to 25,000 hours.
- Non-dimmable integrated driver.
- Includes:
  - Terminal box for rear fixed wiring entry.
  - Side entry connector with flying leads.
  - Mounting brackets and screws.
- 1 Year Warranty.


### BENEFITS

- Instant flicker free start.
- Easy-installation for fast retro-fitting.
- Improved illumination quality.

MODEL NO.	WATTAGE (w)	LUMINOUS FLUX (lm)	COLOUR TEMP	FITTING COLOUR
19366/05	18	1800	5000K	White
19367/05	36	3600	5000K	White

### APPLICATIONS

General commercial interiors, corridors, warehousing, garage and indoor storage areas.



# PROXIMA

## LED BATTEN



240V 50Hz	40W 3200lm	6W SUSTAIN LAMP	SMD LED	4200K COOL WHITE		CRI >80	D63	AS/NZS APPROVED
19898 ONLY								

Proxima batten is a wide body rectangular project batten with an energy efficient LED light source.

LED emergency luminaire with D63 classification, compliant to AS/NZS2293.


The LED luminaire with emergency 2-hour battery pack permits self-powered operation during power outage.

### FEATURES

- Compliant to AS/NZS 2293.
- Big bore terminal block.
- Ceiling mount.
- Powder coated steel body and Opal PMMA diffuser.
- D32/D32 classification.
- High density storage LiCoO<sub>2</sub> (3600mAh) batteries.
- IP20 rating.
- Fully tested & compliant with Australian Standards.
- 2 Hour duration period.
- Charger type: Trickle.
- Charger time: 16 Hours.
- Charger operation: Continuous.

### APPLICATIONS

Commercial and interior applications, coastal environment, apartments, shopping centres, hospitality, prisons and hospitals.



MODEL NO.	COLOURS	DESCRIPTION
19898/05	White	Emergency Model
19994/05	White	Non-Emergency Model

# STELLAR

## IP65 LED BATTEN



240V 50Hz	40W MAINTD LAMP	6W NON-MTD LAMP	SMD LED	4200K COOL WHITE		CRI >80	IK08	AS/NZS APPROVED
19992 ONLY								

Stellar LED batten features an IP65 weather-resistant rating with a sustained mode operation.

LED emergency luminaire with D25/D63 classification, compliant to AS/NZS2293.


The LED luminaire with emergency 2 hour battery pack permits self-powered operation during power outage.

### FEATURES

- Corrosion resistant, self extinguishing polycarbonate body.
- Vandal-resistant IK08 rated.
- UV stabilised high impact polycarbonate cover.
- Stainless steel mounting brackets for easy installation.
- Compliant to AS/NZS 2293.
- Ceiling mount.
- C0: D25; C90: D63 classifications.
- High density storage LiCoO<sub>2</sub> (3600mAh) batteries.
- IP65 rating.
- Fully tested & compliant with Australian Standards.
- 2 Hour duration period.
- Charger type: Trickle.
- Charger time: 16 Hours.
- Charger operation: Continuous.

### APPLICATIONS

Wet rooms, commercial and interior applications, coastal environment, apartments, shopping centres, car parks, stairwells, hospitality, prisons and hospitals.



MODEL NO.	COLOURS	DESCRIPTION
19992/05	Grey	Emergency Model
19998/08	Grey	Non-Emergency Model


# ENVIRO LED

## LED LOW PROFILE DIFFUSED BATTEN



240V 50Hz	40W 3400lm	SMD LED	4200K COOL WHITE	NON-DIMMABLE	CRI(Ra) >83	POWER FACTOR 0.97	INDOOR ONLY
--------------	---------------	---------	------------------------	--------------	----------------	-------------------------	-------------

- Low profile design.
- Lightweight powdercoated aluminium housing.
- Integrated LED array.
- Shatter-resistant UV stabilised polycarbonate diffuser.
- Non-dimmable.
- Direct mounting (no brackets).
- Up to 30,000 hours lifetime @40°C Ambient.
- IP20 Indoor use only.
- 12-Month Warranty.



MODEL NO.	WATTAGE (w)	COLOUR TEMP (°K)	LUMENS (lm)	COLOUR
20202/05	40	4200K	3400	White


**ENVIRO**

## T5 FLUORESCENT LOW PROFILE BATTEN



240V	2x28W max	T5	4000K COOL WHITE	NON DIMMABLE	INDOOR ONLY	E
------	--------------	----	------------------------	--------------	-------------	---

- Low profile design.
- Lightweight powdercoated aluminium housing.
- Shatter-resistant clear acrylic diffuser.
- UV stabilised polycarbonate endcaps and lampholders.
- Non-dimmable electronic ballast.
- IP20 Indoor use only.
- 12-Month Warranty.



MODEL NO.	WATTAGE (w)	COLOUR TEMP (°K)	LUMENS (lm)	BEAM ANGLE (degrees)	TA (°C)	TC (°C)	COLOUR
100421/05	2x28	4000K	3200	120	0...50	65	White

# T5 WEATHERPROOF

## FLUORESCENT IP65 RATED FITTING



240V	1x14W max	2x14W max	1x28W max	2x28W max	T5	4200K COOL WHITE	100° BEAM ANGLE	IP65	NON DIMMABLE	CRI(Ra) >80	POWER FACTOR 0.97
	18819	18820	18821	18822							

A robust energy saving fixture UV stabilised polycarbonate body in a neutral light grey colour. Efficient prismatic lenses in clear polycarbonate provide optimum lighting performance from the T5 lamps. Designed for horizontal surface mount installation and fitted with stainless steel, quick release diffuser retaining clips that resist corrosion and heavy operation. Designed with an IP65 weatherproof rating for use in damp or corrosive areas or situations that are exposed to extreme weather conditions.

3-Year Warranty.

### FEATURES

- Dustproof, rustproof, weatherproof and corrosion resistant.
- Polycarbonate body and diffuser.
- Stainless steel clips and mounting hardware.
- Electronic Ballast and flicker free start.

### APPLICATIONS

Car Parks, security lighting, general weatherproof situations, external building work.



MODEL NO.	WATTAGE (w)	LUMENS (lm)	LUMENS/W
18819	1 x 14	970	69
18820	2 x 14	1650	59
18821	1 x 28	1830	65
18822	2 x 28	3460	62

# T5 BARE BATTEN

## SLIMLINE FLUORESCENT FITTING



240V	1x14W max	2x14W max	T5	4200K COOL WHITE	180° BEAM ANGLE	NON DIMMABLE	INDOOR ONLY	CRI(Ra) >84	POWER FACTOR 0.97
	18891	18889							


Surface Mounted linear fluorescent batten in either single or twin fluorescent battens designed for ease of installation, and maintenance. The bare batten design provides maximum light output and is well-suited to supply general lighting to garages, warehouses, basements and car-parks.

### FEATURES

- Slimline profile, powdercoated white pressed metal housing.
- Polycarbonate endcaps and lampholders.
- Non-dimmable electronic ballast and flicker free start.
- IP20 Indoor use only.
- 3 Year Warranty.

### APPLICATIONS

General commercial interiors, corridors, warehousing, garage and indoor storage areas.



MODEL NO.	WATTAGE (w)	LUMENS (lm)	LUMENS/W
18891	1 x 14	880	63
18889	2 x 14	1845	65

# CENTURION

## IP65 OYSTER



240V 50Hz	28W 2100lm	6W SUSTAIN LAMP	SMD LED	4200K COOL WHITE	IK08	CRI >80	IK08	D40	AS/NZS APPROVED
19987 ONLY									

Centurion 28W + 6W is a general purpose, versatile sustained mode operated ceiling light LED emergency luminaire with D40/D40 classification, compliant to AS/NZS2293.



The LED luminaire with emergency 2 hour battery pack permits self-powered operation during power outage.

### FEATURES

- Compliant to AS/NZS 2293.
- Big bore terminal block.
- Vandal-resistant IK08 rated.
- Energy efficient high output 28 watt LED.
- Surface ceiling mount.
- Injection moulded polycarbonate housing.
- D20/D20 classification.
- High density storage LiCoO<sub>2</sub> (3700mAh) batteries.
- IP65 rating.
- Emergency driver fully tested & compliant with SAA.
- 2 Hour duration period.
- TA40 - maximum thermal ambient operating temperature.
- Charger type: Trickle.
- Charger time: 16 Hours.
- Charger operation: Continuous.

### APPLICATIONS

Wet rooms, commercial and interior applications, coastal environment, apartments, shopping centres, hospitality, prisons and hospitals.



MODEL NO.	COLOURS	DESCRIPTION
19987/05	White	Emergency Model
19989/05	White	Non-Emergency Model

# RAMSIS

## LARGE COLOUR TEMPERATURE CHANGING LED DOWNLIGHTS



240V	13W rated 15W w/driver	15W rated 17W w/driver	18W rated 21W w/driver	24W rated 26W w/driver				100° BEAM ANGLE	CRI (Ra) >82	POWER FACTOR 0.99	
	19761	19762	19763	19764							


Brilliant offers a range of LED recessed lights as replacements for common CFL fittings found in offices, hotels and other commercial environments.

### FEATURES

- Change between Warm White (3000K), Cool White (4200K) & Daylight (6500K) via a switch on the back of the downlight.
- Rated for IC Abutted and Covered usage to allow for covering with thermal insulation.
- Wide 100 degree beam angle.
- SAA approved with external dimmable LED driver.
- Long lasting up to 30,000 hours<sup>1</sup>.
- 1m flex & plug fitted.
- IP44 (front only).
- Four common cut-out sizes to suit most Retrofit applications.
- 3 Year Warranty.

### MAIN APPLICATIONS

All interior domestic and commercial rooms.



MODEL NO.	WATTAGE (W)	LUMENS @ 3000K (LM)	LUMENS @ 4200K (LM)	LUMENS @ 6500K (LM)	CUT-OUT (MM)	FITTING COLOUR
19761/05	13	820	920	820	120	White
19762/05	15	1150	1300	1150	140	White
19763/05	18	1300	1500	1300	160	White
19764/05	24	1800	2000	1800	200	White

# LED T8 TUBE

ACRYLIC



240V	50Hz	SMD LED	CRi(Ra) >84	UV SAFE	G13	Lifespan: Up to 20,000 hours†
------	------	---------	-------------	---------	-----	-------------------------------

Brilliant's LED T8 linear tube is an ideal retrofit solution for traditional T8 fluorescent lamps. Offering both high performance and energy efficiency, it is an ideal solution for a wide range of applications. It also features an acrylic diffuser, making it safe for use in commercial kitchens.


### Energy Saving

Regular T8 fluorescent lamps consume 36 Watts of power with a further ~9 Watts lost in the magnetic ballast. As a result, total power consumption per lamp is actually around 45 Watts. To the contrary, Brilliant LED tube consumes just 18 Watts in total. Resulting in up to 60% energy savings in some fittings.

### Lumen Output

Lumens is a measure of total light output. It is true that the Brilliant LED tube produces less lumens than a modern T8 fluorescent tube. However, regular T8 tubes release their light in all directions (360°). Much of this light is lost in the fitting and to unused parts of the room.

The LED tube only directs its light output downward, where it is actually needed. It has a beam angle of about 140° so it still spreads light throughout the room, but without losing any light to the fixture or ceiling.




MODEL NO.	WATTAGE (w)	LUMENS (lm)	COLOUR TEMP	BASE	DIMMABLE	STARTER LINK SUPPLIED	REPLACES FLUORESCENT	SIZE
18533	18	1690	4200K Cool White	G13	No	Yes	36W* 3350 Lumens*	Ø28 x 1200mm
18534	18	1750	6500K Daylight	G13	No	Yes	36W* 3350 Lumens*	Ø28 x 1200mm

\* Replacement wattages and lumens are approximates and are to be used as a guide only.

† Relates to LED life - actual life may vary depending on individual circumstances. Hours of life corresponds to approximately 6 hours of use per day. Please note: Only suitable with iron-core magnetic ballast. DO NOT USE with electronic ballast. Ensure conventional starter is removed and replaced with LED starter link, supplied in box.

# POWER BOARD

## PREMIUM BENCH TOP POWER SOLUTION



Add flexibility to your workspace. Brilliant's innovative Power Board is designed to meet today's demands for readily available power. When not in use, push the Power Board down for a clean and stylish look.

This easy to install pull up/push down design is a safe alternative to exposed electrical sockets. Use in the kitchen to connect appliances, on your desk to charge your laptop and/or other devices or in the workshop for power tools.

Power Board provides 3x Australian standard power points which can easily be hidden or pulled up when needed. It also features a separately switched 2x USB2 charging ports providing 2.1amps of power at 5V capable of charging smart phones, tablets, mp3 and music players, GoPros, Digital Cameras, and many other devices that require charging through USB.

### FEATURES

- Pull-up/push down design.
- 3 x Australian standard power sockets.
- 2 x Separately switched USB2 outlets (2100mA Max).
- IP54 water-resistant rating for use in kitchens (when in closed position).
- DIY installation, complete with 1m flex & plug.
- Adjustable collar suits 10-55mm thick bench tops.
- 2 Year Warranty.

### APPLICATIONS

Office desks, meeting rooms, workshops, kitchens, study areas and home office.

MODEL NO.	COLOUR
18878/13	Satin Nickel



# FAHRENHEIT

## OUTDOOR RADIANT HEATER



DIY <small>DO IT YOURSELF</small>	240v	1800W	2400W	IPX4	10 Amp
		18541	18542		

Brilliant's Fahrenheit Radiant Heaters provide superior close proximity heating, for both indoor and outdoor heating. The Fahrenheit heater produces radiant heat directly warming people and objects in its path rather than directly heating the air. No energy is wasted trying to heat the air that can blow away, as many conventional outdoor heating products do.

Brilliant's Fahrenheit Radiant Heaters are suitable for a wide range of applications, including alfresco dining areas, patios, beer gardens, balconies, outdoor gaming rooms and sidewalk cafes.

### FEATURES

- Made from durable high grade anodised aluminium.
- Specifically designed for outdoor heating applications.
- Suitable for low ceiling structures.
- Can be ceiling mounted or wall mounted.
- IPX4 weatherproof rating ensures the Fahrenheit can be exposed to some weather elements.
- DIY installation, complete with 1.8m 10 Amp flex & plug.
- Includes stainless steel mounting brackets and hardware.
- 2 Year Warranty.

### Running Costs Comparison

In the case of heating outdoor areas, the surrounding air is constantly moving. Relying on convection heating is in most cases impractical. The reason being, that once you heat the outside air, it will blow away with air movement. Even in a still environment, the convection effect will cause rapid diffusion of hot air. Outdoor radiant heaters allow specific spaces within an outdoor area to be targeted, warming only the people and objects in their path.


We have calculated the cost of running a Fahrenheit heater against a conventional convection outdoor gas bottle heater.

RUNNING COSTS	OUTDOOR GAS	18541	18542
per hour	\$2.77/hr	\$0.50/hr	\$0.67/hr


\* Costs based on electricity rate of 27.742 cents/kWh. Calculations of hourly running costs for outdoor gas heater is based on \$25.00 average to fill a 9kg gas bottle and average runnings time of 9 hours. \$25.00 / 9 hours = \$2.77 per hour

MODEL NO.	WATTAGE (w)	CURRENT (amps)	SIZE (LxWxD)	WEIGHT (kg)	HEATING AREA (m²)
18541	1800	7.5	1000 x 189 x 60mm	6.2	3-4
18542	2400	9.8	1500 x 189 x 60mm	8.8	4-5

**1800W Dimensions**




**2400W Dimensions**



**Mounting Options**


The Fahrenheit heater can be mounted on ceiling or on the wall at three angles 15°, 30° or 45°.




Selecting the correct ceiling height is very important when installing your Fahrenheit Heater. Brilliant recommend mounting at a height of 2.4m or up to 3m in indoor applications. For higher ceilings, units can be lowered using chains & wires.



Mounting directly overhead disperses the maximum coverage



Angled mounting from the wall or ceiling is also feasible, yet the heating area will be reduced.



Can be mounted up to 3m in indoor applications. Above figures are based on protected outdoor site

Minimum mounting height

# PORTALAMP

## RECHARGEABLE LED FLOODLIGHT



240V	12V	20W 1200lm	Battery: Li-ion 440mAh	COB LED	5000K COOL WHITE	CRI(Ra) >80	IP65				
------	-----	---------------	------------------------------	---------	------------------------	----------------	------	--	--	--	--

Made from durable lightweight powdercoated aluminium with a fully adjustable steel frame and sturdy H-stand.

- Gives you up to 3 hours run time when fully charged using its rechargeable li-ion battery.
- LED Lifetime: Up to 30,000 hours.
- IP65 Weatherproof rated.

**INCLUDES:**

12V DC Fast-charge, Car Charger.  
240V AC SAA Approved Plug Pack.

**APPLICATIONS**

Renovations, D.I.Y Repairs, Construction, Painting, Automotive, Boating, Camping and Emergency.



20W Dimensions



MODEL NO.	WATTAGE (w)	COLOURS
18238/02	20	Yellow

# FLIPFLOOD

## FOLDABLE LED WORKLIGHT



240V	11W 950lm	COB LED	4000K COOL WHITE	CRI(Ra) >80	IP54		
------	--------------	---------	------------------------	----------------	------	--	--

Made from durable lightweight powdercoated aluminium with a robust steel stand.

- Super bright COB LED worklight.
- Fully collapsible.
- Easy to carry and store.
- Lockable stand.
- IP54 Weather-resistant rated.
- 1.8m Power Cord.
- Weight: 1.1kg.
- 3 Year Warranty.

### APPLICATIONS

Renovations, D.I.Y Repairs, Construction, Painting, Automotive, Boating, Camping and Emergency.



MODEL NO.	COLOUR
18382/02	Yellow


# EXPANDA

## TWIN LED WORKLIGHT WITH TRIPOD



240V	40W 3600lm	SMD LED	COOL WHITE	CRI: >80	IP54	3.0m	
------	---------------	---------	------------	----------	------	------	--

- Portable rugged design tripod worklight.
- Durable diecast aluminium light sources with steel tripod/stand.
- Energy saving SMD LED.
- Super bright 2 x 20W/1800lm light sources.
- Convenient head tilt.
- Swivel tripod for maximum light coverage.
- 1.6m telescopic tripod.
- IP54 Weather-resistant rated.
- 3m Power Cord and 3-Pin plug.
- Weight: 4.76kg.
- 3-Year Warranty.



MODEL NO.	COLOUR
19902/06	Black / Yellow


# EXPANDA

## FOLDABLE LED WORKLIGHT



240V	20W 1800lm	SMD LED	COOL WHITE	CRI: >80	IP54	1.5m	
------	---------------	---------	---------------	-------------	------	------	--

- Portable slim design worklight.
- Folds flat for easy storage.
- Durable diecast aluminium construction light.
- Energy saving SMD LED.
- Super bright 20W/1800lm light source.
- Comfortable foam wrapped handle.
- Easy adjustable lighting angle.
- Lockable mechanism.
- IP54 Weather-resistant rated.
- 1.5m Power Cord and 3-pin plug.
- Weight: 1.4kg.
- 3-Year Warranty.



MODEL NO.	COLOUR
19901/06	Black / Yellow




# EMERGENCY



# EMERGENCY

## OPERATING MODES




### NON-MAINTAINED MODE

A luminaire in which all the emergency lamps are in operation only when the normal mains supply fails, ie the lamps are normally OFF when the mains supply is on, and come ON in emergency when the mains supply fails.



### MAINTAINED MODE

A luminaire in which all the emergency lamps are in operation at all times, ie the lamps are ON when the mains supply is ON, and remain ON in emergency mode when mains supply fails.



### SUSTAINED MODE

An emergency luminaire containing two or more lamps, at least one of which is energised from a non-maintained emergency lighting supply. The remaining lights are energised and lit from the normal mains supply.

Usually, one lamp is ON when the mains supply is on, and the other lamp will come ON when the mains supply fails.



Straight Exit



Right Exit




Left Exit

## EMERGENCY LIGHTING STANDARDS

### AS2293 Emergency escape lighting and exit signs for buildings


#### Pictograph

A moving person commonly known as "Running Man" is used to indicate an exit. Three common variations cover all possibilities.



#### Viewing distance

The standards define viewing distance in relation to the sizes of the pictograph and the arrow.



#### Accepted standard sizes to the left

**Note:** For additional information refer to Standards Australia. [www.standards.org.au](http://www.standards.org.au)

LUMINAIRE CLASSIFICATION		MOUNTING HEIGHTS IN METRES ABOVE FLOOR																
Classifications	Lux	2.1	2.4	2.7	3.0	3.3	3.6	4.0	4.5	5.0	6.0	7.0	8.0	9.0	10.0	15.0	20.0	
C2	0.20	4.1	4.1	4.1	3.9	3.7	3.3	2.6										
C12.5	0.20	7.8	8.2	8.6	8.9	9.2	9.5	9.8	10	10.2	10.3	10.1	9.4	8.3	6.5			
	1.00	4.5	4.6	4.6	4.5	4.4	4.1	3.4	2.1									
C80	0.20	12.7	13.5	14.4	15.1	15.8	16.5	17.3	18.3	19.1	20.7	22	23	23.9	24.7	26.1	24	
	1.00	8.3	8.8	9.2	9.6	10	10.3	10.6	11	11.3	11.6	11.6	11.3	10.6	9.2			
D3.2	0.20	6.5	6.6	6.6	6.5	6.4	6.2	5.8	5.1	4.1								
	1.00	1.8																
D4	0.20	7.2	7.3	7.3	7.3	7.3	7.2	6.9	6.5	5.8	3.1							
	1.00	2.7	1.9															
D5	0.20	7.8	8	8.1	8.2	8.2	8.2	8	7.7	7.3	5.7	1.6						
	1.00	3.3	3	2	1.1													
D6.3	0.20	8.6	8.8	9	9.1	9.2	9.2	9.2	9	8.7	7.7	5.7						
	1.00	3.9	3.7	3.3	2.4	1.5												
D10	0.20	10.2	10.6	10.9	11.1	11.3	11.4	11.5	11.6	11.6	11.2	10.3	8.9	6.7				
	1.00	5.1	5.1	4.9	4.7	4.3	3.7	2.4										
D12.5	0.20	11.1	11.5	11.8	12.1	12.4	12.5	12.7	12.9	13	12.8	12.3	11.3	9.9	7.6			
	1.00	5.7	5.7	5.6	5.5	5.3	5	4.3	2.6									
D16	0.20	12.1	12.6	13	13.3	13.6	13.9	14.1	14.6	14.6	14.6	14.4	13.8	12.9	11.5			
	1.00	6.4	6.5	6.5	6.4	6.3	6.1	5.7	5	3.2								
D20	0.20	13.1	13.6	14.1	14.5	14.8	15.1	15.5	15.8	16.1	16.4	16.3	16	15.4	14.5			
	1.00	7.1	7.2	7.2	7.2	7.2	7.1	6.8	6.4	5.7	2.2							
D25	0.20	14.2	14.7	15.3	15.7	16.1	16.5	16.9	17.3	17.7	18.1	18.3	18.2	17.9	17.3	7.7		
	1.00	7.7	7.9	8	8.1	8.1	8.1	7.9	7.6	7.2	4.8	1.1						
D32	0.20	15.4	16.1	16.7	17.2	17.6	18	18.5	19.1	19.5	20.2	20.6	20.7	20.6	20.3	14.6		
	1.00	8.5	8.8	9	9.1	9.2	9.2	9.2	9	8.7	7.7	4.7						
D40	0.20	16.7	17.4	18	18.6	19.1	19.6	20.1	20.8	21.3	22.1	22.7	23	23.1	23.1	19.4		
	1.00	9.3	9.6	9.8	10	10.1	10.2	10.3	10.2	10.1	9.4	8.2	4.8					
D50	0.20	18	18.7	19.4	20.1	20.7	21.2	21.8	22.5	23.2	24.2	24.9	25.4	25.7	25.9	23.7	15.2	
	1.00	10.1	10.5	10.8	11	11.2	11.3	11.4	11.5	11.5	11.1	10.2	8.6	5.2				
D63	0.20	19.4	20.3	21.1	21.8	22.4	23	23.7	24.5	25.2	26.4	27.4	28.1	28.6	28.9	28	22.5	
	1.00	11	11.4	11.8	12.1	12.3	12.5	12.7	12.8	12.9	12.8	12.2	11.3	9.6	6.1			
E1.6	0.20	4.8	4.8	4.8	4.4	4	4.2	3.8										
E2.0	0.20	5.2	5.2	5.4	5.2	5	4.6	4.8	4									
E2.5	0.20	5.6	5.8	5.8	6.0	5.8	5.8	5.2	5.2	4.6								
E4.0	0.20	6.2	6.6	7	7.2	7.4	7.4	7.4	7.2	6.6	7							
E5.0	0.20	6.6	7.2	7.4	7.8	8.0	8.2	8.4	8.4	8.2	7.0	6.8						
E10.0	0.20	7.8	8.4	9	9.4	9.8	10.2	10.8	11.2	11.4	11.8	11.6	10.2	10.4	9.2			
	1.00	5	5.1	5.2	5.1	4.9	3.8	2.7										
E12.5	0.20	8	8.8	9.4	10	10.4	11	11.4	12	12.4	13	13.2	12.8	11.4	11.6			
	1.00	5.4	5.6	5.7	5.8	5.7	5.6	4.3	2.9									

(1) Maximum spacings for mounting heights between the values given in the table may be obtained by interpolation.


(2) Refer to AS2293.3 for details regarding classification of luminaires

(3) 0.20 lux refers to Australian Standards

(4) 1.00 lux refers to New Zealand Standards.

# BLADE

## LED EMERGENCY EXIT SIGN



PICTOGRAMS INCLUDED



BLACK AVAILABLE



240V 50Hz	5W TOTAL WATTAGE	2W MAINTD LAMP	1W NON-MTD LAMP				CRI >83	Ta 40°C	C0: E5.0 C90: E2.0	AS/NZS APPROVED
--------------	------------------------	----------------------	-----------------------	--	--	--	------------	------------	-----------------------	--------------------

The Blade is a stylish Exit Sign ideal for emergency lighting application where aesthetics are everything. Double or single-sided interior recessed mounted exit sign for use at doorway, stairways and corridors and intersection on an emergency escape route. The Blade incorporates an integral emergency 2 hour battery pack that permits self-powered operation during power outages.

### FEATURES

- Compliant to AS/NZS 2293.
- 50,000 Hour average life rated LED modules.
- Recessed & Surface mount options.
- Injection moulded polycarbonate housing and acrylic diffuser with pictogram legends.
- Viewing distance 24m.
- High density storage LiCoO<sub>2</sub> batteries.
- Diffuser & pictogram inserts included.
- IP20 rating.


- Additional 1W Non-Maintained downlight during mains power outage.
- Fully tested & compliant with Australian Standards.
- 2 Hour duration period.
- TA40-maximum thermal ambient operating temperature.
- Charger type: Trickle.
- Charger time: 16 Hours.
- Charger operation: Continuous.

### APPLICATIONS

Commercial office areas, hotels, shopping, apartments & hospitals.

For classification and spacing distances, see table on page 41.

MODEL NO.	COLOURS	MOUNT TYPE	MAINTAINED LAMP WATTAGE (W)	NON-MAINTAINED LAMP WATTAGE (W)
19878/05	White	Recessed	2	1
19878/06	Black			
19880/05	White	Surface	2	1
19880/06	Black			
19893/05	White	Surface Mount Box Only		
19893/06	Black			





# ONE-BOX

## LED EXIT SIGN WITH EMERGENCY DOWNLIGHT



PICTOGRAMS INCLUDED



BLACK AVAILABLE



240V 50Hz	5W TOTAL WATTAGE	2W MAINTD LAMP	1W NON-MTD LAMP				CRI >80	Ta 40°C	C0: E12.5 C90: E12.5	AS/NZS APPROVED
--------------	------------------------	----------------------	-----------------------	--	--	--	------------	------------	-------------------------	--------------------

The One-Box is a general purpose, double or single-sided interior ceiling or wall mounted exit sign with an additional 1W emergency downlight. For use at doorway, stairways, corridors and intersection on an emergency escape route.

The One-Box exit sign incorporates an integral emergency 2 hour battery pack that permits self-powered operation during power outages.


### FEATURES

- Compliant to AS/NZS 2293.
- 50,000 Hour average life rated LED modules.
- Surface-mount Ceiling or Wall.
- Injection moulded polycarbonate housing and acrylic diffuser with pictogram legends.
- Viewing distance 24m.
- High density storage LiCo2 batteries.
- Diffuser & pictogram inserts included.
- IP20 rating.
- Additional 1W Non-Maintained downlight during mains power outage.
- 2 Hour duration period.
- TA40 - maximum thermal ambient operating temperature.
- Charger type: Trickle.
- Charger time: 16 Hours.
- Charger operation: Continuous.

### APPLICATIONS

Doorways, stairways, corridors and intersections on an emergency escape route.

For classification and spacing distances, see table on page 41.



MODEL NO.	COLOURS	MAINTAINED LAMP WATTAGE (W)	NON-MAINTAINED LAMP WATTAGE (W)
19876/05	White	2	1
19876/06	Black		

**ONE-BOX**

## LED EMERGENCY EXIT SIGN



PICTOGRAMS INCLUDED



BLACK AVAILABLE



240V 50Hz	5W TOTAL WATTAGE	2W MAINTD LAMP			CRI >80	Ta 40°C	Co: E2.0 C90: E1.6	AS/NZS APPROVED
--------------	------------------------	----------------------	--	--	------------	------------	-----------------------	--------------------

The One-Box is a general purpose, double or single-sided interior ceiling or wall mounted exit sign. For use at doorway, stairways, corridors and intersection on an emergency escape route.

The One-Box exit sign incorporates an integral emergency 2 hour battery pack that permits self-powered operation during power outages.

**FEATURES**

- Compliant to AS/NZS 2293.
- 50,000 Hour average life rated LED modules.
- Surface-mount Ceiling or Wall.
- Injection moulded polycarbonate housing and acrylic diffuser with pictogram legends.
- Viewing distance 24m.
- High density storage LiCoO<sub>2</sub> batteries.


- Diffuser & pictogram inserts included.
- IP20 rating.
- 2 Hour duration period.
- TA40 - maximum thermal ambient operating temperature.
- Charger type: Trickle.
- Charger time: 16 Hours.
- Charger operation: Continuous.

**APPLICATIONS**

Doorways, stairways, corridors and intersections on an emergency escape route.

For classification and spacing distances, see table on page 41.

MODEL NO.	COLOURS	MAINTAINED LAMP WATTAGE (W)	NON-MAINTAINED LAMP WATTAGE (W)
19874/05	White	2	-
19874/06	Black		



# PATHFINDER

## 3W LED EMERGENCY LUMINAIRE



240V 50Hz	5W TOTAL WATTAGE	3W NON-MTD LAMP			CRI >80	Ta 40°C	D40		AS/NZS APPROVED
--------------	------------------------	-----------------------	--	--	------------	------------	-----	--	--------------------

3W Pathfinder Emergency downlight is a general purpose, non-maintained LED emergency luminaire with D40/D40 classification, compliant to AS/NZS2293.

The Pathfinder luminaire incorporates an integral emergency 2 hour battery pack that permits self-powered operation during power outages.


### FEATURES

- Compliant to AS/NZS 2293.
- Energy efficient high output 3 watt LED.
- 2-Pin flex & plug included.
- Recessed or ceiling surface mount options available.
- Injection moulded polycarbonate housing.
- Removeable large trim ring included.
- D40/D40 classification.
- High density storage LiCoO<sub>2</sub> batteries.
- IP20 rating.
- 2 Hour duration period.
- TA40 - maximum thermal ambient operating temperature.
- Charger type: Trickle.
- Charger time: 16 Hours.
- Charger operation: Continuous.
- Cutout: 70 to 130mm.

### APPLICATIONS

Commercial and interior applications, coastal environment, apartments, shopping centres, hospitality, prisons and hospitals.

For classification and spacing distances, see table on page 41.



MODEL NO.	COLOURS	MOUNT TYPE	NON-MAINTAINED LAMP WATTAGE (W)
19882/05	White	Recessed	3
19882/06	Black		
19886/05	White	Surface	3
19886/06	Black		
19895/05	White	Surface Mount Box Only	
19895/06	Black		

# PATHFINDER

## 6W LED EMERGENCY LUMINAIRE



240V 50Hz	8W TOTAL WATTAGE	6W NON-MTD LAMP			CRI >80	Ta 40°C	D63		AS/NZS APPROVED
--------------	------------------------	-----------------------	--	--	------------	------------	-----	--	--------------------

6W Pathfinder Emergency downlight is a general purpose, non-maintained LED emergency luminaire with D63/D63 classification, compliant to AS/NZS2293.

The Pathfinder luminaire incorporates an integral emergency 2 hour battery pack that permits self-powered operation during power outages.


### FEATURES

- Compliant to AS/NZS 2293.
- Energy efficient high output 6 watt LED.
- 2-Pin flex & plug included.
- Recessed or ceiling surface mount options available.
- Injection moulded polycarbonate housing.
- Removeable large trim ring included.
- D63/D63 classification.
- High density storage LiCoO<sub>2</sub> batteries.
- IP20 rating.
- 2 Hour duration period.
- TA40 - maximum thermal ambient operating temperature.
- Charger type: Trickle.
- Charger time: 16 Hours.
- Charger operation: Continuous.
- Cutout: 70 to 130mm.

### APPLICATIONS

Commercial and interior applications, coastal environment, apartments, shopping centres, hospitality, prisons and hospitals.

For classification and spacing distances, see table on page 41.



MODEL NO.	COLOURS	MOUNT TYPE	NON-MAINTAINED LAMP WATTAGE (W)
19884/05	White	Recessed	6
19884/06	Black		
19888/05	White	Surface	6
19888/06	Black		
19895/05	White	Surface Mount Box Only	
19895/06	Black		

# PROXIMA

## EMERGENCY LED BATTEN



240V 50Hz	35W 3500lm	6W SUSTAIN LAMP	SMD LED	4200K COOL WHITE		CRI >80	D63	AS/NZS APPROVED
19898 ONLY								


Proxima emergency batten is a wide body rectangular project batten with an energy efficient LED light source. The Proxima luminaire incorporates an emergency 2-hour battery pack that permits self-powered operation during power outages.

### FEATURES

- Compliant to AS/NZS 2293.
- Big bore terminal block.
- Ceiling mount.
- Powder coated steel body and Opal PMMA diffuser.
- D63/D63 classification.
- High density storage LiCoO<sub>2</sub> (3600mAh) batteries.
- IP20 rating.
- 2 Hour duration period.
- Charger type: Trickle.
- Charger time: 16 Hours.
- Charger operation: Continuous.

### APPLICATIONS

Commercial and interior applications, coastal environment, apartments, shopping centres, hospitality, prisons and hospitals.



For classification and spacing distances, see table on page 41.

MODEL NO.	COLOURS	DESCRIPTION
19898/05	White	Emergency Model
19994/05	White	Non-Emergency Model

# STELLAR

## EMERGENCY IP65 LED BATTEN



240V 50Hz	40W MAINTD LAMP	6W NON-MTD LAMP	SMD LED	4200K COOL WHITE	IK08	CRI >80	IK08	AS/NZS APPROVED
19992 ONLY								

The Stellar LED battens feature an IP65 weather-resistant rating and sustained mode operation.

The Stellar luminaire incorporates an emergency 2 hour battery pack that permits self-powered operation during power outages.

### FEATURES

- Corrosion resistant, IP65 weatherproof polycarbonate body.
- Vandal-resistant IK08 rated.
- UV stabilised high impact polycarbonate cover.
- Stainless steel mounting brackets for easy installation.
- Compliant to AS/NZS 2293.
- Ceiling mount.
- C0: D25; C90: D63 classifications.
- High density storage LiCoO<sub>2</sub> (3600mAh) batteries.
- 2 Hour duration period.
- Charger type: Trickle.
- Charger time: 16 Hours.
- Charger operation: Continuous.

### APPLICATIONS

Wet rooms, commercial and interior applications, coastal environment, apartments, shopping centres, carparks, stairwells, hospitality, prisons and hospitals.



MODEL NO.	COLOURS	DESCRIPTION
19992/08	Grey	Emergency Model
19998/08	Grey	Non-Emergency Model

For classification and spacing distances, see table on page 41.

# NOVELLIS

## EMERGENCY OYSTER



240V 50Hz	35W 2200lm	6W SUSTAIN LAMP	SMD LED	5000K NATURAL WHITE	CRI >80	INDOOR ONLY	D20	AS/NZS APPROVED
--------------	---------------	-----------------------	---------	---------------------------	------------	-------------	-----	--------------------



The Novellis 35W + 6W Emergency light is a general purpose, sustained mode operated ceiling luminaire. The Novellis luminaire incorporates an emergency 3 hour battery pack that permits self-powered operation during power outages.

### FEATURES

- Compliant to AS/NZS 2293.
- Mounting bracket for easy installation.
- Energy efficient high output 35 watt LED.
- Surface ceiling mount.
- Aluminium base with opal polycarbonate diffuser.
- D20/D20 classification.
- High density storage LiCoO<sub>2</sub> (3600mAh) batteries.
- 3 Hour duration period.
- Charger type: Trickle.
- Charger time: 16 Hours.
- Charger operation: Continuous.

### APPLICATIONS

Commercial and interior applications, apartments, shopping centres, hospitality, prisons and hospitals.



For classification and spacing distances, see table on page 41.

MODEL NO.	COLOURS	DESCRIPTION
19986/05	White	Emergency Model

# CENTURION

## EMERGENCY IP65 OYSTER



240V 50Hz	28W 2100lm	6W SUSTAIN LAMP	SMD LED	4200K COOL WHITE	CRI >80	IK08	D40	AS/NZS APPROVED
--------------	---------------	-----------------------	---------	------------------------	------------	------	-----	--------------------

19987  
ONLY


The Centurion 28W + 6W Emergency light is a general purpose, sustained mode operated ceiling luminaire. The Centurion luminaire incorporates an emergency 3 hour battery pack that permits self-powered operation during power outages.

### FEATURES

- Compliant to AS/NZS 2293.
- Emergency and Non-emergency versions available.
- Big bore terminal block.
- Vandal-resistant IK08 rated.
- Energy efficient high output 28 watt LED.
- Surface ceiling mount.
- Injection moulded polycarbonate housing.
- D40/D40 classification.
- High density storage LiCoO<sub>2</sub> (3700mAh) batteries.
- IP65 rating.
- 3 Hour duration period.
- TA40 - maximum thermal ambient operating temperature.
- Charger type: Trickle.
- Charger time: 16 Hours.
- Charger operation: Continuous.

### APPLICATIONS

Wet rooms, commercial and interior applications, coastal environment, apartments, shopping centres, hospitality, prisons and hospitals.



MODEL NO.	COLOURS	DESCRIPTION
19987/05	White	Emergency Model
19989/05	White	Non-Emergency Model

For classification and spacing distances, see table on page 41.

# SOLARIS

## EMERGENCY OYSTER



240V 50Hz	28W 1400lm	6W SUSTAIN LAMP	SMD LED	5000K NATURAL WHITE		CRI >80	D32	AS/NZS APPROVED
--------------	---------------	-----------------------	---------	---------------------------	--	------------	-----	--------------------

The Solaris 28W + 6W (192 lumen) Emergency light is a general purpose, sustained mode operated ceiling luminaire


The Solaris luminaire incorporates an emergency 3 hour battery pack that permits self-powered operation during power outages.

### FEATURES

- Compliant to AS/NZS 2293.
- Big bore terminal block.
- Energy efficient high output 28 watt LED.
- Ceiling surface mount.
- Metal base with Opal acrylic diffuser.
- D32/D32 classification.
- High density storage LiCoO<sub>2</sub> (3700mAh) batteries.
- 3 Hour duration period.
- Charger type: Trickle.
- Charger time: 16 Hours.
- Charger operation: Continuous.

### APPLICATIONS

Commercial and interior applications, apartments, shopping centres, hospitality and hospitals.



For classification and spacing distances, see table on page 41.

MODEL NO.	COLOURS	DESCRIPTION
19892/05	White	Emergency Model

# SPARTAN

## EMERGENCY LED SPOTLIGHT



240V 50Hz	3W NON-MTD LAMP	SMD LED	6500K DAY LIGHT	CRI >80	AS/NZS APPROVED
--------------	-----------------------	---------	-----------------------	------------	--------------------

The Spartan LED spotlight is a non-maintained emergency wall light.


The Spartan luminaire incorporates an emergency 2 hour battery pack that permits self-powered operation during power outages.

### FEATURES

- Compliant to AS/NZS 2293.
- 2-Pin 0.7m flex & plug included.
- Wall mount.
- Pressed metal housing with cast aluminum heatsink.
- Adjustable heads for directional lighting.
- High density storage LiCoO<sub>2</sub> (2200mAh) batteries.
- IP20 rating.
- 2 Hour duration period.
- Charger type: Trickle.
- Charger time: 16 Hours.
- Charger operation: Continuous.

### APPLICATIONS

Commercial and interior applications, coastal environment, apartments, shopping centres, hospitality, prisons and hospitals.



For classification and spacing distances, see table on page 41.

MODEL NO.	COLOURS	DESCRIPTION
19890/05	White	Emergency Model



# CEILING FANS




# TEMPEST DC

## 52" CEILING DC FAN




**INCLUDES REMOTE**



240V	37W	24W 1600lm	3000K 4200K 6500K			PLYWOOD BLADES			
MOTOR		LED LIGHT							

- Size : 52" (1320mm)
- Motor : 37W DC Motor
- Construction : Diecast Aluminium Body and Canopy
- Blades : 4 x Painted Plywood
- Blade Pitch : 11 degree
- Light : 24W 1600 Lumen LED Array Switchable between 3000K, 4200K & 6500K
- Ceiling Rake : 14 degree max
- Control : Remote (5-speed) with reverse function and timer
- Warranty : 2 year In-Home + additional 3 years on the motor

Brilliant's All-Seasons technology for use all year round.  
 Replacement LED panels available.  
 Can be installed in indoor locations around the home.  
 See installation conditions on page 75 for full details.




MODEL NO.	COLOURS	PRODUCT
19571/05	White	Fan only
19571/26	Brushed Aluminium	
19573/05	White	Fan with light
19573/26	Brushed Aluminium	

SPEED	POWER	RPM	AIRFLOW
V	37W	243	12503m <sup>3</sup> /hr
IV	21W	203	10448m <sup>3</sup> /hr
III	12W	163	7920m <sup>3</sup> /hr
II	8W	132	6792m <sup>3</sup> /hr
I	5W	96	4420m <sup>3</sup> /hr

# TEMPEST

52" CEILING FAN WITH & WITHOUT LIGHT




240V	50W	2x40W max	B22	24W 1600lm	3000K OR 4200K	SMD LED	NON-DIMMABLE	INDOOR ONLY	PLYWOOD BLADES
MOTOR		B22 LIGHT		LED LIGHT					

Re-engineered for quieter operation

- Size :52" (1320mm)
- Motor :50W AC Motor
- Construction :Diecast Aluminium Body and Canopy
- Blades :4 x Painted Plywood
- Blade Pitch :11 degree
- Ceiling Rake :32 degree max
- Control :Wall (3-speed)
- Warranty :2 year In-Home + additional 3 years on the motor

Brilliant's All-Seasons technology for use all year round. Can be installed in indoor locations around the home. See installation conditions on page 75 for full details.



MODEL NO.	COLOURS	PRODUCT
99983/05	White	Fan only
99983/06	Black	
99983/13	Brushed Aluminium	
99983/14	Oil-Rubbed Bronze	
99988/05	White	Fan w/B22 light
99988/06	Black	
99988/13	Brushed Aluminium	
99988/14	Oil-Rubbed Bronze	
19376/05	White	Fan w/3000K LED light
19376/13	Brushed Aluminium	
17899/05	White	Fan w/4200K LED light
17899/13	Brushed Aluminium	

SPEED	POWER	RPM	AIRFLOW
HIGH	54W	188	10450m <sup>3</sup> /hr
MEDIUM	21W	116	6500m <sup>3</sup> /hr
LOW	12W	73	4250m <sup>3</sup> /hr

# TEMPO DC


48" DC CEILING FAN WITH & WITHOUT LIGHT




**INCLUDES REMOTE**



240V	30W	18W 1300lm	4200K COOL WHITE			PLYWOOD BLADES				
MOTOR		LED LIGHT								



- Size : 48" (1220mm)
- Motor : 30W DC Motor
- Construction : Steel Body and Canopy
- Blades : 4 x Painted Plywood
- Blade Pitch : 10 degree
- Light : 18W 1300 Lumen 4200K LED Array
- Ceiling Rake : 14 degree max
- Control : Remote (5-speed) with reverse function and timer
- Warranty : 2 year In-Home + additional 3 years on the motor



Brilliant's All-Seasons technology for use all year round.  
 Available with or without integrated light kit.  
 Can be installed in indoor locations around the home.  
 See installation conditions on page 75 for full details.

MODEL NO.	COLOURS	PRODUCT
19999/05	White	Fan only
20001/05	White	Fan w/light


SPEED	POWER	RPM	AIRFLOW
V	30W	257	8077m <sup>3</sup> /hr
IV	17W	224	7127m <sup>3</sup> /hr
III	13W	198	5993m <sup>3</sup> /hr
II	8W	163	4641m <sup>3</sup> /hr
I	4W	102	2724m <sup>3</sup> /hr

# TEMPO

48" CEILING FAN WITH & WITHOUT LIGHT



240V	65W	2x40W max				PLYWOOD BLADES	
MOTOR		LIGHT					



- Size : 48" (1220mm)
- Motor : 65W AC Motor
- Construction : Steel Body and Canopy
- Blades : 4 x Painted Plywood
- Blade Pitch : 11 degree
- Light : 2 x 40W max. E27 (globes not included)
- Ceiling Rake : 32 degree max
- Control : Wall (3-speed)
- Warranty : 2 year In-Home + additional 3 years on the motor

Brilliant's All-Seasons technology for use all year round.  
 Available with or without integrated light kit.  
 Can be installed in indoor locations around the home.  
 See installation conditions on page 75 for full details.



MODEL NO.	COLOURS	PRODUCT
100010/05	White	Fan only
100010/13	Brushed Chrome	
100010/22	Antique Brass	
100012/05	White	Fan w/light
100012/13	Brushed Chrome	
100012/22	Antique Brass	

SPEED	POWER	RPM	AIRFLOW
HIGH	65W	202	7699m <sup>3</sup> /hr
MEDIUM	37W	149	5334m <sup>3</sup> /hr
LOW	19W	100	3349m <sup>3</sup> /hr

# TEMPEST DC ALUMINIUM


52" CEILING FAN WITH & WITHOUT LIGHT



**INCLUDES REMOTE**




240V	37W	24W 1600lm	3000K 4200K 6500K	SMD LED	INDOOR ONLY	ALUMINIUM BLADES	1" Max	1.4m	1.4m
MOTOR		LED LIGHT							



- Size :52" (1320mm)
- Motor :37W DC Motor
- Construction :Diecast Aluminium Body and Canopy
- Blades :4 x Durable Aluminium
- Blade Pitch :11 degree
- Light :24W 1600 Lumen LED Array  
Switchable between 3000K, 4200K & 6500K
- Ceiling Rake :14 degree max
- Control :Remote (5-speed) with reverse function and timer
- Warranty :2 year In-Home + additional 3 years on the motor

Brilliant's All-Seasons technology for use all year round.  
Replacement LED panels available.

Can be installed indoors or enclosed alfresco area not exposed to the weather. See installation conditions on page 75 for full details.



MODEL NO.	COLOURS	PRODUCT
19715/05	White	Fan only
19715/26	Brushed Aluminium	
19717/05	White	Fan with light
19717/26	Brushed Aluminium	


SPEED	POWER	RPM	AIRFLOW
V	37W	243	13006m <sup>3</sup> /hr
IV	21W	203	10935m <sup>3</sup> /hr
III	12W	163	9278m <sup>3</sup> /hr
II	8W	132	7357m <sup>3</sup> /hr
I	5W	96	5787m <sup>3</sup> /hr

# ALUMA

## 52" CEILING DC FAN




**INCLUDES  
REMOTE**



240V	35W	12W 750lm	4200K COOL WHITE		ALUMINIUM BLADES			
MOTOR		LED LIGHT KIT						

- Size : 52" (1320mm)
- Motor : 35W DC Motor
- Construction : Steel Body and Canopy
- Blades : 3 x Durable Aluminum
- Blade Pitch : 12 degree
- Light : Adaptable light kit
- Ceiling Rake : 15 degree max
- Control : Remote (6-speed) with reverse function
- Warranty : 2 year In-Home + additional 3 years on the motor



Brilliant's All-Seasons technology for use all year round.  
Light kit sold separately.  
Can be installed in indoor locations around the home.  
See installation conditions on page 75 for full details.

MODEL NO.	COLOURS	PRODUCT
20104/13	Satin Nickel	Fan only
20071/13	Satin Nickel	Light kit only

SPEED	POWER	RPM	AIRFLOW
VI	35W	210	9460m <sup>3</sup> /hr
V	18W	173	7705m <sup>3</sup> /hr
IV	11W	141	6394m <sup>3</sup> /hr
III	7W	111	4693m <sup>3</sup> /hr
II	5W	80	2769m <sup>3</sup> /hr
I	3W	52	1357m <sup>3</sup> /hr

# BRIGHTON


## 52" CEILING FAN WITH LIGHT



**INCLUDES REMOTE**




240V	65W	2x40W max	E27	INDOOR ONLY	PLYWOOD BLADES	12" MIN	
MOTOR		LIGHT					



- Size : 52" (1320mm)
- Motor : 65W AC Motor
- Construction : Steel Body and Canopy
- Blades : 4 x Painted Plywood
- Blade Pitch : 11 degree
- Light : 2 x 40W max. E27 (globes not included)
- Ceiling Rake : 14 degree max
- Control : Remote control
- Warranty : 2 year In-Home + additional 3 years on the motor

Brilliant's All-Seasons technology for use all year round. Comes with integrated light kit. Can be installed in indoor locations around the home. See installation conditions on page 75 for full details.



MODEL NO.	COLOURS
100545/05	White
100545/13	Brushed Chrome


SPEED	POWER	RPM	AIRFLOW
HIGH	65W	180	6000m <sup>3</sup> /hr
MEDIUM	38W	145	3500m <sup>3</sup> /hr
LOW	21W	102	1900m <sup>3</sup> /hr

# BAHAMA

52" CEILING DC FAN



**INCLUDES REMOTE**



240V	32W	18W 800lm	4000K COOL WHITE	SMD LED	UV STABLE <b>ABS</b> BLADES	17° MAX		
		MOTOR		LED LIGHT				

- Size : 52" (1320mm)
- Motor : 32W DC Motor
- Construction : Metal Body and Canopy
- Blades : 3 x Moulded ABS
- Blade Pitch : 14 degree
- Light Model : 18W 800 Lumen LED Array 4000K
- Ceiling Rake : 17 degree max
- Control : Remote (5-speed) with reverse function and timer
- Warranty : 2 year In-Home + additional 3 years on the motor

Brilliant's All-Seasons technology for use all year round. Can be installed indoors or enclosed alfresco area not exposed to the weather. See installation conditions on page 75 for full details.



MODEL NO.	COLOURS	PRODUCT
19587/05	White	Fan only
19587/06	Black	
19587/37	Whitewashed Timber	
19587/51	Charcoal/Maple	
19588/05	White	Fan w/light
19588/06	Black	
19588/37	Whitewashed Timber	
19588/51	Charcoal/Maple	


SPEED	POWER	RPM	AIRFLOW
V	31W	185	9328m <sup>3</sup> /hr
IV	19W	168	7985m <sup>3</sup> /hr
III	13W	150	6455m <sup>3</sup> /hr
II	8W	120	5230m <sup>3</sup> /hr
I	5W	87	3369m <sup>3</sup> /hr

# CAYMAN

52" CEILING DC FAN




**INCLUDES  
REMOTE**



- Size : 52" (1320mm)
- Motor : 35W DC Motor
- Construction : Metal Body and Canopy
- Blades : 3 x Durable ABS blades
- Blade Pitch : 22 degree
- Ceiling Rake : 32 degree max
- Light : 15W 1000 Lumen 3500K LED Array
- Control : Remote (6-speed) with reverse function & natural wind function
- Warranty : 2 year In-Home + additional 3 years on the motor

Brilliant's All-Seasons technology for use all year round. Can be installed indoors or enclosed alfresco area not exposed to the weather. See installation conditions on page 75 for full details.



MODEL NO.	COLOURS	PRODUCT
19661/05	White	Fan only
19661/13	Satin Nickel	
19663/05	White	Fan w/Light
19663/13	Satin Nickel	


SPEED	POWER	RPM	AIRFLOW
VI	35W	200	9993m <sup>3</sup> /hr
V	16W	170	8493m <sup>3</sup> /hr
IV	9W	140	6994m <sup>3</sup> /hr
III	5W	110	5496m <sup>3</sup> /hr
II	3W	80	3996m <sup>3</sup> /hr
I	1W	50	2497m <sup>3</sup> /hr

# GALAXY-II

## 54" PROPELLER STYLE CEILING DC FAN




240V	38W	INDOOR ONLY	SOLID TIMBER BLADES	12° Blade Pitch		
------	-----	-------------	---------------------	-----------------	--	--



- Size : 54" (1370mm)
- Motor : 38W DC Motor
- Construction : Metal Body and Canopy
- Blades : 3 x Handcrafted Solid Timber
- Blade Pitch : 12 degree (effective)
- Ceiling Rake : 14 degree max
- Control : Remote (5-speed) with reverse function and timer
- Warranty : 2 year In-Home + additional 3 years on the motor

Brilliant's All-Seasons technology for use all year round.  
Includes 2 down rods, 10cm and 20cm.  
Can be installed in indoor locations around the home.  
See installation conditions on page 75 for full details.





MODEL NO.	COLOURS	PRODUCT
17997/05	White	Fan only
17997/11	Silver	
17997/13	Satin Nickel/Natural	
17997/14	Oil-Rubbed Bronze	

SPEED	POWER	RPM	AIRFLOW
V	38W	225	10471m <sup>3</sup> /hr
IV	23W	190	8908m <sup>3</sup> /hr
III	12W	160	5849m <sup>3</sup> /hr
II	8W	130	4907m <sup>3</sup> /hr
I	5W	95	3774m <sup>3</sup> /hr

# CONCORDE

## 60" CEILING DC FAN



- Size : 60" (1520mm)
- Motor : 38W DC Motor
- Construction : Diecast Aluminium and Canopy
- Blades : 3 x Moulded Durable ABS
- Blade Pitch : 13 degree
- Ceiling Rake : 14 degree max
- Control : Remote (5-speed) with reverse function and timer
- Warranty : 2 year In-Home + additional 3 years on the motor

Brilliant's All-Seasons technology for use all year round. Can be installed indoors or enclosed alfresco area not exposed to the weather. See installation conditions on page 75 for full details.



MODEL NO.	COLOURS	PRODUCT
18936/05	White	Fan only
18936/06	Black	
18936/11	Silver	
18936/62	Mahogany/Black	
18936/65	Maple/Black	


SPEED	POWER	RPM	AIRFLOW
V	38W	197	13035m <sup>3</sup> /hr
IV	22W	164	10851m <sup>3</sup> /hr
III	13W	134	9031m <sup>3</sup> /hr
II	9W	114	7543m <sup>3</sup> /hr
I	6W	91	5339m <sup>3</sup> /hr

# CONCORDE-II

## 58" CEILING DC FAN



**INCLUDES  
REMOTE**




240V	35W	12W 750lm	4200K COOL WHITE			UV STABLE <b>ABS</b> BLADES			
MOTOR		LED LIGHT KIT							

- Size : 58" (1470mm)
- Motor : 35W DC Motor
- Construction : Diecast Aluminium and metal canopy
- Blades : 3 x Moulded Durable ABS
- Blade Pitch : 13 degree
- Light : Adaptable light kit
- Ceiling Rake : 14 degree max
- Control : Remote (6-speed) with reverse function
- Warranty : 2 year In-Home + additional 3 years on the motor

Brilliant's All-Seasons technology for use all year round.

Light kit sold separately.

Can be installed indoors or enclosed alfresco area not exposed to the weather. See installation conditions on page 75 for full details.



MODEL NO.	COLOURS	PRODUCT
20067/05	White	Fan only
20067/06	Matt Black	
20067/62	Mahogany/Matt Black	
20067/65	Maple/Matt Black	
20071/05	White	Light kit only
20071/06	Matt Black	

SPEED	POWER	RPM	AIRFLOW
VI	30W	185	11572m <sup>3</sup> /hr
V	11W	112	7526m <sup>3</sup> /hr
IV	8W	97	6463m <sup>3</sup> /hr
III	6W	80	5027m <sup>3</sup> /hr
II	5W	65	4086m <sup>3</sup> /hr
I	4W	51	2688m <sup>3</sup> /hr

# AVIATOR


66" HIGH PERFORMANCE CEILING DC FAN



**INCLUDES  
REMOTE**



240V	35W	2x13W max	E27	INDOOR ONLY	UV STABLE ABS BLADES	25° MAX	25° MAX	25° MAX
MOTOR		LIGHT						



- Size : 66" (1670mm)
- Motor : 35W DC Motor
- Construction : Metal Body and Canopy
- Blades : 6 x Durable Moulded ABS
- Blade Pitch : 25 degree (average)
- Ceiling Rake : 25 degree max
- Light : 2 x 15W max. E27 (globes not included)
- Control : Remote (6-speed) with light on/off & reverse function
- Warranty : 2 year In-Home + additional 3 years on the motor

Brilliant's All-Seasons technology for use all year round. Supplied with interchangeable light kit/metal cover. Can be installed in indoor locations around the home. See installation conditions on page 75 for full details.



MODEL NO.	COLOURS	PRODUCT
18516/05	White	Fan only
18516/14	Oil-Rubbed Bronze	


SPEED	POWER	RPM	AIRFLOW
VI	35W	93	15843m <sup>3</sup> /hr
V	23W	79	12810m <sup>3</sup> /hr
IV	14W	66	10999m <sup>3</sup> /hr
III	9W	55	9463m <sup>3</sup> /hr
II	6W	43	7822m <sup>3</sup> /hr
I	4W	31	5965m <sup>3</sup> /hr

# HERCULES

## INDUSTRIAL SIZED CEILING DC FAN




**INCLUDES  
REMOTE**



240V	35W	50W	18W 1000lm	4200K COOL WHITE			ALUMINIUM BLADES			
	84"	96"	LIGHT KIT							

- Size : 84" (2140mm) or 96" (2440mm)
- Motor : 84" 35W DC Motor  
96" 50W DC Motor
- Construction : Steel Body and Canopy
- Blades : 6 x Extruded Aluminium (Anodised)
- Blade Pitch : 10 degree (average)
- Light : Adaptable light kit
- Ceiling Rake : 17 degree max
- Control : Remote (6-speed) with light on/off & reverse function
- Warranty : 2 year In-Home + additional 3 years on the motor



Brilliant's All-Seasons technology for use all year round.  
High velocity airflow for large areas with a smooth & quiet operation.  
Can be installed in indoor locations around the home.  
See installation conditions on page 75 for full details.

MODEL NO.	COLOURS	PRODUCT
20073/05	White	84" Fan only
20073/13	Satin Nickel	84" Fan only
20079/05	White	96" Fan only
20079/13	Satin Nickel	96" Fan only
20099/05	White	Light kit only
20099/13	Satin Nickel	Light kit only

SPEED	POWER	RPM	AIRFLOW
	84"	84"	84"
VI	35W	87	24384m <sup>3</sup> /hr
V	23W	75	19813m <sup>3</sup> /hr
IV	14W	63	17579m <sup>3</sup> /hr
III	9W	52	14270m <sup>3</sup> /hr
II	6W	42	11712m <sup>3</sup> /hr
I	4W	30	8765m <sup>3</sup> /hr

# WING


## 50" CEILING FAN WITH LIGHT



**INCLUDES  
REMOTE**



240V	90W	15W 900lm	4200K COOL WHITE			UV STABLE <b>ABS</b> BLADES		
MOTOR		LIGHT						



- Size : 50" (1270mm)
- Motor : 90W AC Motor
- Construction : Metal Canopy
- Blades : 3 x Durable Moulded ABS Plastic
- Ceiling Rake : 15 degree max
- Light : 15W 900 Lumen LED Array
- Control : Remote control
- Fan does not feature a reverse function
- Warranty : 2 year In-Home + additional 3 years on the motor

Comes with integrated light kit.  
Can be installed in indoor locations around the home.  
See installation conditions on page 75 for full details.






MODEL NO.	COLOURS	PRODUCT
19677/05	White	Fan w/Light
19677/62	Mahogany Timber-Look	


SPEED	POWER	RPM	AIRFLOW
HIGH	90W	180	12197m <sup>3</sup> /hr
MEDIUM	59W	148	9385m <sup>3</sup> /hr
LOW	24W	84	4614m <sup>3</sup> /hr

# AUSTIN

## 48" CEILING FAN



240V	50W			
MOTOR				



- Size : 48" (1220mm)
- Motor : 50W AC Motor
- Construction : Metal Body and Canopy
- Blades : 4 x Painted MDF
- Blade Pitch : 12 degree
- Ceiling Rake : 18 degree max
- Control : 3-Speed Wall Control
- Warranty : 2 year In-Home + additional 3 years on the motor

Brilliant's All-Seasons technology for use all year round. Remote adaptable.

Can be installed in indoor locations around the home. See installation conditions on page 75 for full details.



MODEL NO.	COLOURS
19645/05	White
19645/06	Black/Maple
19645/11	Silver/Oak



SPEED	POWER	RPM	AIRFLOW
HIGH	50W	210	6000m <sup>3</sup> /hr
MEDIUM	23W	175	4400m <sup>3</sup> /hr
LOW	11W	125	2290m <sup>3</sup> /hr

# LATITUDE

52" DECORATIVE CEILING FAN



**INCLUDES REMOTE**



- Size : 52" (1320mm)
- Motor : 50W AC Motor
- Construction : Metal Body and Canopy
- Blades : 3 x Ezy-Fit ABS
- Blade Pitch : 15.5 degrees (average)
- Ceiling Rake : 35 degree max
- Control : Remote (3-speed)
- Warranty : 2 year In-Home + additional 3 years on the motor



Brilliant's All-Seasons technology for use all year round. Can be installed indoors or enclosed alfresco area not exposed to the weather. See installation conditions on page 75 for full details.



MODEL NO.	COLOURS	PRODUCT
18517/05	White	Fan only


SPEED	POWER	RPM	AIRFLOW
HIGH	48W	158	9360m <sup>3</sup> /hr
MEDIUM	21W	120	5760m <sup>3</sup> /hr
LOW	17W	90	3240m <sup>3</sup> /hr

# ATRIUM

## STAINLESS STEEL CEILING FAN



240V	70W	80W				40W max.	
	20101 20102	20103					ADDITIONAL LIGHT KIT



- Rating : Industrial Strength
- Motor/Size : 70W AC Motor
  - 4-blade 48" (1220mm) sweep
  - 4-blade 52" (1320mm) sweep
- : 80W AC Motor
  - 4-blade 56" (1420mm) sweep
- Construction : Stainless Steel (316) Body and Canopy
- Blades : Easy-fit Stainless Steel (316)
- Blade Pitch : 5 degree
- Light : Adaptable light kit
- Ceiling Rake : 14 degree max
- Control : Wall (3-speed)
- Warranty : 2 year In-Home + additional 3 years on the motor



Brilliant's All-Seasons technology for use all year round.  
Light kit sold separately.

Can be installed indoors or in undercover outdoor areas not exposed to the weather. Suitable for coastal locations. See installation conditions on page 75 for full details.

MODEL NO.	COLOUR	PRODUCT
20101/16	Stainless Steel (316)	48" Fan only
20102/16	Stainless Steel (316)	52" Fan only
20103/16	Stainless Steel (316)	56" Fan only
20108/16	Stainless Steel (316)	Light kit only


MODEL	SPEED	POWER	RPM	AIRFLOW
4 Blade 48"	HIGH	70W	301	8953m <sup>3</sup> /hr
	MED	29W	175	6077m <sup>3</sup> /hr
	LOW	14W	104	3268m <sup>3</sup> /hr
4 Blade 52"	HIGH	70W	265	12577m <sup>3</sup> /hr
	MED	29W	147	6538m <sup>3</sup> /hr
	LOW	14W	87	3310m <sup>3</sup> /hr
4 Blade 56"	HIGH	80W	242	13778m <sup>3</sup> /hr
	MED	29W	131	6922m <sup>3</sup> /hr
	LOW	13W	82	3863m <sup>3</sup> /hr

# VORTEX

## STAINLESS STEEL CEILING FAN



240V	55W	75W		
100538 100537		100536 100539		



- Rating : Industrial Strength
- Motor/Size : 55W AC Motor
  - 3-blade 52" (1320mm) sweep
  - 4-blade 48" (1220mm) sweep
- : 75W AC Motor
  - 4-blade 52" (1320mm) sweep
  - 4-blade 56" (1420mm) sweep
- Construction : Stainless Steel (316) Body and Canopy
- Blades : Stainless Steel (316)
- Blade Pitch : 22 degree (17+5)
- Ceiling Rake : 32 degree max
- Control : Wall (3-speed)
- Warranty : 2 year In-Home + additional 3 years on the motor

Brilliant's All-Seasons technology for use all year round. Can be installed indoors or in undercover outdoor areas not exposed to the weather. Suitable for coastal locations. See installation conditions on page 75 for full details.



MODEL NO.	COLOUR	PRODUCT
100538/16	Stainless Steel (316)	52": 3 blade
100537/16	Stainless Steel (316)	48": 4 blade
100536/16	Stainless Steel (316)	52": 4 blade
100539/16	Stainless Steel (316)	56": 4 blade

MODEL	SPEED	POWER	RPM	AIRFLOW
3 Blade 52"	HIGH	55W	221	12291m <sup>3</sup> /hr
4 Blade 48"	HIGH	55W	251	12693m <sup>3</sup> /hr
4 Blade 52"	HIGH	75W	262	14940m <sup>3</sup> /hr
4 Blade 56"	HIGH	75W	224	13301m <sup>3</sup> /hr

The warranted use of fans outdoors are limited to Enclosed Alfresco like areas where conditions are similar to indoor installations.

The warranty conditions for fans installed in Enclosed Alfresco areas are as follows:

Fan must be shielded from wind and rain (enclosed area, min. 1.5m from edge of eave/roof).

The warranty will cover open circuit motor faults, and remote control faults if not related to outdoor exposure.

The Warranty will not cover outdoor related issues such as rusting, or failure clearly caused by water, moisture or wind.

The Warranty will not cover external appearance or finish of any part of the ceiling fan.


The Warranty will not cover Wooden bladed fans. These are recommended only to be used indoors.

# LED FAN LIGHT KIT



240V	12W 750lm	4200K COOL WHITE	18W 1000lm	4200K COOL WHITE			
	Concorde-II Aluma		Hercules				

- Modern slimline LED fan light.
- Designed to suit Concorde-II, Aluma and Hercules model fans.
- Available in matching finishes to suit fans
- IP44 Weather-resistant rated, when installed in Concorde-II fan only.
- 3 Year Warranty.



MODEL NO.	COLOURS	PRODUCT	TO SUIT
20071/05	White	Light kit only	Concorde-II
20071/06	Matt Black	Light kit only	Concorde-II
20071/13	Satin Nickel	Light kit only	Aluma
20099/05	White	Light kit only	Hercules
20099/13	Satin Nickel	Light kit only	Hercules

# ATRIUM

## FAN LIGHT KIT



- Modern fan light with opal glass diffuser.
- Designed to suit Atrium fan.
- Clip on opal glass diffuser.
- 316 stainless steel finish.
- 12 Month Warranty.
- Suitable for coastal locations.
- Globes not included



MODEL NO.	COLOURS	PRODUCT	TO SUIT
20108/16	Stainless Steel (316)	Light kit only	Atrium

# ARIEL

## CLIPPER FAN LIGHT



- Classically styled mushroom shaped clipper fan light.
- Suits most Brilliant fans.
- Clip on opal glass diffuser.
- Available in white or brushed steel finish.
- Remote control compatible.
- 12 Month Warranty.



MODEL NO.	COLOURS	PRODUCT
25254/05	White	2 x B22 Matte Opal Glass
25254/13	Brushed Metal	2 x B22 Matte Opal Glass

# EXTENSION RODS

## WITH & WITHOUT LOOM



### Recommended Installation Height

Any ceiling fan should be at least 2.1 metres from the floor to the blades of the fan and at least 300mm from the ceiling.

### Ceiling Height

If you have ceilings above 3 metres, you may require an extension rod. Brilliant has a range of extension rods in colours that match our fan range.

### Extension Rod Range

The basic version is supplied without wiring looms and can be cut to length (if required). Our deluxe version comes with an easy connect wiring loom already fitted for quick and simple installation by a qualified professional.

CODE	COLOUR	DIAMETER (mm)	LENGTH (mm)	LOOM INC	ALUMA	ATRIUM	AUSTIN <sup>1</sup>	AVIATOR	BAHAMA	BRIGHTON	CAYMAN	CONCORDE	CONCORDE-II	GALAXY-II	LATITUDE	HERCULES	TEMPEST AC	TEMPEST DC	TEMPO AC	TEMPO DC	VORTEX	WING	
<b>FAN EXTENSION RODS</b>																							
100550/05	GLOSS WHITE	21	900	Y			Y <sup>2</sup>			Y				Y		Y		Y				Y	
100550/06	MATT BLACK	21	900	Y			Y <sup>2</sup>					Y					Y						
100550/13	SATIN NICKEL	21	900	Y						Y									Y				
100550/20	BRUSHED ALUMINIUM	21	900	Y													Y						
100666/16	316 STAINLESS STEEL	21	900	Y		Y																Y	
18240/05	MATT WHITE	21	900	Y							Y		Y					Y <sup>2</sup>					
18240/11	MATT SILVER	21	900	Y							Y		Y										
18240/14	OIL-RUBBED BRONZE	21	900	Y									Y				Y						
18627/05	MATT WHITE	26	900	Y				Y								Y							
18627/11	METALLIC SILVER	26	900	Y				Y															
18627/14	OIL-RUBBED BRONZE	26	900	Y				Y															
18628/13	SATIN NICKEL	26	900	Y											Y								
18769/05	MATT WHITE	26	1800	Y				Y								Y							
18769/11	METALLIC SILVER	26	1800	Y				Y															
18632/05	GLOSS WHITE	21	900	Y			Y <sup>2</sup>			Y	Y <sup>2</sup>			Y			Y		Y			Y	
19352/05	MATT WHITE	21	900	Y							Y						Y		Y				
19352/11	METALLIC SILVER	21	900	Y							Y												
20200/05	GLOSS WHITE	21	900	N																	Y		
20200/13	BRUSHED CHROME	21	900	N																	Y		
20201/62	MAHOGANY	21	900	Y																		Y	
20252/05	MATT WHITE	21	900	Y					Y														
20252/06	MATT BLACK	21	900	Y					Y														
20265/05	WHITE	21	900	Y								Y											
20265/06	BLACK	21	900	Y								Y											
20287/11	DARK METALLIC	21	900	N			Y																
47801/05	GLOSS WHITE	21	900	N			Y			Y	Y	Y		Y	Y		Y	Y	Y			Y	
47801/13	SATIN NICKEL	21	900	N	Y					Y	Y								Y				
47821/11	BRUSHED ALUMINIUM	21	900	N													Y	Y					
<b>LOOM KIT TO SUIT FANS</b>																							
20200/00			900	Y																		Y	
20254/00			900	Y					Y														
20255			900	Y	Y				Y														
47802/00			900	Y			Y <sup>2</sup>			Y		Y					Y		Y			Y	


<sup>1</sup> Flying leads need to be hard-wired.

<sup>2</sup> For DC fans, extra cabling by an electrician may be required as light loom is not included.

<sup>3</sup> For these fans, the wiring loom must be hard-wired by an electrician.

# REMOTES

## UNIVERSAL CEILING FAN



Universal radio frequency ceiling fan remote controls with Brilliant's unique quick connect plug-in design. Quick connect allows our remotes to be installed seamlessly in minutes with any Brilliant fan without any wire trimming or joining.

- Compatible with most other brands of ceiling fans.
- Includes wall bracket and batteries.
- 12 month Warranty.

FEATURE	CONTROL	DELUXE
DISPLAY	N/A	LCD
INPUT	Soft Touch Buttons	Soft Touch Buttons
FAN	ON/OFF	ON/OFF/AUTO
SPEED	LOW/MED/HIGH	LOW/MED/HIGH
LIGHT	ON/OFF	ON/OFF/DIM
TIMER	N/A	Up to 9 Hours
OTHER		Cannot be used in conjunction with fluorescent or cfl models.

MODEL NO.	PRODUCT
99999	Basic
99998	Deluxe



# REMOTES

SMART CONTROL KIT – FOR AC FANS  
INCLUDES UNIVERSAL BLUETOOTH MODULE



Smartphone and fan are not included and are used for illustration purposes only.

### APP REMOTE

Control your “Brilliant Devices” by using your tablet or smartphone.

- Suitable for use with most AC motor ceiling fans
- Bluetooth® 4.0 (BLE) remote control technology.
- Control and individually name multiple ceiling fan devices with separate security
- Advanced timer features
- App works seamlessly alongside provided handheld remote control

### FUNCTIONS

- Light - On/Off
- Fan - On/Off, Speed - variable via slide control

### COMPANION REMOTE

- Bluetooth® connectivity
- Suitable for use with most AC motor ceiling fans

### FUNCTIONS

- Light - On/Off,
- Fan - On/Off, Fan Speed - LOW/MED/HI
- Includes 9V Battery & Wall Mount Bracket

FEATURE	CONTROL	APP
DISPLAY	N/A	Smart Device
INPUT	Soft Touch Buttons	Smart Device
FAN	ON/OFF	ON/OFF
SPEED	LOW/MED/HIGH	VARIABLE
LIGHT	ON/OFF	ON/OFF
TIMER	N/A	YES
OTHER		Advanced program settings. Control individual or multiple fans

<b>MODEL NO.</b>
19575/06





# BATHROOM




# HEPBURN

## LED VANITY LIGHT



240V	12W w/driver	SMD LED	4000°K COOL WHITE		CRI(Ra) >83	INDOOR ONLY
------	-----------------	---------	-------------------------	--	----------------	-------------

- Modern vanity light.
- Elegant chrome finish.
- Specifically designed for use in bathrooms, kitchens, laundries or powder-rooms.
- Adjustable (rotating) head.
- Non-dimmable high lumen integrated LED array.
- Acrylic diffuser to minimise shadows whilst providing ample light.
- 3 Year Warranty.



MODEL NO.	COLOURS	WATTAGE (w)	LUMENS (lm)	LED Array
18917/15	Chrome	12	750	60 x SMD

# LIZ

## LED VANITY LIGHT



240V	10W w/driver	18W w/driver	SMD LED	4000°K COOL WHITE	RoHS	CRI(Ra) >83	RECYCLE
------	-----------------	-----------------	---------	-------------------------	------	----------------	---------

- Contemporary vanity light.
- Classic silver finish.
- Specifically designed for use in bathrooms, kitchens, laundries or powder-rooms.
- Adjustable (rotating) head.
- Non-dimmable high lumen integrated LED array.
- Acrylic diffuser to minimise shadows whilst providing ample light.
- 3 Year Warranty.



MODEL NO.	COLOURS	WATTAGE (w)	LUMENS (lm)	LED Array
18914/11	Silver	10	750	50 x SMD
18915/11	Silver	18	1100	90 x SMD


# OLIVIA

## LED VANITY LIGHT



240V	12W w/driver	SMD LED	4000°K COOL WHITE		CRI(Ra) >83	INDOOR ONLY
------	-----------------	---------	-------------------------	--	----------------	-------------

- Sleek modern vanity light.
- Glossy chrome finish.
- Specifically designed for use in bathrooms, kitchens, laundries or powder-rooms.
- Non-dimmable high lumen integrated LED array.
- Acrylic diffuser to minimise shadows whilst providing ample light.
- 3 Year Warranty.






MODEL NO.	COLOURS	WATTAGE (w)	LUMENS (lm)	LED Array
18919/15	Chrome	12	1000	60 x SMD


# ERROL

## LED VANITY LIGHT



240V	12W w/driver	 SMD LED	4000°K COOL WHITE	 CRI(Ra) >83	 INDOOR ONLY
------	-----------------	---	-------------------------	--	---

- Sleek and minimalistic vanity light.
- Modern chrome finish.
- Specifically designed for use in bathrooms, kitchens, laundries or powder-rooms.
- Adjustable angle head and arm.
- Non-dimmable high lumen integrated LED array.
- Acrylic diffuser to minimise shadows whilst providing ample light.
- 3 Year Warranty.



MODEL NO.	COLOURS	WATTAGE (w)	LUMENS (lm)	LED Array
18912/15	Chrome	12	540	60 x SMD



# GRETA-II

## LED SLIMLINE VANITY LIGHT



240V	12W w/driver	18W w/driver	SMD LED	4200°K COOL WHITE	>84	CRI(Ra) >84	HOODED ONLY
------	-----------------	-----------------	---------	-------------------------	-----	----------------	-------------

- Slimline adjustable vanity light.
- Smart silver finish.
- Specifically designed for use in bathrooms, kitchens, laundries or powder-rooms.
- Adjustable (rotating) head.
- Non-dimmable high lumen integrated LED array
- Acrylic diffuser to minimise shadows whilst providing ample light.
- 3 Year Warranty.



MODEL NO.	COLOURS	WATTAGE (w)	LUMENS (lm)	LED Array
18746/11	Silver	12	800	60 x SMD
18747/11	Silver	18	1200	90 x SMD

# JEAN-II

## LED VANITY LIGHT



240V	12W w/driver	18W w/driver	SMD LED	4200°K COOL WHITE	RoHS	CRI(Ra) >84	RECYCLING
------	-----------------	-----------------	---------	-------------------------	------	----------------	-----------

- Stylish slimline vanity light.
- Smart silver finish.
- Specifically designed for use in bathrooms, kitchens, laundries or powder-rooms.
- Non-dimmable high lumen integrated LED array.
- Reeded acrylic diffuser to minimise shadows whilst providing ample light.
- 3 Year Warranty.











MODEL NO.	COLOURS	WATTAGE (w)	LUMENS (lm)	LED Array
18743/11	Silver	12	800	60 x SMD
18742/11	Silver	18	1200	90 x SMD

# ANDROMEDA

## 3-IN-1 BATHROOM MATE



240V	14W 1000lm	4000°K COOL WHITE		30W max	2 x 1050W		35W max			
LIGHT			EXHAUST	HEATER		FAN				

		
INCLUDES		

Powerful and efficient 3-in-1 Bathroom Mate designed to suit small to medium bathrooms.

### FEATURES

- **LIGHT:** Dedicated 14W 1000 Lumen LED Panel Light.
- **HEAT:** 2 x PTC ceramic heating elements to warm your bathroom.
- **EXHAUST:** Powerful exhaust fan.
- This unit is fitted with a thermostat switch that will automatically turn on the exhaust fan if the internal temperature exceeds 75°C.
- 3 Year Replacement Warranty.
- Includes 4 gang wall switch, 1.5m aluminium ducting and exterior vent.



DETAILS			LIGHT				HEAT		EXHAUST				
MODEL NO.	COLOUR	CUT OUT (mm)	LAMP TYPE	WATT (w)	LUMENS (lm)	COLOUR TEMP (K)	WATT (w)	WATT (w)	FAN SIZE (mm)	NOISE (dB)	m <sup>3</sup> /MIN	m <sup>3</sup> /HR	L/SEC
18270/05	White	270 x 410	LED Panel	14	1000	4000	2 x 1050	35	160	≤48	≤4.0	≤240	≤67

**HORIZON****3-IN-1 BATHROOM MATE WITH LED LIGHT**

240V	8W 850lm	SMD LED	4200°K COOL WHITE	IPx4	75W max	2 x 275W max	R125	INDOOR ONLY	200 x 355mm	Min 150mm
LIGHT				EXHAUST		HEAT				

INCLUDES		

Powerful and efficient 3-in-1 Bathroom Mate, that suits small to medium bathrooms.

**FEATURES**

- LIGHT: 8W 850 Lumen centre light.
- HEAT: 2 x E27 275W infra-red heat globes.
- EXHAUST: High velocity 300m<sup>3</sup>/hr exhaust fan.
- Powerful 75W ball bearing motor
- 125mm side duct outlet with draft stopper
- This unit is fitted with a thermostat switch that will automatically turn on the fan if the internal temperature exceeds 80°C.
- 3 Year Replacement Warranty.
- Includes 3 gang wall switch, 1.5m flexible aluminium ducting and exterior grille and clamps.












DETAILS		LIGHT				HEAT		EXHAUST				
MODEL NO.	COLOUR	CUT-OUT (mm)	LAMP TYPE	WATT (w)	COLOUR TEMP (K)	WATT (w)	WATT (w)	DUCT SIZE (mm)	NOISE (dB)	m <sup>3</sup> /MIN	m <sup>3</sup> /HR	L/SEC
19847/05	White	200x355	SMD LED	8	4200	2x275	75	Ø125	≤45	≤5.0	≤300	≤83
19847/11	Silver	200x355	SMD LED	8	4200	2x275	75	Ø125	≤45	≤5.0	≤300	≤83

# SUPERNOVA LED

## 3-IN-1 BATHROOM MATE WITH LED LIGHT





240V	11W rated 14W w/driver	 SMD LED	4200°K COOL WHITE	 IP44	35W max	2 or 4 275W max	 R125	 INDOOR ONLY	 250 x 430mm	 270 x 430mm	 Info 220mm
LIGHT				EXHAUST		HEAT		2 LIGHT		4 LIGHT	

	
INCLUDES	

Powerful and efficient 3-in-1 Bathroom Mates, The 2 light suits small to medium bathrooms and the 4 light suits medium to large bathrooms.

### FEATURES

- LIGHT: 11W 800 Lumen Umbra-II with a 100° beam angle.
- HEAT: 275W infra-red heat globes.
- EXHAUST: High velocity exhaust fan.
- This unit is fitted with a thermostat switch that will automatically turn on if the internal temperature exceeds 90°C.
- 3 Year Replacement Warranty.
- Includes 4 gang wall switch; 3 gang for 2 light. 3m aluminium ducting and exterior vent.



DETAILS		LIGHT				HEAT		EXHAUST				
MODEL NO.	COLOUR	CUT-OUT (mm)	LAMP TYPE	WATT (w)	COLOUR TEMP (K)	WATT (w)	WATT (w)	FAN SIZE (mm)	NOISE (dB)	m³/MIN	m³/HR	L/SEC
18271/05	White	250x430	SMD LED	11	4200	2x275	35	150	≤45	≤8.3	≤500	≤138
18271/11	Silver	250x430	SMD LED	11	4200	2x275	35	150	≤45	≤8.3	≤500	≤138
18273/05	White	270x430	SMD LED	11	4200	4x275	35	150	≤45	≤8.3	≤500	≤138
18273/11	Silver	270x430	SMD LED	11	4200	4x275	35	150	≤45	≤8.3	≤500	≤138

## MAJESTIC

## 3-IN-1 BATHROOM MATES



240V	7W max		4000K COOL WHITE	7-10W max	2 or 4 275W max					
		LIGHT		EXHAUST	HEAT			2 LIGHT	4 LIGHT	

INCLUDES		

Simple established design 3-in-1 Bathroom Mates, The 2 light suits small to medium bathrooms and the 4 light suits medium to large bathrooms.

## FEATURES

- LIGHT: High lumen LED reflector globe.
- HEAT: 275W infra-red heat globes.
- EXHAUST: Powerful exhaust fan.
- This unit is fitted with a thermostat switch that will automatically turn on the exhaust fan if the internal temperature exceeds 80°C.
- 3 Year Replacement Warranty.
- Includes wall switch, 1.5m x 100mm diameter ducting and exterior vent.



DETAILS		LIGHT				HEAT		EXHAUST				
MODEL NO.	COLOUR	CUT-OUT (mm)	LAMP TYPE	WATT (w)	COLOUR TEMP (K)	WATT (w)	WATT (w)	FAN SIZE (mm)	NOISE (dB)	m <sup>3</sup> /MIN	m <sup>3</sup> /HR	L/SEC
17976/05	White	185x345	R80 LED	7	4000	2x275	7	100	≤50	≤4.0	≤240	≤67
17976/11	Silver	185x345	R80 LED	7	4000	2x275	7	100	≤50	≤4.0	≤240	≤67
17975/05	White	295x295	R80 LED	7	4000	4x275	10	100	≤50	≤4.0	≤240	≤67
17975/11	Silver	295x295	R80 LED	7	4000	4x275	10	100	≤50	≤4.0	≤240	≤67

# VELOCITY

## 3-IN-1 BATHROOM MATES




240V	7W max	R80 LED	4000K COOL WHITE	7-10W max	2 or 4 275W max	R125	INDOOR ONLY	185 x 345mm	295 x 295mm	Min 120mm
LIGHT		EXHAUST		HEAT		2 LIGHT		4 LIGHT		

 1.5m	 Exterior Vent
INCLUDES	

Simple modern design 3-in-1 Bathroom Mates, The 2 light suits small to medium bathrooms and the 4 light suits medium to large bathrooms.

### FEATURES

- LIGHT: High lumen LED reflector globe.
- HEAT: 275W infra-red heat globes.
- EXHAUST: Powerful exhaust fan.
- This unit is fitted with a thermostat switch that will automatically turn on if the internal temperature exceeds 80°C.
- 3 Year Replacement Warranty.
- Includes wall switch, 1.5m x 100mm diameter ducting and exterior vent.



DETAILS		LIGHT				HEAT		EXHAUST				
MODEL NO.	COLOUR	CUT OUT (mm)	LAMP TYPE	WATT (w)	COLOUR TEMP (K)	WATT (w)	WATT (w)	FAN SIZE (mm)	NOISE (dB)	m <sup>3</sup> /MIN	m <sup>3</sup> /HR	L/SEC
99955/05	White	185x345	R80 LED	7	4000	2x275	7	100	≤50	≤4.0	≤240	≤67
99956/05	White	295x295	R80 LED	7	4000	4x275	10	100	≤50	≤4.0	≤240	≤67

# VENETO

## 3-IN-1 BATHROOM MATE



240V	60W max			7W max	2 x 275W max				
		LIGHT		EXHAUST	HEAT				

INCLUDES		

3-in-1 Bathroom Mates with polished stainless steel face plate, suits small to medium bathrooms.

### FEATURES

- LIGHT: R63 reflector globes.
- HEAT: 275W infra-red heat globes.
- EXHAUST: Strong exhaust fan.
- This unit is fitted with a thermostat switch that will automatically turn on if the internal temperature exceeds 80°C.
- 3 Year Replacement Warranty.
- Includes 3 gang wall switch, 1.5m ducting and exterior vent.







DETAILS			LIGHT		HEAT		EXHAUST				
MODEL NO.	COLOUR	CUT OUT (mm)	LAMP TYPE	WATT (w)	WATT (w)	WATT (w)	FAN SIZE (mm)	NOISE (dB)	m <sup>2</sup> /MIN	m <sup>3</sup> /HR	L/SEC
99980/05	White	185x345	R63	60	2x275	40	100	≤50	≤2.0	≤200	≤55
99980/13	Silver	185x345	R63	60	2x275	40	100	≤50	≤2.0	≤200	≤55

# TERCEL

## SQUARE EXHAUST FAN WITH LED LIGHT



240V	25W max	13W 1000lm	4200°K COOL WHITE	 LED PANEL	 270 x 270mm	 INDOOR ONLY	 Min 220mm
MOTOR		LIGHT					

Modern square design exhaust fan with a dedicated energy efficient LED Light.

### FEATURES

- LIGHT: 13W 1000 Lumen LED Panel.
- EXHAUST: High velocity exhaust fan.
- Removeable facia.
- Side exhaust duct to prevent objects falling through.
- 3 Year Replacement Warranty.
- Duct kits available in 1.5m or 3m.



DETAILS			LIGHT				EXHAUST					
MODEL NO.	COLOUR	CUT OUT (mm)	LAMP TYPE	WATT (w)	LUMENS (lm)	COLOUR TEMP (K)	WATT (w)	FAN SIZE (mm)	NOISE (dB)	m <sup>3</sup> /MIN	m <sup>3</sup> /HR	L/SEC
18192/05	White	270x270	LED PANEL	13	1000	4200	25	134	≤45	≤5.3	≤240	≤66

# BOREAL LED

## EXHAUST FAN WITH LED LIGHT



240V	DIY EASY INSTALLATION	11W rated 14W w/Driver	SMD LED	4200°K COOL WHITE	IP44	25W max	240mm	28W max	290mm	WOOD ON OUT	Info 120mm	
LIGHT				FAN 18247		FAN 18249						

Round design exhaust fan with an 800 lumen, 100° beam angle Umbra-II LED as a centre light source.

### FEATURES

- LIGHT: Umbra-II Downlight (IP44 rated)
- EXHAUST: High velocity exhaust fan.
- Easy installation clamps to secure fan into place.
- 150mm side exhaust duct.
- IPX4 water-resistant rating.
- Removable fascia for easy cleaning.
- Side exhaust duct to prevent objects falling through.
- Exhaust damper to prevent drafts.
- Requires a switched surface socket for DIY installation.
- 3 Year Replacement Warranty.



DETAILS		LIGHT					EXHAUST					
MODEL NO.	COLOUR	CUT OUT (mm)	LAMP TYPE	WATT (w)	LUMENS (lm)	COLOUR TEMP (K)	WATT (w)	FAN SIZE (mm)	NOISE (dB)	m <sup>2</sup> /MIN	m <sup>3</sup> /HR	L/SEC
18247/05	White	Ø240	SMD LED	11	800	4200	25	124	≤45	≤4.5	≤270	≤75
18247/16	Stainless Steel	Ø240	SMD LED	11	800	4200	25	124	≤45	≤4.5	≤270	≤75
18249/05	White	Ø290	SMD LED	11	800	4200	28	144	≤45	≤5.3	≤320	≤88
18249/16	Stainless Steel	Ø290	SMD LED	11	800	4200	28	144	≤45	≤5.3	≤320	≤88

# HELIOS

## ROUND EXHAUST FAN WITH LED LIGHT



DIY <small>NO TOOLS REQUIRED</small>	240V	40W max	8W 850lm	4200K COOL WHITE	SMD LED	295mm	INDOOR ONLY	Max 225mm
	MOTOR			LIGHT				

Modern round design exhaust fan with a dedicated energy efficient LED Light.

### FEATURES

- LIGHT: 8W 850 Lumen LED light source.
- EXHAUST: High velocity 40W exhaust fan.
- DIY installation with 2 x 0.9m cords (separate cords for fan and light).
- Plastic body and removable facia.
- Side exhaust duct with draft stopper.
- 150mm diameter duct compatible.
- 3 Year Replacement Warranty.
- Ducting available in 3m or 6m.



DETAILS			LIGHT				EXHAUST					
MODEL NO.	COLOUR	CUT OUT (mm)	LAMP TYPE	WATT (w)	LUMENS (lm)	COLOUR TEMP (K)	WATT (w)	IMPELLER (mm)	NOISE (dB)	m <sup>3</sup> /MIN	m <sup>3</sup> /HR	L/SEC
19851/05	White	Ø295	SMD LED	8	850	4200	40	Ø170	≤45	≤5.3	≤320	≤89

# TORNADO

## ROUND EXHAUST FAN




240V	<b>DIY</b> <small>EASY INSTALLATION</small>	25W		35W				
		FAN 19911		FAN 19912				

Round design high velocity exhaust fan with removable grille

### FEATURES

- High velocity exhaust fan.
- Ball bearing motor.
- Easy installation clamps to secure fan into place.
- Removable grille for easy cleaning.
- Fitted with Australian approved plug and lead.
- Requires a switched surface socket for DIY installation.
- 3 Year Replacement Warranty.



DETAILS			EXHAUST					
MODEL NO.	COLOUR	CUT OUT (mm)	WATT (w)	FAN SIZE (mm)	NOISE (dB)	m <sup>3</sup> /MIN	m <sup>3</sup> /HR	L/SEC
19911/05	White	Ø250	25	200	≤50	≤4.6	≤280	≤78
19912/05	White	Ø300	35	235	≤50	≤7.5	≤450	≤125

# SARICO-II

## SQUARE EXHAUST FAN



240V	<b>DIY</b> EASY INSTALLATION	25W max	240mm	28W max	290mm	IPX4	INDOOR ONLY	Min 220mm	
			FAN 18193	FAN 18194					

Square design exhaust fan with removable cover

### FEATURES


- High velocity exhaust fan.
- Easy installation clamps to secure fan into place.
- 150mm side exhaust duct.
- IPX4 water-resistant rating.
- Removable facia for easy cleaning.
- Exhaust damper to prevent drafts.
- Requires a switched surface socket for DIY installation.
- 3 Year Replacement Warranty.



DETAILS			EXHAUST					
MODEL NO.	COLOUR	CUT OUT (mm)	WATT (w)	FAN SIZE (mm)	NOISE (dB)	m <sup>3</sup> /MIN	m <sup>3</sup> /HR	L/SEC
18193/05	White	Ø240	25	124	≤45	≤4.5	≤270	≤75
18193/16	Stainless Steel	Ø240	25	124	≤45	≤4.5	≤270	≤75
18194/05	White	Ø290	28	144	≤45	≤5.3	≤320	≤88
18194/16	Stainless Steel	Ø290	28	144	≤45	≤5.3	≤320	≤88

# TALON

## ROUND EXHAUST FAN



240V	DIY <small>GET IT INSTALLED</small>	25W max		28W max					
		FAN 18255		FAN 18190					

Round design exhaust fan with removable cover

### FEATURES

- High velocity exhaust fan.
- Easy installation clamps to secure fan into place.
- 150mm side exhaust duct.
- IPX4 water-resistant rating.
- Removable facia for easy cleaning.
- Exhaust damper to prevent drafts.
- Requires a switched surface socket for DIY installation.
- 3 Year Replacement Warranty.



DETAILS			EXHAUST					
MODEL NO.	COLOUR	CUT OUT (mm)	WATT (w)	FAN SIZE (mm)	NOISE (dB)	m <sup>3</sup> /MIN	m <sup>3</sup> /HR	L/SEC
18255/05	White	Ø240	25	124	≤45	≤4.5	≤270	≤75
18255/16	Stainless Steel	Ø240	25	124	≤45	≤4.5	≤270	≤75
18190/05	White	Ø290	28	144	≤45	≤5.3	≤320	≤88
18190/16	Stainless Steel	Ø290	28	144	≤45	≤5.3	≤320	≤88

# WHISPER

## ROUND EXHAUST FAN



240V	<b>DIY</b> <small>EASY INSTALLATION</small>	27W max	 235mm	35W max	 285mm	 INDOOR ONLY	 Min 600mm	
		240		300				

Round design high velocity exhaust fan with removable cover

### FEATURES

- High velocity exhaust fan.
- Ball bearing motor.
- Easy installation clamps to secure fan into place.
- Removable fascia for easy cleaning.
- Draft stopper to prevent unwanted airflow coming back through the exhaust fan.
- Requires a switched surface socket for DIY installation.
- 3 Year Replacement Warranty.
- Duct adaptors available in small (18207) or large (18208).




Duct Adaptor

DETAILS			EXHAUST					
MODEL NO.	COLOUR	CUT OUT (mm)	WATT (w)	FAN SIZE (mm)	NOISE (dB)	m <sup>3</sup> /MIN	m <sup>3</sup> /HR	L/SEC
18203/05	White	Ø235	27	200	≤50	≤8.3	≤500	≤139
18204/05	White	Ø285	35	255	≤52	≤12.5	≤750	≤208

**SENSA-FLOW**


## SQUARE WALL/WINDOW EXHAUST FAN WITH PIR SENSOR



Square design wall or window exhaust fan.

**FEATURES**

- P.I.R. Motion Sensor.
- Subsequent/new movement will restart the ON time (1 minute).
- Integrated fly-proof net.
- Ball bearing motor.
- Quiet operation.
- Mounting kit included.
- Fastening ring for window installation.
- Removable backdraft shutter.
- Includes 40cm 2-wire lead for hardwired installation.
- 3 Year Replacement Warranty.



DETAILS			EXHAUST						
MODEL NO.	COLOUR	CUT-OUT (mm)	WATT (w)	BLADE SIZE (mm)	RPM	NOISE (dB)	m <sup>3</sup> /MIN	m <sup>3</sup> /HR	L/SEC
19934/05	White	Ø150	18	135	2000	≤35	≤5.3	≤320	≤89

# FORCE

## SQUARE WALL/WINDOW EXHAUST FAN




240V	12W		18W		
FAN 19935		FAN 19936			

Square design wall or window exhaust fan.

### FEATURES

- Integrated fly-proof net.
- Ball bearing motor.
- Quiet operation.
- Mounting kit included.
- Fastening ring for window installation.
- Removable backdraft shutter.
- Includes 40cm 2-wire lead for hardwired installation.
- 3 Year Replacement Warranty.



DETAILS			EXHAUST							DIMENSIONS		
MODEL NO.	COLOUR	CUT-OUT (mm)	WATT (w)	BLADE SIZE (mm)	RPM	NOISE (dB)	m <sup>2</sup> /MIN	m <sup>2</sup> /HR	L/SEC	ØA (mm)	B (mm)	C (mm)
19935/05	White	Ø100	12	89	2400	≤35	≤2.1	≤130	≤36	Ø100	157	81
19936/05	White	Ø150	18	135	2400	≤35	≤5.3	≤320	≤89	Ø150	200	96

# DUCTING

## ALUMINIUM



Flexible duct that can be cut down to suit required length.

Non-insulated, single layer ducting.

### RECOMMENDATIONS

- Choose the correct size duct to suit your exhaust fan and vent for best result.
- Cut-off any excess duct once the duct is extended to its required length.
- Secure the duct with clamps or tape (not included)
- Elbows and turns should be kept to a minimum.



MODEL NO.	COLOUR	SUITS DIAMETER (mm)	SUITS DIAMETER (in)	LENGTH (M)
19937	Aluminium	Ø100	Ø4	3
19939	Aluminium	Ø150	Ø6	3
19940	Aluminium	Ø150	Ø6	6

# LOUVRED GRILLE

## DUCTING ACCESSORY



Moulded ABS construction.  
 Exterior or interior vent/grille for use with exhaust fans.  
 Available in either 100mm or 150mm to suit duct size.



MODEL NO.	COLOUR	SUITS DIAMETER (mm)	SUITS DIAMETER (in)
19945/05	White	Ø100	Ø4
19946/05	White	Ø150	Ø6

# SELF-CLOSING GRILLE

## DUCTING ACCESSORY



Moulded ABS construction.

Gravity louvred vent, designed to allow air to be vented into the atmosphere, while stopping cold air and pests entering the system when not in use. Suitable for external wall installations.

Available in either 100mm or 150mm to suit duct size.



MODEL NO.	COLOUR	SUITS DIAMETER (mm)	SUITS DIAMETER (in)
19947/05	White	Ø100	Ø4
19948/05	White	Ø150	Ø6

# CIRCULAR VENT

## DUCTING ACCESSORY



Moulded ABS construction.

An inside vent/grille for use with exhaust fans.

Ceiling or wall mountable.

Adjustable airflow, rotate the center of the unit to open or restrict airflow.


Available in either 100mm or 150mm to suit duct size.



MODEL NO.	COLOUR	SUITS DIAMETER (mm)	SUITS DIAMETER (in)
19941/05	White	Ø100	Ø4
19942/05	White	Ø150	Ø6

# EXTERIOR COWL

## DUCTING ACCESSORY




304 grade Stainless steel Dome vent.  
 Suitable for external wall installations.  
 This vent comes with a fly-proof mesh.  
 Available in either 100mm or 150mm to suit duct size.



MODEL NO.	COLOUR	SUITS DIAMETER (mm)	SUITS DIAMETER (in)
19943/16	Stainless Steel 304	Ø100	Ø4
19944/16	Stainless Steel 304	Ø150	Ø6

# TURBINE

## INLINE AIR TRANSFER AND EXHAUST SYSTEM



Transfer heat from one room to another, quickly and easily with Turbine air transfer kit.

Utilise an existing heating/cooling source to its full potential and overcome the need for separate heating appliances in individual rooms.

An air transfer kit can often be the most economical way of redirecting air within your home.


Air Transfer Kits are ideal for homes with open fires or wood burners.

### FEATURES

- Powerful 47W motor with Axial fan.
- IPX4 rated.
- Moves up to 500m<sup>3</sup>/hr.
- 175mm diameter impeller.
- Ball bearing motor.
- Ø150mm duct inlet/outlet size.
- DIY installation.
- 3-Year Warranty

### INCLUDES

- 1 x 47W Inline Exhaust fan
- 2 x 3m Aluminium single layer ducting
- 2 x White ABS Grills
- 4 x Ring clamps



DETAILS			EXHAUST					
MODEL NO.	COLOUR	DUCT SIZE (mm)	WATT (w)	BLADE SIZE (mm)	NOISE (dB)	m <sup>3</sup> /MIN	m <sup>3</sup> /HR	L/SEC
19951/05	White	Ø150	47	175	≤50	≤8.3	≤500	≤139

**The solution to heating or cooling your house more efficiently**

Air transfer kits move excess hot or cold air from one room to another, so you heat or cool your house more efficiently.

**Circulate trapped air**

Home insulation and heating products (fires, gas, electric heating, etc) have all improved in quality and efficiency over the years and in many instances home owners are finding their heating systems are over-efficient for the room they are situated in. An air transfer kit will exhaust excess hot/cold air that would otherwise be wasted and circulate it to a designated room. The benefits of a air transfer system include saving energy and removing the need to buy additional heater elements for the other rooms. The key principle is to transfer heat, not to waste it.

**Transfer the Heat to Another Room**


This problem is easily and inexpensively overcome with the installation of an air transfer system, which utilises this otherwise wasted heat by moving it throughout the home.

**How our Air Transfer Kit works**

Warm/Cool air is picked up through a ceiling vent which is ideally placed opposite the heating/cooling element to allow the source room to heat/cool first. An Inline fan will then transfer the hot/cold air to the vents in the destination room(s). The system can be controlled manually via a wall switch or through a thermostat (not included), (controlled by the temperature of the room).


**Improved circulation**

As air is removed from the heated room, replacement air is drawn from adjacent rooms, creating a natural re-circulation, hence warm, dry air is constantly being circulated throughout the home.



**Why Use An In Line Exhaust Fan?**

In Line exhaust fans are installed in the roof space above (or slightly away) from the area of installation. Many choose to have an In Line fan because of its flexibility in being able to be mounted anywhere in the roof space above the room. Further to this, because it doesn't have to be mounted directly on the room, In Line fans can be a very quiet ventilation solution.



**Ingress Protection Rating Explained**

An IP rating stands for Ingress Protection. In easy terms, it's a rating that states how protected the product is against water or dust getting into its casing, or how resistant it is to impacts. Generally speaking, the higher the number equals better protection.

The Turbine air transfer motor has an IPX4 rating. This means that it is resistant to water splashing against the enclosure from any direction at 10 liters/min at a pressure of 80-100kN/m<sup>2</sup> for 5 minutes without harmful effect.





# EXTERIOR & SECURITY




# FLEXISCAN: SERIES II

## 110° PIR SECURITY SENSOR



240V							
	Detection Scan: 110°	Detection Range: 18m	Time on: 10s to 20m	Lux Setting			

- LED Compatible.
- Passive Infra-red technology.
- Flexible adjustable arm.
- Multi-segmented optical lens for better detection.
- Reliable 3-wire design.
- IP66 weather-resistant rated.
- Easy to mount, wall or ceiling installation.
- Heavy duty switching circuitry, suitable for large loads.
- Adjustable time, sensitivity and lux level.
- Manual override
- Resets to AUTO mode after 8 hours
- Max Load :
  - 2400W Incandescent Lamp
  - 1200W Fluorescent Lamp
  - 300W LED Lamp
- Power consumption : 0.7W
- 5 Year Warranty.



MODEL NO.	COLOURS
18562/06	Black
18562/09	Beige

# UNI-SCAN: SERIES II

## 180° PIR SECURITY SENSOR



240V					MANUAL OVERRIDE		
	Detection Scan: 180°	Detection Range: 12m	Time on: 10s to 20m	Lux Setting			

- Passive Infra-red technology.
- Multi-segmented lens for better detection.
- Reliable 3-wire design.
- Adjustable time and lux level.
- Manual override.
- LED Compatible.
- IP44 weather-resistant rated.
- Wall or ceiling surface mount.
- Resets to AUTO mode after 8 hours.
- Max Load :
  - 1000W Incandescent Lamp
  - 300W Fluorescent Lamp
  - 150W LED Lamp
- 2 Year Warranty.









MODEL NO.	COLOURS
18060/05	White
18060/06	Black

# THREE-SIXTY: SERIES II

## 360° SURFACE MOUNT PIR SENSOR



240V						
	Detection Scan: 360°	Detection Range: 4m	Time on: 10s to 20m	Lux Setting	MANUAL OVERRIDE	INDOOR ONLY

- Passive Infra-red technology.
- Multi-segmented lens for better detection.
- Reliable 3-wire design.
- Adjustable time and lux level.
- Manual override
- Indoor use only.
- Resets to AUTO mode after 8 hours.
- Ceiling surface mount
- Max Load :
  - 1600W Incandescent Lamp
  - 500W Fluorescent Lamp
  - 200W LED Lamp
- 2 Year Warranty.









MODEL NO.	COLOUR
18062/05	White

## EYE 360°: SERIES II

### RECESSED PIR SECURITY SENSOR



240V	 360° Detection Scan: 360°	 9m Detection Range: 9m	 Time on: 10s to 20m	 Lux Setting	 <b>MANUAL OVERRIDE</b>	 <b>INDOOR ONLY</b>
------	--	---	--	--	--	--

- Passive Infra-red technology.
- Multi-segmented lens for better detection.
- Reliable 3-wire design.
- Adjustable time and lux level.
- Manual override
- Indoor use only.
- Resets to AUTO mode after 8 hours.
- Ceiling recessed flush mount.
- Max Load :                   2000W Incandescent Lamp  
                                      600W Fluorescent Lamp  
                                      300W LED Lamp
- 2 Year Warranty.



MODEL NO.	COLOUR
18063/05	White

# EYE 360° MINI

## RECESSED PIR SECURITY SENSOR



240V		4m 			MANUAL OVERRIDE		
	Detection Scan: 360°	Detection Range: 6m	Time on: 10s to 15m	Lux Setting		INDOOR ONLY	45mm

- Passive Infra-red technology.
- Multi-segmented lens for better detection.
- Reliable 3-wire design.
- Adjustable time and lux level.
- Manual override.
- Ceiling recessed mount.
- Indoor use only.
- Resets to AUTO mode after 8 hours.
- Lux control level : 3-2000LUX (adjustable)
- Max Load : 800W Incandescent Lamp  
400W Fluorescent Lamp  
200W LED Lamp
- 2 Year Warranty.








MODEL NO.	COLOUR
20048/05	White

# TECHNO-SCAN 360°

## SURFACE MOUNT PIR SECURITY SENSOR



240V		4m 			MANUAL OVERRIDE	
	Detection Scan: 360°	Detection Range: 6m	Time on: 10s to 30m	Lux Setting		INDOOR ONLY

- Passive Infra-red technology.
- Multi-segmented lens for better detection.
- Easy control via remote.
- Reliable 4-wire design.
- Adjustable time, lux level and detection range.
- Remote control included.
- Indoor use only.
- Resets to AUTO mode after 8 hours
- Ceiling flush mount
- Installation height : 2.2 - 4m (max)
- Lux control level : 3-2000LUX (adjustable)
- Max Load : 2000W Incandescent Lamp  
1000W Fluorescent Lamp  
500W LED Lamp
- 2 Year Warranty.



MODEL NO.	COLOUR
20049/05	White

# EZY-SCAN

## 180° PIR SECURITY SENSOR



240V							
	Detection Scan: 180°	Detection Range: 12m	Time on: 10s to 15m	Lux Setting			

- Passive Infra-red technology.
- Multi-segmented lens for better detection.
- Adjustable sensing angle.
- Reliable 3-wire design.
- Adjustable time and lux level.
- Manual override.
- IP44 weather-resistant rated.
- Resets to AUTO mode after 8 hours
- Wall mount.
- Lux control level : 3-2000LUX (adjustable)
- Max Load : 800W Incandescent Lamp  
400W Fluorescent Lamp  
200W LED Lamp
- 2 Year Warranty.
- Corner mounting bracket sold separately.



MODEL NO.	PRODUCT	COLOURS
20044/05	PIR Sensor	White
20044/06	PIR Sensor	Black
20243/05	Corner Mount	White
20243/06	Corner Mount	Black



**VERSA-SCAN**

180° PIR SECURITY SENSOR



240V	180°	12m Detection Range: 12m	Time on: 10s to 15m	Lux Setting	MANUAL OVERRIDE	IP65	
------	------	-----------------------------	------------------------	----------------	--------------------	------	--


- Passive Infra-red technology.
- Multi-segmented lens for better detection.
- Adjustable sensing angle.
- Reliable 3-wire design.
- Adjustable time and lux level.
- Manual override.
- IP65 weather-resistant rated.
- Resets to AUTO mode after 8 hours
- Wall mount
- Lux control level : 3-2000LUX (adjustable)
- Max Load : 1200W Incandescent Lamp  
300W Fluorescent Lamp  
150W LED Lamp
- 2 Year Warranty.



MODEL NO.	COLOURS
20046/08	Grey
20046/09	Beige

# EYE 360° MICROWAVE

## RECESSED MICROWAVE SECURITY SENSOR



- Automatically activated by motion and light level.
- Ceiling recessed mount.
- Wide detection area, up to 16m in diameter.
- Motion can be detected through plastic, glass and thin non-metal materials.
- Adjustable time, lux level and detection area.
- Reliable 3-wire design.
- Indoor use only.
- HF system : 5.8GHz
- Installation height : 1.5-3.5m
- Lux control level : 3-2000LUX (adjustable)
- Max Load : 1200W Incandescent Lamp  
300W Fluorescent Lamp  
150W LED Lamp
- 2 Year Warranty.









MODEL NO.	COLOURS
20051/05	White

# DUO-SCAN MICROWAVE

## RECESSED MICROWAVE SECURITY SENSOR



240V						
	Detection Scan: 360°	Detection Range: 4m	Adjustable	Lux Setting	INDOOR ONLY	85mm


- Two individual controls for lighting and exhaust fans.
- Advanced microwave technology detecting slight motions.
- Automatically activated by motion.
- Ceiling recessed mount.
- Wide detection area, up to 10m in diameter.
- Motion can be detected through plastic, glass and thin non-metal materials.
- Accurate adjustable time, lux level and detection area via DIP switches.
- Ideal for bathrooms.
- HF system: 5.8GHz
- Lux control level : <3-2000LUX (adjustable)
- Detection distance : 10m @ 4m ceiling height (max)
- Time delay (light) : 5sec / 90sec / 3min / 10min
- Time delay (exhaust) : 5sec / 5min / 10min / 20min
- Max Load (light) : 400W Incandescent Lamp  
200W Fluorescent Lamp  
100W LED Lamp
- Max Load (exhaust): 200W max
- 2 Year Warranty.




MODEL NO.	COLOURS
20053/05	White

# RETRO-FIT MICROWAVE

## CEILING/WALL LIGHT MICROWAVE SECURITY SENSOR



- Automatically activated by motion and light level.
- Compact size to retro-fit into most ceiling and wall lights.
- Wide detection area.
- Motion can be detected through plastic, glass and thin non-metal materials
- Accurate adjustable time, lux level and detection area via DIP switches.
- Reliable 3-wire design.
- HF system: 5.8GHz
- Lux control level : <3-2000LUX (adjustable)
- Installation height : Wall 1.5-3.5m  
Ceiling 2-6m
- Detection range : Wall 180 degrees  
Ceiling 360 degrees
- Detection distance : Wall 5-15m (adjustable)  
Ceiling 1-8m radius (adjustable)
- Max Load : 1200W Incandescent Lamp  
300W Fluorescent Lamp  
150W LED Lamp
- 2 Year Warranty.



MODEL NO.	COLOURS
20052/05	White

# TRIDENT

## 3 LIGHT SECURITY FLOODLIGHT WITH SENSOR




240V	30W 2200lm	SMD LED	5400K COOL WHITE	IP55
------	---------------	---------	------------------------	------

180°	Lux Setting	Time on: 5s to 3m
------	-------------	-------------------

New modern design security light made from durable diecast aluminium. Features a distinct tri-head design that allows you to direct light from 180 degrees up to 270 degrees.

**Features:**

- 1 x 36 2835 LED Array, 2 x 12 2835 LED Arrays.
- Up to 270 degree adjustable light beam.
- Dual Illumination (2 light levels).
- Low light level adjustable (0% - 50%).
- Automatic illumination at dusk low light level.
- Automatic high level light activation when sensor is triggered.
- Additional sensor under fitting for closer detection.
- 2 Year Warranty.



MODEL NO.	COLOUR
18442/14	Bronze

# AVENGER

## LARGE DIY LED FLOODLIGHT



240V	DIY <small>DO-IT-YOURSELF</small>	100W <small>2x50W</small>	200W <small>4x50W</small>	COB LED	4200K COOL WHITE	100°	IP65	
		19134	19135					

- Large commercial sized and wattage box style LED floodlights.
- Black painted outer casing and clear tempered safety glass lens.
- Hinge to direct light.
- Do-It-Yourself installation.
- Supplied with 3-pin plug and 1m lead.
- Also available in 10W, 20W, 30W or 50W.
- 3 Year Warranty.

### APPROVALS

VEET (ESC) 4473

ESS (IPART) 99103S14LAWEDDG




MODEL NO.	WATTAGE (w)	COLOUR
19134/06	100	Black
19135/06	200	Black

# AVENGER-II




## DIY LED FLOODLIGHT



240V	<b>DIY</b> <small>EASY INSTALLATION</small>	<b>20W</b> 2000lm	<b>30W</b> 3000lm	<b>50W</b> 5000lm		<b>4200K</b> COOL WHITE		
		19665 19667	19668 19669	19670 19671				



- Box style floodlight.
- High light output and energy efficient LED technology.
- 100 degree beam angle.
- Durable cast aluminium construction.
- Tempered glass lens.
- Adjustable mounting bracket.
- Easy DIY installation.
- Supplied with 3-pin plug and 1m lead.
- Suitable for residential and commercial use.
- Available in 20W, 30W or 50W.
- 3 Year Warranty.



MODEL NO.	WATTAGE (w)	COLOUR TEMP (°K)	LUMENS (lm)	SENSOR
19665/06	20	4200	2000	NO
19667/06	20	4200	2000	YES
19668/06	30	4200	3000	NO
19669/06	30	4200	3000	YES
19670/06	50	4200	5000	NO
19671/06	50	4200	5000	YES

# FOXY

## SLIMLINE LED FLOODLIGHT



240V	6.5W 560lm	4000K COOL WHITE	SMD LED	IP44	
------	---------------	------------------------	---------	------	--

Modern, slimline exterior security light made from durable UV stabilised ABS plastic, with a super bright 560 lumen SMD LED array.

- 2 Year Warranty.




MODEL NO.	COLOUR
18354/06	Black

# STEALTH

## DIY LED SLIMLINE FLOODLIGHT




240V	<b>DIY</b> <small>EASY INSTALLATION</small>	<b>10W</b> 800lm	<b>20W</b> 1600lm	<b>30W</b> 2100lm	<b>50W</b> 3600lm	<b>100W</b> 9000lm		<b>4200K</b> COOL WHITE		
		19484	19485 19493	19487 19495	19489 19497	19491				



- High light out and energy efficient LED technology.
- Durable cast aluminium housing.
- Adjustable arm.
- Easy DIY installation.
- Supplied with 3-pin plug and 1.2m lead.
- Suitable for residential and commercial use.
- Available in 10W, 20W, 30W, 50W or 100W.
- 2 Year Warranty.

APPROVALS (50W & 100W only)  
VEET (ESC) 4907  
ESS (IPART) 99103S14-HGFIJBFG

MODEL NO.	WATTAGE (w)	COLOUR TEMP (°K)	LUMENS (lm)	SENSOR
19484/06	10	4200	800	NO
19485/06	20	4200	1600	NO
19493/06	20	4200	1600	YES
19487/06	30	4200	2100	NO
19495/06	30	4200	2100	YES
19489/06	50	4200	3600	NO
19497/06	50	4200	3600	YES
19491/06	100	4200	9000	NO




# HUNTER-III

## LED FLOODLIGHTS



240V	<b>11W</b> 750lm	<b>22W</b> 1500lm	<b>4200K</b> COOL WHITE		
	1 Light	2 Light			



- Modern LED floodlight.
- Ultra bright and long-life 11W COB LED Chip.
- Produces 750 lumens per head.
- Made from durable diecast aluminium.
- Fully adjustable heads.
- IP44 Weatherproof rated.
- 2 Year Warranty.



MODEL NO.	WATTAGE (w)	COLOUR TEMP (°K)	LUMENS (lm)	SENSOR
19239/05	1 x 11	4200	750	NO
19239/06	1 x 11	4200	750	NO
19239/13	1 x 11	4200	750	NO
19975/05	1 x 11	4200	750	YES
19975/06	1 x 11	4200	750	YES
19975/13	1 x 11	4200	750	YES
19242/05	2 x 11	4200	1500	NO
19242/06	2 x 11	4200	1500	NO
19242/13	2 x 11	4200	1500	NO
19245/05	2 x 11	4200	1500	YES
19245/06	2 x 11	4200	1500	YES
19245/13	2 x 11	4200	1500	YES



# VIPER

## LED SECURITY LIGHTS



240V	2 x 12W	4000K COOL WHITE	COB LED	IP44
------	---------	------------------	---------	------

180° Detection: 180° x 12m	Lux Setting	Time on: 10s to 10m	Manual override
----------------------------------	----------------	------------------------	--------------------

- Modern LED security lights.
- Two super bright and long-life 12W COB LED chips.
- Produces 900 lumens per head.
- Made from durable cast aluminium.
- IP44 weather-resistant rating.
- 2 Year Warranty.



Ø120



MODEL NO.	COLOURS	TYPE
19632/06	Black	Without Sensor
19632/13	Satin Chrome	
19634/06	Black	Sensor
19634/13	Satin Chrome	



# RAYON

## SOLAR LED SECURITY LIGHT



<b>DIY</b> <small>EASY INSTALLATION</small>		<b>1W</b> 100lm		<b>6800K</b> DAYLIGHT	Battery: 3.7V Li-Ion 500mAh	Panel: 0.35W AMORPHOUS	
--	--	--------------------	--	--------------------------	-----------------------------------	------------------------------	--

 90° Detection: 90° x 5m	 Lux Setting	 Time on: 35 secs
-----------------------------------	--------------------	-------------------------


- Amorphous solar panel: 5.4V/0.35W.
- Security light: 1w/100lm, Daylight.
- Battery: Lithium-ION 3.7V, 500mAh.
- Connection cord length: 1.8m.
- Fully charging time: 10 hours in full sun.
- Total Operating time: 90 minutes (fully charged).
- Made from UV stabilised ABS plastic.
- Fully adjustable solar panel head.
- Up & down adjustable light head.
- IP44 weatherproof rated.
- 2 Year Warranty.



MODEL NO.	COLOUR
19307/06	Black

# SOLEI

## SOLAR LED SECURITY LIGHT WITH SENSOR



Easy Do-It-Yourself Installation.

Solar powered exterior security light made from durable UV stabilised ABS plastic with an adjustable head.

### Features:

- 7W 700 lumen LED light.
- Charge by placing in full sunlight.
- 3.7V 3600mAh Lithium-ion Battery.
- 1.8W Amorphous Solar Panel.
- 5m of cable connecting light to panel.
- Run Time: 1 hour when fully charged.
- 2 Year Warranty.



MODEL NO.	COLOUR
18362/06	Black


# DAVIDSON

## ARCHITECTURAL LED UP/DOWN WALL LIGHT



240V	7W	3000K WARM WHITE	400 TOTAL LUMENS	 SMD LED	 IP54
------	----	------------------------	------------------------	---	--



- Modern architectural decorative LED wall light.
- Durable diecast aluminium construction.
- Energy saving SMD LED.
- 7W / 400 lumen warm white light.
- IP54 Weather resistant rating.
- 3 Year Warranty.






MODEL NO.	COLOUR
19931/51	Charcoal

# DENVER-II

## LED EXTERIOR WALL LIGHT





- Modern round design.
- IP44 Weather resistant rated.
- 304 stainless steel, copper stainless steel and marine grade 316 stainless steel finishes.
- Supplied with 4W 300 Lumen 3000K LED globes.
- 12 Month Warranty.






MODEL NO.	DESIGN	FITTING COLOUR
17530/06	Adjustable	Black
17530/16	Adjustable	Stainless Steel 304
17530/18	Adjustable	Copper
19401/16	Adjustable	Stainless Steel 316
19622/16	Adjustable + Sensor	Stainless Steel 304
17529/06	Up/Down	Black
17529/16	Up/Down	Stainless Steel 304
17529/18	Up/Down	Copper
19402/16	Up/Down	Stainless Steel 316
19623/16	Up/Down + Sensor	Stainless Steel 304

# DENVER II

## ADJUSTABLE WALL SPOTLIGHT



- Modern round design.
- Multi-directional adjustable heads.
- IP44 Weather resistant rated.
- Black, 304 stainless steel and marine grade 316 stainless steel finishes.
- Supplied with 4W 300 Lumen 3000K LED globes.
- 12 Month Warranty.




MODEL NO.	DESIGN	FITTING COLOUR
19396/16	2 Light Plate	Stainless Steel 304
19397/16	2 Light & Sensor	Stainless Steel 304
17531/06	2 Light Bar	Black
17531/16	2 Light Bar	Stainless Steel 304
19403/16	2 Light Bar	Stainless Steel 316
17532/06	3 Light Bar	Black
17532/16	3 Light Bar	Stainless Steel 304
19404/16	3 Light Bar	Stainless Steel 316

# DENVER-II

## GARDEN SPIKE



- Low voltage garden spikes.
- Modern round design.
- IP44 Weather resistant rated.
- 304 stainless steel finish.
- Requires 12V transformer and 20W max. globe (not included).
- 12 Month Warranty.



MODEL NO.	DESIGN	FITTING COLOUR
19399/16	Spike Single	Stainless Steel 304
19400/16	Spike Twin	Stainless Steel 304

# VISION ECO

## LED EXTERIOR WALL LIGHT



- Premium grade modern round design.
- IP65 Weather resistant rated.
- Diecast aluminium or stainless steel construction.
- Tempered glass lens.
- Black, marine grade 316 stainless steel or anodised aluminium finishes.
- Supplied with 4W 260 Lumen 3000K LED globes.
- 12 Month Warranty.



MODEL NO.	DESIGN	FITTING COLOUR
17871/06	Up/Down	Black
17871/16	Up/Down	Stainless Steel 316
17871/20	Up/Down	Anodised Aluminium
17875/06	Adjustable	Black
17875/20	Adjustable	Anodised Aluminium
19407/20	2 Light Plate	Anodised Aluminium



# APACHE

## LED EXTERIOR SPOTLIGHT



240V	35W max					
------	------------	--	--	--	--	--

- Modern round industrial design.
- IP65 Weather-resistant rated.
- Anodised aluminium construction.
- Supplied with 4W 300 Lumen 3000K LED globes.
- 2 Year Warranty.



MODEL NO.	DESIGN	FITTING COLOUR
19683/20	Adjustable	Anodised Aluminium
19684/20	Up/Down	Anodised Aluminium
19685/20	Twin Adjustable	Anodised Aluminium


# EUPHRATES

## LED WALL LIGHT & BOLLARD



240V	2 x 1.12W	LED	6400K DAY LIGHT	IP44	Wall
------	--------------	-----	-----------------------	------	------

- Wall Light and Bollard.
- Stainless steel construction.
- Clear round glass stepped diffusers.
- LED array technology.
- IP44 weatherproof protection.
- Bollard requires 12V transformer for installation (not included).
- 12 Month Warranty.



MODEL NO.	DESIGN	FITTING COLOUR
18047/16	Wall	Stainless Steel

# FINIAL

## WALL LIGHT & BOLLARD



- Wall Light and Bollard.
- 304 stainless steel construction.
- Tough opal polycarbonate diffuser.
- Energy saver globe compatible.
- IP44 weatherproof protection.
- 12 Month Warranty.



MODEL NO.	COLOUR	PRODUCT
18044/16	Stainless Steel (304)	Wall
18043/16	Stainless Steel (304)	Bollard


# LETO

## ENERGY SAVING WALL LIGHT



240V	2x9W max	 CFL GU10	 LED GU10	 IP44
------	-------------	--	--	--

- Modern energy saving exterior wall lights constructed from 304 stainless steel, in up/down configuration.
- IP44 weatherproof protection.
- 2 Year Warranty.



MODEL NO.	COLOUR	PRODUCT
18031/16	Stainless Steel (304)	Wall


# PRAIRIE

## EXTERIOR WALL LIGHT



240V	2x11W max			
------	--------------	---	---	---

- Modern block style up/down wall light made from durable diecast aluminium.
- IP54 weatherproof rated.
- 2 Year Warranty.



MODEL NO.	COLOUR	PRODUCT
17952/11	Silver	Wall
17952/51	Charcoal	Wall

# ESSEX

## OVAL LED BUNKER LIGHT



240V	7.5W 500lm	7.5W 350lm	SMD LED	3000K WARM WHITE	IP54
	FULL	LOUVRED			


- Traditional oval bunker lights.
- Durable die-casting aluminium construction.
- Semi-frosted glass patterned diffuser.
- Energy saving LED.
- 7.5W warm white light.
- IP54 Weather resistant rating.
- 3 Year Warranty




MODEL NO.	WATTAGE (W)	LUMENS (lm)	COLOUR TEMP (K)	COLOUR	DESIGN
19929/05	7.5	500	3000	White	FULL
19929/51	7.5	500	3000	Charcoal	FULL
19930/05	7.5	500	3000	White	LOUVRED
19930/51	7.5	500	3000	Charcoal	LOUVRED

# DAWSON

## LED UP/DOWN EXTERIOR WALL LIGHT




- Modern LED up/down wall lights.
- Anodised aluminium construction.
- Energy saving integrated LED.
- IP65 weather-resistant rated.
- 2 Year Warranty.



MODEL NO.	DESIGN	FITTING COLOUR
19686/06	Up/Down	Black
19686/20	Up/Down	Anodised Aluminium


# VERNIER-II

## COB LED UP/DOWN WALL LIGHT



240V	9W	3000K WARM WHITE	500 TOTAL LUMENS	 COB LED	 IP54
------	----	------------------------	------------------------	---	--

- Modern rectangular exterior.
- Powdercoated diecast aluminium construction.
- Tempered glass lens.
- 2 x "Chip On Board" LED light sources.
- Total of 500 lumens.
- IP54 weatherproof rated.
- 2 Year Warranty.



MODEL NO.	COLOUR	PRODUCT
19675/51	Charcoal	Wall


**DUBOIS-II**

## COB LED UP/DOWN WALL LIGHT



240V	9W	3000K WARM WHITE	500 TOTAL LUMENS	COB LED	IP54
------	----	------------------------	------------------------	---------	------

- Modern curved exterior.
- Powdercoated diecast aluminium construction.
- Tempered glass lens.
- 2 x "Chip On Board" LED light sources.
- Total of 500 lumens.
- IP54 weatherproof rated.
- 2 Year Warranty.





MODEL NO.	COLOUR	PRODUCT
19674/51	Charcoal	Wall


# ACHERON

## ARCHITECTURAL WALL LIGHT



240V	6W	4000K COOL WHITE	240 TOTAL LUMENS		
------	----	------------------------	------------------------	---	---

- Energy saving integrated LED.
- Modern rectangular architectural wall light.
- Durable diecast aluminium construction.
- Total of 240 lumens.
- IP44 weather-resistant rated.
- 2 Year Warranty.





MODEL NO.	COLOUR	PRODUCT
19691/06	Black	Wall


# STYX

## ARCHITECTURAL WALL LIGHT



240V	6W	4000K COOL WHITE	180 TOTAL LUMENS	 SMD LED	 IP44
------	----	------------------------	------------------------	---	--

- Energy saving integrated LED.
- Modern rectangular architectural wall light.
- Durable diecast aluminium construction.
- Total of 180 lumens.
- IP44 weather-resistant rated.
- 2 Year Warranty.



MODEL NO.	COLOUR	PRODUCT
19690/06	Black	Wall



# DELATITE

## ROUND LED EXTERIOR BUNKER LIGHT



240V	12W 600lm	20W 800lm	SMD LED	3000K WARM WHITE	IP44	
	19692	19693				

- Modern wall/bunker light.
- Durable diecast aluminium construction.
- Polycarbonate diffuser.
- IP44 Weather resistant rating.
- Integrated warm white energy saving LED light source.
- 3 Year Warranty.



MODEL NO.	WATTAGE (W)	LUMENS (lm)	COLOUR TEMP (K)	COLOUR	PRODUCT
19692/51	12	600	3000	Charcoal	Small Wall
19693/51	20	800	3000	Charcoal	Large Wall



# RUBICON

## OVAL LED EXTERIOR BUNKER LIGHT



240V	12W 500lm	20W 1000lm	SMD LED	3000K WARM WHITE	IP44	
	19694	19695				

- Modern wall/bunker light.
- Durable diecast aluminium construction.
- Polycarbonate diffuser.
- IP44 Weather resistant rating.
- Integrated warm white energy saving LED light source.
- 3 Year Warranty.



MODEL NO.	WATTAGE (W)	LUMENS (lm)	COLOUR TEMP (K)	COLOUR	PRODUCT
19694/51	12	500	3000	Charcoal	Small Wall
19695/51	20	1000	3000	Charcoal	Large Wall

# HARDY

## POLYCARBONATE BUNKER



- Modern bunker range made from tough UV stabilised polycarbonate.
- IP66 weatherproof rated.
- 12 Month Warranty.



MODEL NO.	COLOUR	PRODUCT
17450/05	White	Bunker
17450/06	Black	Bunker
17450/08	Grey	Bunker

# HARDY LED

## VANDAL-PROOF POLYCARBONATE BUNKER



240V	12W 800lm	12W 500lm	SMD LED	4200K COOL WHITE	IP66	IK10 VANDAL PROOF
	FULL	EYELID				

- Vandal-proof design using anti-tamper screws.
- Modern round bunker range made from tough UV stabilised polycarbonate with a opaque 2mm thick diffuser.
- LED PCB with 63 SMD LEDs.
- IP66 Weather resistant rating.
- 2 Year Warranty





MODEL NO.	COLOUR	PRODUCT
19971/05	White	Full Wall
19971/06	Black	Full Wall
19973/05	White	Eyelid Wall
19973/06	Black	Eyelid Wall

# EVANS

## ROUND LED BUNKER LIGHT



240V	10W	3000K WARM WHITE	750 TOTAL LUMENS	 SMD LED	 IP54
------	-----	------------------------	------------------------	---	--

- Modern round bunker light.
- Durable die-casting aluminium construction.
- Polycarbonate lens.
- Energy saving LED.
- 10W / 750 lumen, warmwhite light.
- IP54 Weather resistant rating.
- 3 Year Warranty.





MODEL NO.	COLOUR
19927/51	Charcoal

**MARLON**

## SLIMLINE ROUND LED BUNKER LIGHT



240V	10W	3000K WARM WHITE	650 TOTAL LUMENS	 SMD LED	 IP44
------	-----	------------------------	------------------------	---	--

- Modern round slim design wall/bunker light.
- Wall or ceiling mountable.
- Durable die-casting aluminium construction.
- Energy saving LED.
- 10W / 650 lumen, warm white light.
- IP44 Weather resistant rating.
- 3 Year Warranty.





MODEL NO.	COLOUR
19928/51	Charcoal


# DORMON

## EXTERIOR WALL LIGHT



240V	2x35W max	 GU10	 LED GU10	 IP44
------	--------------	--	--	--

- Modern curved exterior wall light in either durable 304 stainless steel or powdercoated diecast aluminium.
- IP44 weatherproof rated.
- 2 Year Warranty.






MODEL NO.	COLOUR	PRODUCT
17943/16	Stainless Steel (304)	Wall
17943/51	Charcoal	Wall


# ENTASIS

## EXTERIOR WALL LIGHT



240V	2x35W max	 GU10	 LED GU10	 IP44
------	--------------	--	--	--

- Modern rectangular block exterior wall light in either durable 304 stainless steel or powdercoated diecast aluminium.
- IP44 weatherproof rated.
- 2 Year Warranty.



MODEL NO.	COLOUR	PRODUCT
17942/16	Stainless Steel (304)	Wall
17942/51	Charcoal	Wall


# EAVE

## EXTERIOR WALL LIGHT



240V	18W max		
------	------------	---	---


- Contemporary exterior wall light range constructed from diecast aluminium with a powdercoated finish and a tough polycarbonate lens.
- IP44 weatherproof rated.
- 2 Year Warranty.



MODEL NO.	COLOUR	PRODUCT
18048/51	Charcoal	Lantern
18049/51	Charcoal	Wall


# LANCET

## EXTERIOR WALL LIGHT



240V	18W max		
------	------------	---	---

- Contemporary exterior wall light range constructed from durable 304 stainless steel with a tough polycarbonate lens. Available in 3 distinct designs.
- IP44 weatherproof rated.
- 2 Year Warranty.




MODEL NO.	COLOUR	PRODUCT
18039/16	Stainless Steel (304)	Rectangular Wall
18040/16	Stainless Steel (304)	Grill Wall
18041/16	Stainless Steel (304)	Curve Wall

# CHATRI

## CURVED EXTERIOR WALL LIGHT



- Contemporary curved wall light constructed from durable diecast aluminium with either an open or closed face and a tough polycarbonate lens.
- Allows light to go in two or three directions, up, down and out.
- IP54 weatherproof rated.
- 2 Year Warranty.





MODEL NO.	COLOUR	PRODUCT
17956/20	Brushed Aluminium	Wall


# CAIRNS

## MODERN WALL LIGHT



240V	22W max	42W max		
	Narrow	Rectangle		

- Modern curved light.
- High grade 304 stainless steel construction.
- UV stabilised polycarbonate lens.
- IP44 weather-resistant rated.
- 2 Year Warranty.



MODEL NO.	WATTAGE MAX.	COLOUR	PRODUCT
18056/16	22	Stainless Steel 304	Narrow Plain Wall
18055/16	22	Stainless Steel 304	Narrow Grill Wall

# BEREA

## EXTERIOR WALL LIGHT



- Modern styled wall light with diecast body and sealed poly-carbonate diffusers. Allows light to go in three directions, up, down and out through the front louvres.
- 12 Month Warranty.



MODEL NO.	COLOUR	PRODUCT
99939/06	Black	Wall
99939/11	Silver	Wall


# BOLTON

## LED EXTERIOR WALL LIGHT



240V	12W	 SMD LED	4000K COOL WHITE	 IP44	
------	-----	---	------------------------	--	---

- Contemporary wall/bunker light.
- Powder-coated stainless steel frame.
- UV stabilised polycarbonate lens.
- IP44 weather-resistant rated.
- Integrated cool white energy saving LED light source.
- 2 Year Warranty.



MODEL NO.	WATTAGE (W)	LUMENS (lm)	COLOUR TEMP (K)	COLOUR	PRODUCT
19688/06	12	650	4000	Black	Square Wall
19689/06	12	670	4000	Black	Rectangle Wall

# VILLA

## COACH WALL LIGHT



240V	60W max	 E27	 IP44
------	------------	---	--

Modern styled exterior coach wall light made from durable powdercoated diecast aluminium with six clear bevelled glass panels.

- IP44 weatherproof rated.
- 2 Year Warranty.



MODEL NO.	COLOUR	PRODUCT
17911/06	Black	Wall
17911/09	Beige	Wall

# ASTRAGAL

## COACH WALL LIGHT



240V	60W max	 E27	 IP44
------	------------	---	--

Traditional rounded coach lights made from durable diecast aluminium with a powdercoated finish.

### Features

- Six bevelled and frosted glass panels.
- IP44 weatherproof rated.
- 2 Year Warranty.



MODEL NO.	COLOUR	PRODUCT
17937/06	Black	Wall
17937/09	Beige	Wall


# COOPER

## LED ROUND STEP LIGHT



240V	1.2W	4000K COOL WHITE	 SMD LED	 IP44
------	------	------------------------	---	--

- Modern LED step light.
- Powdercoated diecast aluminium construction.
- Energy saving integrated LED.
- IP44 weatherproof rated.
- 2 Year Warranty.



MODEL NO.	WATTAGE (W)	LUMENS (lm)	COLOUR	PRODUCT
19698/05	1.2	40	White	Step light
19698/51	1.2	20	Charcoal	Step light


# LACHLAN

## LED SQUARE STEP LIGHT



240V	1.2W	4000K COOL WHITE	SMD LED	IP44
------	------	------------------------	---------	------

- Modern LED step light.
- Powdercoated diecast aluminium construction.
- Energy saving integrated LED.
- IP44 weatherproof rated.
- 2 Year Warranty.



MODEL NO.	WATTAGE (W)	LUMENS (lm)	COLOUR	PRODUCT
19696/05	1.2	40	White	Step light
19696/51	1.2	20	Charcoal	Step light

# PORTSEA

## LED DECK/EAVE LIGHT KIT



12V	DIY	3 x 0.18W max	5 LIGHT KIT	LED	Deck Lights	IP67	IP64	38mm	Transformer
-----	-----	---------------------	-------------------	-----	----------------	------	------	------	-------------


- Constructed from 304 Stainless Steel.
- Kit includes 5 x LED lights with 30cm of cable and connector, 15m of cable and a 12V 12VA transformer with 1.5m of cable with a 2 pin flex plug.
- 12 Month Warranty.



MODEL NO.	COLOUR	PRODUCT
99970/16	White LED	Deck/Eave

# CAVETTO

## DIY LED DECK/EAVE LIGHT KIT



- Constructed from 304 Stainless Steel and with colour-changing RGB lights\*.
- Each kit includes 6 x colour-changing LED lights with 30cm of cable and connector, 6m of cable, a 12V 6VA transformer with 2m of cable with a 2 pin flex plug and a remote.
- 12 Month Warranty.


\* Each head can only display the same colour at one time.



MODEL NO.	COLOUR	PRODUCT
18045/16	Stainless Steel (304)	Deck/Eave

# VISION

## LV ADJUSTABLE GARDEN SPIKE




- Modern adjustable garden spike, made from high quality 304 stainless steel.
- Requires a 12V VA transformer (not included).
- 12 Month Warranty.



MODEL NO.	COLOUR	PRODUCT
60600/16	Stainless Steel (304)	Spike

# VISTA II

## LV ADJUSTABLE GARDEN SPIKE




- Low voltage adjustable garden spike with an IP65 weatherproof rating.
- Requires a 12V VA transformer (not included).
- 12 Month Warranty.



MODEL NO.	COLOUR	PRODUCT
60100/06a	Black	Spike
60100/16a	Stainless Steel (316)	Spike
60100/20a	Anodised Aluminium	Spike

# STILETTO

## 12V GARDEN SPIKE



- Stylish low voltage garden spotlight. Constructed of cast aluminium with a non-corroding polycarbonate spike.
- IP44 Weather-resistant rated.
- Adjustable head.
- 12V 50W MR16 (globe included).
- 2-core 0.9m cable.
- Requires a 12V transformer (not included).
- 1 Year Warranty.

\* Note: Junction box for serial connection available separately from retailer.



MODEL NO.	COLOUR	PRODUCT
73120/06	Black	Garden Spike



# TRANSFORM YOUR GARDEN LIGHTING IN THREE EASY STEPS:

DESIGN YOUR GARDEN LIGHT LAY-OUT, THEN...

## STEP 1 CHOOSE YOUR COMBINATION OF LIGHTS



**Path Light:** Somerset  
19925/51



**Spot Light:** Pinnacle  
19921/06




**Brick Light:** Hyde  
19923/51



**Step Light:** Vita  
19924/51

## STEP 2 CHOOSE YOUR TRANSFORMER



OR



OR



All plug & play transformers are IP68 weather resistant

## STEP 3 CHOOSE CABLES AND ACCESSORIES



**10m Cable**  
19918/06



**2 Way Splitter**  
19919/06

**POSITION AND PUT TOGETHER YOUR GARDEN LIGHTS, PLUG INTO MAIN THEN RELAX AND ENJOY THE SUMMER EVENINGS**






## SOMERSET


### 12V LED PATH LIGHT



12V	DIY <small>EASY INSTALLATION</small>	2W	SMD LED	WARM WHITE	IP44
-----	---	----	---------	------------	------



- Classic outdoor path light.
- Heavy-duty stake for quick and easy installation.
- Durable full-metal construction powder coated.
- Energy saving LED.
- Includes 30cm 18 0.8mm AWG wire and easy-to-use quick-clip connector.
- 2W/150lm Warm White.
- IP44 weather resistance.
- 12V AC/DC.
- 1 year warranty.
- Requires 12V LED transformer & power cable (sold separately).



MODEL NO.	COLOUR	PRODUCT
19925/51	Charcoal	Path Light

# PINNACLE

## 4 LIGHT 12V LED GARDEN SPOTLIGHT KIT

**PLUG&PLAY**



12V	DIY <small>NO WIRING</small>	4x 5W	SMD LED	WARM WHITE	
-----	---------------------------------	----------	---------	------------	--

- Modern outdoor garden spotlight kit.
- Heavy-duty spike for quick and easy installation.
- Durable Die-cast construction.
- Energy saving LED.
- Light with 30cm 18 AWG wire and easy-to-use quick-clip connector.
- Provided with LED transformer, photocell and 15m connecting cable.
- 5W/300lm Warm White per head.
- IP44 weather resistance.
- 12V AC/DC.
- 2 year warranty.

- Content:
  - 5W spot light x 4
  - LED transformer x 1
  - Photocell x 1
  - 15m 18 AWG cable x 1



MODEL NO.	COLOUR	PRODUCT
19922/06	Black	Spotlight Kit



# PINNACLE

## 12V LED GARDEN SPOTLIGHT



12V	DIY <small>EASY INSTALLATION</small>	5W	SMD LED	WARM WHITE	
-----	---	----	---------	------------	--

- Modern outdoor garden spotlight.
- Heavy-duty spike for quick and easy installation.
- Durable Die-cast construction.
- Energy saving LED.
- Light with 30cm 18 AWG wire and easy-to-use quick-clip connector.
- 5W/300lm Warm White per head.
- IP44 weather resistance.
- 12V AC/DC.
- 2 year warranty.
- Requires 12V LED transformer & power cable (sold separately).




MODEL NO.	COLOUR	PRODUCT
19921/06	Black	Garden Spotlight

# HYDE

## 12V LED BRICK STEP LIGHT



- Modern outdoor brick, step or stair light.
- Flush mounting system.
- Durable metal construction powder coated.
- Energy saving LED.
- Includes 30cm 18 AWG wire and easy-to-use quick-clip connector.
- 1W/20 lumen Cool White.
- IP44 weather resistance.
- 12V AC/DC.
- 1 year warranty.
- Requires LED transformer & power cable (sold separately).



MODEL NO.	COLOUR	PRODUCT
19923/51	Charcoal	Step light



# VITA

## 12V LED STEP LIGHT



- Contemporary outdoor step or stair light.
- Concealed universal surface mounting system.
- Durable Die-cast Aluminium construction.
- Energy saving LED.
- Includes 30cm 18 AWG wire and easy-to-use quick-clip connector.
- 2W/50lm Warm White.
- IP44 weather resistance.
- 12V AC/DC.
- 1 year warranty.
- Requires 12V LED transformer & power cable (sold separately).




MODEL NO.	COLOUR	PRODUCT
19924/51	Charcoal	Step light

# GARDEN LIGHTING CABLING



## LOW VOLTAGE GARDEN LIGHT CABLE - 10m


- Standard duty 18AWG.
- With male/female connector.
- Female side with end cap.
- To be used with the transformer 60W and under.



10m

## LOW VOLTAGE GARDEN LIGHT CABLE 2 WAY SPLITTER

- Standard duty 22AWG 30cm.
- With one male & two female connectors.



30

MODEL NO.	LENGTH	PRODUCT	IMAGE
19918/06	10M	Cable	A
19919/06	30cm	2-Way Splitter Cable	B




# LED OUTDOOR TRANSFORMER

EXTERIOR/GARDEN



12V/DC	DIY EASY INSTALLATION	24W max	36W max	60W max	IP68	
--------	--------------------------	------------	------------	------------	------	--

- 12V DC LED Transformer.
- Suitable for indoor & outdoor use.
- Including 240V 2.0m lead and SAA plug.
- Ideal for use with low-voltage LED garden lighting.
- Easy DIY installation via quick connector.
- IP68 weather resistance.
- Input: 100-240V AC 50/60Hz.
- Output: 12V DC, 2A/24W; 3A/36W; 5A/60W.
- Including SAA plug and 2m flex.
- Supplied with 20cm 20AWG garden cable stripped.



MODEL NO.	OUTPUT 12 DC	PRODUCT	IMAGE
19915/06	2A/24W	Transformer	A
19916/06	3A/36W	Transformer	B
19917/06	5A/60W	Transformer	C


# TRANSFORMER

## EXTERIOR/GARDEN






12V/ 240V	105W max	150W max	200W max	300W max	400W max	500W max			
--------------	-------------	-------------	-------------	-------------	-------------	-------------	--	--	--



- 12V transformer with IP66 Weatherproof Rating. 240V 2.0m lead with plug. Suitable for indoor use, all types of garden, pond and entertainment areas. No electrician needed. Self resetting thermal overload protection.
- 5 Year Warranty.



60500/60501



60503/60505



60507/60509

MODEL NO.	VOLT/AMP	PRODUCT
60500	105	Transformer
60501	150	Transformer
60503	200	Transformer
60505	300	Transformer
60507	400	Transformer
60509	500	Transformer


# LED TRANSFORMER

## EXTERIOR/GARDEN



12V/ 240V	30W max	60W max			
--------------	------------	------------	--	--	--

- 12V transformer with IP65 Weatherproof Rating. 240V 2.0m lead with plug. Ideal for use with low-power LED garden lighting. Suitable for indoor and outdoor use, for all types of garden, pond and entertainment areas. No electrician needed. Self resetting thermal overload protection.
- 3 Year Warranty.



MODEL NO.	VOLT/AMP	PRODUCT
17913	30	Transformer
17914	60	Transformer




# DOWNLIGHT & ACCENT



# SPECTRUM

## SMART RGB LED DOWNLIGHT



via app

**Colourful:** With 16 million colours to choose from, you can adjust the Spectrum downlight to suit every activity and mood. Play music on your phone and sync the colour changes to your favourite tune.

**Convenient:** Control multiple downlights in a room or in separate rooms within the range\*.

**Smart:** Turn the light on and off at any time by programming each downlight or group of up to five lights. Pre-program downlight to turn on/off even if you are away (on holiday).


**Simple:** Download the free Spectrum Pro app, pair and start playing.

### FEATURES

- Colour changing RGB.
- Rated for IC Abutted and Covered usage to allow for covering with thermal insulation.
- Control up to 5 lights.
- Timer and grouping functions.
- Pair with free Spectrum Pro app.
- SAA approved with integrated dimmable LED driver.
- 0.8m flex & plug fitted.
- 3 Year Warranty.

### MAIN APPLICATIONS

- All interior residential rooms.



Scan QR code or go to App Store and Google Play to download the free Spectrum Pro app to your smart phone.



MODEL NO.	WATTAGE (w)	LUMENS @2700K (lm)	LUMENS @4200K (lm)	LUMENS @6000K (lm)
19673/05	9	680	720	700

\* Typical range 15m+ (varies depending on the environment) Requires: iOS system: 7.0 or later. Compatible with iPhone, iPad and iPod touch. Android devices that support Bluetooth 4.0 with 4.3 or above system version. Smartphone is not included and is used for illustration purposes only.

# MINI TRIM

## LED DOWNLIGHT



240V	COB LED	DIMMABLE	50°	CRI(Ra) >81 19129 19132	CRI(Ra) >83 19130 19133	POWER FACTOR 0.82 19129 19130	POWER FACTOR 0.84 19132 19133	70mm	90mm		
------	---------	----------	-----	-------------------------------	-------------------------------	-------------------------------------	-------------------------------------	------	------	--	--

Generates a clear, crisp light using an efficient and high powered C.O.B (chip on board) LED.

Featuring unique diamond lens optics to minimise multiple shadows.

### FEATURES

- Rated for IC Abutted and Covered usage to allow for covering with thermal insulation.
- Gimbal design downlight.
- Die-cast aluminium body.
- 50 degree beam angle.
- Epistar COB LED for superior light output.
- SAA approved with external dimmable LED driver.
- Long lasting up to 30,000 hours.
- 1m flex & plug fitted.
- IP20 indoor use only.
- 3 Year Warranty.

### MAIN APPLICATIONS

All interior residential rooms




MODEL NO.	WATTAGE (W)	LUMINOUS FLUX (lm)	COLOUR TEMP (K)	COLOUR
19129/05	9	780	3000	White
19130/05	9	800	4200	White
19132/05	9.5	830	3000	White
19133/05	9.5	850	4200	White

# ORION

## LED DOWNLIGHT



CHANGE THE LOOK  
IN BLACK,  
BRUSHED NICKEL  
& MATT WHITE  
TRIMS SOLD SEPARATELY



Orion is a slim and compact trade quality downlight.

### FEATURES

- Available in 3 colour temperatures.
- Rated for IC Abutted and Covered usage to allow for covering with thermal insulation.
- Moulded plastic body.
- Poly-carbonate front fascia ring with acrylic diffuser.
- Wide 100 degree beam angle.
- High efficiency LED SMD Array.
- SAA approved with integrated LED driver.
- Long lasting up to 30,000 hours.
- 1m flex & plug fitted.
- IP44 including exterior/wet area use.
- 3 Year Warranty.

### MAIN APPLICATIONS

All interior residential rooms



MODEL NO.	WATTAGE (W)	COLOUR TEMP (K)	LUMINOUS (lm)	DIMMABLE
19591/05	8	3000	780	YES
19592/05	8	4200	800	YES
19593/05	8	5000	820	YES


FACIA RING ONLY	COLOUR
19597/06	Black
19597/13	Brushed Nickel
19598/06	Black
19598/13	Brushed Nickel
19598/35	Matt White

# DELTA 6 IN 1

## COLOUR TEMPERATURE CHANGING DOWNLIGHT



CHANGE THE LOOK  
IN BLACK,  
BRUSHED NICKEL  
& MATT WHITE  
TRIMS SOLD SEPARATELY



Slim and compact trade quality downlight with a distinctive switch to change between three colour temperatures.

### FEATURES

- Switchable between Warm White (3000K), Cool White (4200K) & Daylight (6500K).
- Rated for IC Abutted and Covered usage to allow for covering with thermal insulation.
- Fixed head downlight.
- Moulded plastic body.
- Includes two facia rings in the box (White & Silver).
- Wide 100 degree beam angle.
- High efficiency LED SMD Array.
- SAA approved with integrated dimmable LED driver.
- Long lasting up to 30,000 hours.
- 1m flex & plug fitted.
- IP44 (front only).
- 3 Year Warranty.
- Black, Brushed Nickel & Matt White facia rings also available (sold separately).

### APPROVALS

VEET (ESC) 4672  
ESS (IPART) 99103S15-ECIIGDJD

### MAIN APPLICATIONS


All interior residential rooms.



MODEL NO.	WATTAGE (w)	LUMENS @ 3000K(lm)	LUMENS @ 4200K (lm)	LUMENS @ 6500K (lm)	FACIA RING ONLY		
					19598/06 (Black)	19598/13 (Brushed Nickel)	19598/35 (Matt White)
19590/05	8	780	820	800			


# DELTA PLUS

## COLOUR TEMPERATURE CHANGING DOWNLIGHT



### FEATURES

- Includes colour change switch and toggle feature via wall switch.
- 7 configurations in 1.
- Switchable between Warm White (3000K), Cool White (4200K) & Daylight (6500K).
- Rated for IC-4 Abutted and Covered usage to allow for covering with thermal insulation.
- Fixed head downlight.
- Moulded plastic body.
- Includes two fascia rings in the box (White & Silver).
- Wide 100 degree beam angle.
- High efficiency LED SMD Array.
- SAA approved with integrated dimmable LED driver.
- Long lasting up to 30,000 hours<sup>1</sup>.
- 1m flex & plug fitted.
- IP44 (front only).
- 3 Year Warranty.



### CHANGE THE LOOK

BLACK, BRUSHED NICKEL AND WHITE TRIMS SOLD SEPARATELY

### MAIN APPLICATIONS

All interior residential rooms.

MODEL NO.	WATTAGE (w)	LUMENS @3000K (lm)	LUMENS @4200K (lm)	LUMENS @6500K (lm)	BLACK FACIA RING ONLY	BRUSHED NICKEL FACIA RING ONLY	MATT WHITE FACIA RING ONLY
19769/05	8	780	820	800	19598/06	19598/13	19598/35

<sup>1</sup> Actual life may vary depending on individual circumstances.

# QUATTRO

## LED DOWNLIGHT WITH FOUR INTERCHANGEABLE TRIMS



240V	SMD LED	4200K COOL WHITE	DIMMABLE	38°	32°	CRI(Ra) >80	POWER FACTOR 0.81	90-95mm	IC-4	1m
		MINI TRIM (RND/OVAL)		FLAT TRIM (RND/OVAL)						

### FEATURES

- 4 configurations in 1.
- Rated for IC-4 Abutted and Covered usage to allow for covering with thermal insulation.
- Gimbal head downlight.
- Diecast aluminium trims and heatsink.
- Includes 4 trims (2 x round & 2 x oval).
- Multiple beam angles depending on engine position and trim.
- High efficiency LED SMD Array.
- External Australian approved dimmable LED driver.
- Long lasting up to 30,000 hours<sup>1</sup>.
- 1m flex & plug fitted.
- 3 Year Warranty.

### MAIN APPLICATIONS

All interior residential rooms.



MODEL NO.	WATTAGE (w)	LUMENS MINI TRIM (RND/OVAL) (lm)	LUMENS FLAT TRIM (RND/OVAL) (lm)	FITTING COLOUR
19909/05	8	780	820	White

<sup>1</sup> Actual life may vary depending on individual circumstances.


# UMBRA II

## HIGH LUMEN SMD LED DOWNLIGHT



240V	11W rated 14W w/driver	SMD LED	3000K WARM WHITE	4200K COOL WHITE	IP44	100° BEAM ANGLE	CRI >82	POWER FACTOR 0.95	CONSTANT CURRENT 350mA	92mm	
			17835	17837							

- The ideal downlight for replacing existing fluorescent downlights, by providing a wide angled diffused beam.
- 50 x SMD 2835 LED Chips provide high quality light output.
- SAA approved dimmable LED driver with 0.7m flex & plug.
- Long lasting up to 30,000 hours.
- 3 Year Warranty.



### APPROVALS

VEET (ES) 2597

ESS (IPART) 99103D12-UIAGJGFH

\* Complies with AS/NZS 60598-1: 2008 and AS/NZS 60598-2-2: 2011 (50°C ambient). Recessed luminaires suitable for covering in the ceiling void with thermal insulating material (without causing overheating to the luminaire) are marked with this variation of the F mark symbol.

MODEL NO.	WATTAGE (w)	LUMINOUS FLUX (lm)	COLOUR TEMP (K)	COLOUR
17835/05	11	780	3000	White
17835/13	11	780	3000	Brushed nickel
17835/20	11	780	3000	Anodised aluminium
17837/05	11	800	4200	White


# LUXOR FIXED

## HIGH LUMEN LED DOWNLIGHT



240V	12W rated 13W w/driver	COB LED	3000K WARM WHITE	4000K COOL WHITE	IP44		50° BEAM ANGLE	CRI >80	POWER FACTOR 0.98	CONSTANT CURRENT 280mA	75-95mm	F
			18021	18023								

- The ultimate project downlight to replace 50W MR16 systems. Producing high lumens using precision optics and a high output C.O.B (chip on board) LED. Providing a stylish, yet budget conscious solution.
- COB LED technology for superior light output high-grade aluminium construction with fixed design.
- SAA approved dimmable LED driver with 0.6m flex & plug.
- Long lasting up to 35,000 hours.
- 3 Year Warranty.



### APPROVALS

VEET (ESC)	2501, 2071, 2072
ESS (IPART)	99103S12-IEECJDHA

\* Complies with AS/NZS 60598-1: 2008 and AS/NZS 60598-2-2: 2011 (50°C ambient).

Recessed luminaires suitable for covering in the ceiling void with thermal insulating material (without causing overheating to the luminaire) are marked with this variation of the F mark symbol.

MODEL NO.	WATTAGE (W)	LUMINOUS FLUX (lm)	COLOUR TEMP (K)	COLOUR
18021/05	12	800	3000	White
18021/13	12	800	3000	Brushed nickel
18021/20	12	800	3000	Anodised aluminium
18023/05	12	850	4000	White
18023/13	12	850	4000	Brushed nickel
18023/16	12	850	4000	Stainless steel 316
18023/20	12	850	4000	Anodised aluminium


# LUXOR GIMBAL

## HIGH LUMEN LED DOWNLIGHT



12W rated 13W wideviver	COB LED	3000K WARM WHITE	4000K COOL WHITE	IP44	50° BEAM ANGLE	CRI >80	POWER FACTOR 0.98	CONSTANT CURRENT 280mA	75-Ømm	F*
		17798 18017	17801 18018							

- The ultimate project downlight to replace 50W MR16 systems. Producing high lumens using precision optics and a high output C.O.B (chip on board) LED. Providing a stylish, yet budget conscious solution.
- COB LED technology for superior light output high-grade aluminium construction with gimbal design.
- SAA approved dimmable LED driver with 0.6m flex & plug.
- Long lasting up to 35,000 hours.
- 3 Year Warranty.



### APPROVALS


VEET (ESC)	2501, 2071, 2072
ESS (IPART)	99103S12-IEECJDHA

\* Complies with AS/NZS 60598-1: 2008 and AS/NZS 60598-2-2: 2011 (50°C ambient). Recessed luminaires suitable for covering in the ceiling void with thermal insulating material (without causing overheating to the luminaire) are marked with this variation of the F mark symbol.

MODEL NO.	WATTAGE (W)	LUMINOUS FLUX (lm)	COLOUR TEMP (K)	COLOUR
17798/05	12	800	3000	Round: White
17801/05	12	850	4000	Round: White
17801/13	12	850	4000	Round: Brushed nickel
18017/13	12	800	3000	Square: Brushed nickel
18018/05	12	850	4000	Square: white

# LUMASCAN

## COLOUR TEMPERATURE CHANGING LED DOWNLIGHT WITH SENSOR



- Switchable between Warm White (3000K), Cool White (4000K) & Natural White (5000K).
- Rated for IC-4/IC-F Abutted and Covered usage to allow for covering with thermal insulation.
- Fixed head downlight.
- Moulded polycarbonate body.
- Wide 100 degree beam angle.
- Integrated driver.
- 0.6mm flex & plug fitted
- Terminals for hard wiring
- IP44 (front only).
- 3 Year Warranty.

### SENSOR

PIR Motion sensor

Detection Range: 4m

Detection Angle: 360 degrees

Duration Time: 1 minute, subsequent detection will restart the minute timer.

Daylight sensor ensures that detection only occurs with low ambient light

### MAIN APPLICATIONS


All interior residential rooms.



MODEL NO.	WATTAGE (w)	LUMENS @ 3000K(lm)	LUMENS @ 4000K (lm)	LUMENS @ 5000K (lm)
20214/05	9	760	840	760

# RAMSIS

## LARGE COLOUR TEMPERATURE CHANGING LED DOWNLIGHT



240V	13W rated 15W w/driver	15W rated 17W w/driver	18W rated 21W w/driver	24W rated 26W w/driver				100° BEAM ANGLE	CRI (Ra) >82	POWER FACTOR 0.99	
	19761	19762	19763	19764							


Brilliant offers a range of LED recessed lights as replacements for common CFL fittings found in offices, hotels and other commercial environments.

### FEATURES

- Change between Warm White (3000K), Cool White (4200K) & Daylight (6500K) via a switch on the back of the downlight.
- Rated for IC Abutted and Covered usage to allow for covering with thermal insulation.
- Wide 100 degree beam angle.
- SAA approved with external dimmable LED driver.
- Long lasting up to 30,000 hours<sup>1</sup>.
- 1m flex & plug fitted.
- IP44 (front only).
- Four common cut-out sizes to suit most Retrofit applications.
- 3 Year Warranty.

### MAIN APPLICATIONS

All interior domestic and commercial rooms.



MODEL NO.	WATTAGE (W)	LUMENS @ 3000K (LM)	LUMENS @ 4200K (LM)	LUMENS @ 6500K (LM)	CUT-OUT (MM)	FITTING COLOUR
19761/05	13	820	920	820	120	White
19762/05	15	1150	1300	1150	140	White
19763/05	18	1300	1500	1300	160	White
19764/05	24	1800	2000	1800	200	White

<sup>1</sup> Actual life may vary depending on individual circumstances.


# SURFACE MOUNT

## HIGH LUMEN COB LED DOWNLIGHT



240V	13W w/driver	 COB LED	3000K WARM WHITE	 45° BEAM ANGLE	41° BEAM ANGLE	CRI >80	POWER FACTOR 0.98
			18572		CLEAR	OPAQUE	

- A quality downlight that is easy to install, especially on hard to cut surfaces like concrete ceilings.
- Includes 2 diffusers (Clear and Opaque).
- COB LED technology for superior light output.
- High-grade diecast alloy housing, steel bracket and aluminium heatsink.
- SAA approved integrated dimmable LED driver.
- Long lasting up to 20,000 hours.
- 3 Year Warranty.



MODEL NO.	WATTAGE (w)	LUMENS OPAQUE	LUMENS CLEAR	COLOUR
18572/05	13	750	800	White

# ILLUMINA

## GIMBAL LED DOWNLIGHT




240V	8W rated 9W w/driver	11W rated 14W w/driver	13W rated 16W w/driver	COB LED	3000K WARM WHITE	4000K COOL WHITE	40° BEAM ANGLE	CRI >80	POWER FACTOR 0.82	97mm	70-93mm
	17678 17679	17716	17717 17354		17678 17716 17717	17679 17354				11W 13W	8W

Create a crisp light using a highly efficient, high power C.O.B (chip on board) LED.

Featuring unique diamond lens optics to minimise multiple shadows.

- COB LED for superior light output.
- High-grade aluminium construction with gimbal design and white powdercoated finish.
- Deep recessed design of light source, anti-glare light control, creating a comfortable light environment.
- SAA approved dimmable LED driver with 1.2m flex& plug.
- Long lasting, up to 35,000 hours.
- Constant Current 8W: 200mA.
- Constant Current 11W: 280mA.
- Constant Current 13W: 350mA.
- 5 Year Warranty.



MODEL NO.	WATTAGE (w)	LUMINOUS FLUX (lm)	COLOUR TEMP (K)	FITTING COLOUR
17678/05	8	650	3000	White
17679/05	8	700	4000	White
17716/05	11	750	3000	White
17353/05	11	800	4000	White
17717/05	13	950	3000	White
17354/05	13	1000	4000	White

## CANDELLA

## HIGH LUMEN LED DOWNLIGHT



240V	11W rated 14W w/driver	13W rated 16W w/driver	COB LED	3000K WARM WHITE	4000K COOL WHITE	IP44	90° BEAM ANGLE	CRI >82	POWER FACTOR 0.9	73-93mm	93mm
	17680 17681	17355 17356		17356 17680	17355 17681					11W	13W

Generate a wide beam angled soft light by using a powerful and efficient C.O.B (Chip On Board) LED, with a high light transfer frosted acrylic diffuser.

- Sharp™ COB LED for superior light output.
- High-grade aluminium construction with white powdercoated finish.
- SAA approved dimmable LED driver with 1.2m flex & plug.
- Long lasting, up to 35,000 hours.
- Constant Current 11W: 280mA.
- Constant Current 13W: 350mA.
- 5 Year Warranty.



MODEL NO.	WATTAGE (w)	LUMINOUS FLUX (lm)	COLOUR TEMP (K)	FITTING COLOUR
17680/05	11	680	3000	White
17681/05	11	720	4000	White
17356/05	13	850	3000	White
17355/05	13	900	4000	White

# STRIDE


## DIMMABLE LED DOWNLIGHT/STEPLIGHT



240V	6W rated 75W w/driver	SMD LED	3000K WARM WHITE	NON-DIMMABLE	93°	CRI >80	POWER FACTOR 0.86	73 x 73mm	73mm	
				17846	19057 19058			19057	17846 19058	19057 19058

Ideal for use as a way light by providing a wide angled diffused beam, or used as accent lighting for stairs and hallways.

- 12 x SMD 2835 LED Chips provide high quality light output.
- Diecast aluminium housing and heat sink, clear glass diffuser.
- SAA approved dimmable LED driver with flex & plug.
- Long lasting up to 30,000 hours.
- 3 Year Warranty.



MODEL NO.	WATTAGE (W)	LUMINOUS FLUX (lm)	COLOUR TEMP (K)	DIMMABLE	COLOUR
19057/05	6	400	3000	Yes	White/square
17846/05	6	400	3000	No	White/round
19058/05	6	400	3000	Yes	White/round

**ATLANTIS****WEATHERPROOF DIMMABLE LED DOWNLIGHT – IP65**

240V	13W w/driver	SMD LED	IP65	100°	CRi(Ra) >80	Ta 50°C	95mm	IC-4	
------	-----------------	---------	------	------	----------------	------------	------	------	--

**FEATURES**

- Diecast aluminium body.
- Rated for IC Abutted and Covered usage to allow for covering with thermal insulation.
- SAA approved external dimmable LED driver.
- 1m flex & plug fitted.
- External driver.
- Lifespan up to 30,000 hours.
- 3 Year Warranty.

**MAIN APPLICATIONS**

- All interior including wet areas.
- Suitable for outdoor areas.



MODEL NO.	WATTAGE (w)	LUMENS @ 4200K (lm)
19644/05	11	900

# TRADEMATE

## SMD LED DOWNLIGHT



240V	SMD LED		80°	CRI(Ra) >82	POWER FACTOR 0.86		75mm	90mm	
						8W		12W	

Slim and compact trade quality downlight that can provide a remarkable light from its wide angled diffused beam.

### FEATURES

- Rated for IC Abutted and Covered usage to allow for covering with thermal insulation.
- Fixed head downlight.
- Die-cast aluminium body.
- Aluminium IC cover on 12W model.
- Polycarbonate optical diffuser.
- Wide 80 degree beam angle.
- High efficiency LED SMD Array.
- SAA approved with integrated dimmable LED driver.
- Long lasting up to 30,000 hours.
- 0.8m flex & plug fitted.
- IP20 indoor use only.
- 3 Year Warranty.

### MAIN APPLICATIONS

- All interior residential rooms.



MODEL NO.	WATTAGE (W)	LUMINOUS FLUX (lm)	COLOUR TEMP (K)	FITTING COLOUR
19046/05	8	600	3000	White
19047/05	8	620	4200	White
18788/05	12	800	3000	White
18788/13	12	800	3000	Brushed Nickel
18789/05	12	850	4200	White
18789/13	12	850	4200	Brushed Nickel

<sup>1</sup> Actual life may vary depending on individual circumstances.

# DOWNLIGHT KIT

WITH HEAT CAN



240V	35W max						
		GU10	CFL GU10	LED GU10	INDOOR ONLY	72mm	92mm
						Fix	Gimbal

- Traditional recessed downlight kits fitted with vented heat cans for extra safety.
- Available in either a fixed or gimbal fittings with a white or brushed nickel finish.
- 12 Month Warranty.
- Globe not included.



81



153

100

MODEL NO.	COLOUR	PRODUCT
17623/05	White	Fix
17623/13	Brushed Nickel	Fix
17624/05	White	Gimbal
17624/13	Brushed Nickel	Gimbal

# DOWNLIGHT KITS

WITH HEAT CAN AND FLEX & PLUG



240V	35W max							
		GU10	CFL GU10	LED GU10	INDOOR ONLY	72mm	92mm	
						Fix	Gimbal	

- Do-It-Yourself traditional recessed downlight kits fitted with vented heat cans for extra safety and a 0.9m flex and plug cable. (A surface mounted switched socket located in roof cavity is required for a DIY installation)
- Available in either a fixed or gimbal fittings with a white or brushed nickel finish.
- 12 Month Warranty.
- Globe not included.



MODEL NO.	COLOUR	PRODUCT
17621/05	White	Fix
17621/13	Brushed Nickel	Fix
17622/05	White	Gimbal
17622/13	Brushed Nickel	Gimbal

# DOWNLIGHT KITS

## FIXED & GIMBAL GU10 FRAMES



240V	35W max	GU10	CFL GU10	LED GU10	INDOOR ONLY	72mm	92mm
						Fix	Gimbal

- Traditional recessed downlight kits compatible with most sizes of halogen, compact fluorescent or LED GU10 lamps.
- Available in either a fixed or gimbal fittings with a white or brushed nickel finish.
- 12 Month Warranty.
- Globes not included.



81



100

MODEL NO.	COLOUR	PRODUCT
17886/05	White	Fix
17887/05	White	Gimbal
17887/13	Brushed Nickel	Gimbal

# HAUS

## ROUND GIMBAL DOWNLIGHT



- Round gimbal downlight kit in brushed aluminium finish with a vented heat can for added safety.
- 12 Month Warranty.



MODEL NO.	COLOUR
17633/26	Brushed Aluminium

# REISS

## SQUARE GIMBAL DOWNLIGHT



240V	35W max	 GU10	 CFL GU10	 LED GU10	 INDOOR ONLY	 76-93mm
------	------------	--	--	--	---	---

- Square gimbal downlight kit in brushed aluminium finish with a vented heat can for added safety.
- 12 Month Warranty.



MODEL NO.	COLOUR
17634/26	Brushed Aluminium



# DIMMERS

## UNIVERSAL



240V 50Hz	MINIMUM LOAD 5W	MAXIMUM LOAD 350W
--------------	-----------------------	-------------------------

Our universal dimmers are a compact, modular dimming mechanism rated at 350W, and designed for universal load compatibility. The unit utilises powerful and sophisticated dimming technology to provide full control of almost any type of load. Used to control loads such as LED, incandescent lamps, 240V halogen lamps, dichroic lamps and low voltage lighting that uses iron-core or electronic transformers.

The Push Button model incorporates on/off switching and dimming control into one mechanism.

The dimming performance is optimised to ensure smooth, linear dimming across the control range.

The Rotary Dial model is a separately switched unit that utilises sophisticated dimming technology to provide full control of a wide range of load types.

- Dimming: 2% to 100%\*.
- Design & optimised for dimmable LED lamps & fittings.
- Fits into standard Clipsal® & HPM® branded wall plates.

- 2 wire design - suitable for lamps & most standard wiring fittings\*.
- Suitable for most dimmable 240V, 12V lamp sources including GU10, MR16, GX54, G4 fittings\*.
- Also works with most magnetic or electronic transformers\*.
- Soft start for improved lamp life.
- Detects the load type and selects either leading or trailing edge as required.
- 12 Month Warranty.

\*Load dependent. Final performance may vary according to actual LED globe and transformer/driver used. Must be installed by a licensed electrician. Not suitable for fans and other inductive loads.



MODEL NO.	COLOUR	PRODUCT
18828/05	White	Push Button
18829/05	White	Rotary

# LED STRIP LIGHT KIT

## 2.4 MODULAR





### FEATURES

- 2.4m LED Strip
  - 3 x 60cm
  - 2 x 30cm
  - 3 x Corner Joiners
  - 2 x T Joiners
  - 8 x 4-Pin Connectors.
- 60 LEDs per metre.
- Extra low voltage driver included with flex & plug.
- Pre-fitted with 3M™ self adhesive tape.
- Inline switch.
- Cuttable every 5cm or every 3 LEDs.
- Available in Warm White or Cool White.
- 1 Year Warranty.

### MAIN APPLICATIONS


All interior residential rooms



MODEL NO.	LENGTH (M)	WATTS PER METRE (W/M)	LUMENS PER METRE (lm/M)	STRIP ONLY IP RATING	COLOUR
17558/01	2.4	5	400	IP65	Warm White
17559/01	2.4	5	430	IP65	Cool White

## LED STRIP LIGHT KIT

5M &amp; 10M ROLLS




## FEATURES

- Do-It-Yourself installation.
- 60 LEDs per metre.
- Extra low voltage driver included with flex & plug.
- Pre-fitted with 3M™ self adhesive tape.
- Inline switch.
- Cuttable every 5cm or every 3 LEDs.
- Available in Warm White or Cool White.
- Comes in 5m or 10m Rolls.
- Supplied with 4 link cables.
- 1 Year Warranty.

## MAIN APPLICATIONS

All interior residential rooms



MODEL NO.	LENGTH (M)	WATTS PER METRE (W/M)	LUMENS PER METRE (lm/M)	STRIP ONLY IP RATING	COLOUR
17879	5	4.5	320	IP65	Warm White
17880	5	4.5	340	IP65	Cool White
19530	10	4.5	350	IP65	Warm White
19531	10	4.5	400	IP65	Cool White



# GLOBES





# LED SENSOR GLOBE




240V	50Hz	SMD LED	CRI(Ra) >80	UV SAFE	E27	B22
------	------	---------	-------------	---------	-----	-----

Lifespan:  
Up to 12,000 hours\*

## FEATURES

- Control with your hand.
  1. Turn on or off.
  2. Dimming.
  3. Lock settings.
- Suitable for table, desk, and floor lamps, wall fittings and pendants.
- Not suitable for enclosed fixtures.



MODEL NO.	WATTAGE (W)	LUMENS (lm)	COLOUR TEMP	BASE	DIMMABLE	BEAM ANGLE	SIZE
19252	6	360	3000K Warm White	B22	YES	180°	Ø48 x 117mm
19253	6	360	3000K Warm White	E27	YES	180°	Ø48 x 117mm

\* Relates to LED life - actual life may vary depending on individual circumstances. Hours of life corresponds to approximately 6 hours of use per day.

# MOON BEAM

## LED ANTIQUE FILAMENT STYLE GLOBE




Suspension kits for illustrative purposes only.

240v	3W	4W	6W	2700K WARM WHITE	LED FILAMENT	B22	E27	E14	⊗
	Candle	ST57	A60, G125						

This new form LED (Light-emitting diode) with modern high efficiency LED technology. A colour temp of 2700K ensures vintage filament style warm color. This style globe is a filament style LED and uses the latest technology. They produce as much light as a standard 25W incandescent globe and are fantastic for atmospheric lighting, in a multi-globe pendant light, as well as discreet lighting.

- A60** : Shaped like a classic globe and fits regular light fittings with 6 pieces of 37.5mm filament LED.
- G125** : Shaped like a traditional round globe and fits regular light fittings with 4 pieces of 41mm filament LED.
- ST64** : Shaped like the original Edison globe and fits regular light fitting with 4 pieces of 37.5mm filament LED.
- CANDLE** : Shaped like a classic candle globe and fits small screw light fittings with 2 pieces of 37.5mm filament LED.



STYLE	MODEL NO. (BASE)			LUMENS (lm)
	E14	B22	E27	
A60	-	18612	18614	600
G125	-	-	18618	600
ST64	-	-	18620	400
Candle	18616	-	-	300

# STAR GLOW

## LED ANTIQUE STYLE GLOBE




Suspension kits for illustrative purposes only.

240v	3W	2400K WARM WHITE	LED	E22	E27	
------	----	------------------------	-----	-----	-----	--

Lifespan: Up to 10,000 hours<sup>†</sup>

This new form LED (Light-emitting diode) approaches as close as possible the look of a Vintage type filament globe with modern high efficiency LED technology. A very warm colour temp of 2400K ensures a vintage filament type colour. Solid construction with wire bars holding rows of circular set LED's in sprung fashion. They produce as much light as a standard 25W incandescent globe and are fantastic for atmospheric lighting, in a multi-globe pendant light, as well as discreet lighting.

- A60** : Shaped like a classic globe and fits regular light fittings with 30 individual LED "globes".
- G95** : Shaped like a traditional standard round and fits regular light fittings with 47 individual LED "globes".
- ST57** : Shaped like the original Edison globe and fits regular light fitting with 47 individual LED "globes".



STYLE	MODEL NO. (BASE)		LUMENS (lm)
	B22	E27	
A60	18621	18622	115
G95	18623	18563	152
ST57	18625	18626	150

<sup>†</sup> Relates to product life - actual life may vary depending on individual circumstances. Hours of life corresponds to approximately 6 hours of use per day.

# VINTAGE FILAMENT

## ANTIQUÉ STYLE GLOBE



Suspension kits for illustrative purposes only.



Lifespan: Up to 1,000 hours<sup>†</sup>

Preserve the look of early 20th-century lighting by incorporating one of Brilliant's vintage filament globes to your light fixture. Our antique-style globes add a bright warm glow to any vintage or contemporary decor.

**A60:** An intricate quad loop tungsten filament design globe.

**G95/G125:** These Edison inspired globes are a favourite with their glowing cage-shaped filament surrounding a central glass support.

**T9:** A long single tungsten filament loop suspended along a central glass support in a long tubular shape gives this globe a distinctive look.

**ST18:** The circa 1912 design is a favourite with its glowing cage-shaped tungsten filament surrounding a central glass support, which burns three times brighter than its carbon filament precursors. A popular choice for exposed socket pendants, sconces and chandeliers.



STYLE	MODEL NO. (BASE)	
	B22	E27
A60	17924	17929
G95	17926	17931
G125	17927	17932
T9	17928	17933
ST18	17925	17930


<sup>†</sup> Relates to product life - actual life may vary depending on individual circumstances. Hours of life corresponds to approximately 6 hours of use per day.

# VINTAGE SPIRAL

## ANTIQUÉ STYLE GLOBE




Jedd suspension kit shown with globes.



Lifespan: Up to 1,000 hours<sup>†</sup>

Soft, warm and inviting glow of filament bulbs. Create atmosphere rather than light the entire room. Looks amazing hung low and bare from pendant lights. Perfect for creating an intimate pool of light. The Spiral design provides an elegant and detailed look to any fixture.

**G95/G125:** Edison inspired globes are a fantastic designer feature bulb for large fittings where you can see the bulb. They will certainly add a special touch of interest to any room. Features an amber coating.



PRODUCT	MODEL NO. (BASE)	
	B22	E27
G95	19284	19286
G125	19285	19287

<sup>†</sup> Relates to product life - actual life may vary depending on individual circumstances. Hours of life corresponds to approximately 6 hours of use per day.

# HELIX

## DECORATIVE COMPACT FLUORESCENT GLOBE



Lifespan: Up to 6000 hours<sup>†</sup>

Brilliant's Helix is a beautifully designed low energy light globe. It's dynamic and sculptured form contrasts the uninspired and conventional shapes of current compact fluorescent globes.

Not only does Helix draw your eye it has a high lumen output of 680 lumens.

The Helix is also low energy and can save you up to 80% on your energy bills and last 8 times longer than a standard incandescent globes.



MODEL NO.	BASE
18561	E27

Suspension kits for illustrative purposes only.

<sup>†</sup> Relates to product life - actual life may vary depending on individual circumstances. Hours of life corresponds to approximately 6 hours of use per day.


# DECORATIVE HALOGEN

## INDUSTRIAL STYLE GLOBE



Lifespan: Up to 3000 hours<sup>†</sup>

Industrial style eco-halogen globes in two popular designs. Eco-halogen globes provide a warm light that is 30% more efficient than traditional incandescent globes. Ideal for use in any transparent, caged or industrial style light fixtures.



PRODUCT TYPE	MODEL NO.	BASE
Cigar T46	18077	E27
Pear ED76	18079	E27

<sup>†</sup> Relates to product life - actual life may vary depending on individual circumstances. Hours of life corresponds to approximately 6 hours of use per day.

# ANTI INSECT

## COMPACT FLUORESCENT GLOBE



Lifespan: Up to 6000 hours†

Keep bugs away with the Anti Insect 20W CFL spiral globe from Brilliant. This yellow anti insect globe is available with both Edison 27 and Bayonet 22 fittings.

- 20W max E27 and B22 globe.
- Yellow spiral design.
- Keeps bugs away.
- 6000 Hours.




MODEL NO.	BASE
19186	B22
19185	E27

† Relates to product life - actual life may vary depending on individual circumstances. Hours of life corresponds to approximately 6 hours of use per day.

# UV BLACKLIGHT

## COMPACT FLUORESCENT GLOBE



Lifespan: Up to 6000 hours†

Set the mood for a party with Brilliant's UV Black Light. The black spiral globe is great for parties and events. Available in bayonet or edison screw fitting.

- 20W max E27 and B22 globe.
- Black UV spiral globe.
- Great for parties.
- 6000 Hours.

UVA - Wavelengths from about 345 to 400nm are used for 'blacklight' effects causing many fluorescent objects to glow. These wavelengths are harmless.



MODEL NO.	BASE
19184	B22
19183	E27

† Relates to product life - actual life may vary depending on individual circumstances. Hours of life corresponds to approximately 6 hours of use per day.

# LED CLASSIC

## A60 SHAPED NON-DIMMABLE GLOBE



MODEL NO.	WATTAGE (W)	LUMENS (lm)	COLOUR TEMP	BASE	DIMMABLE	SIZE
19854	5W	450	3000K Warm White	E27 Screw	NO	Ø60 x 110mm
19855	7W	600	3000K Warm White	E27 Screw	NO	Ø60 x 110mm
19856	7W	600	3000K Warm White	B22 Bayonet	NO	Ø60 x 110mm
19857	7W	620	4200K Cool White	E27 Screw	NO	Ø60 x 110mm
19858	7W	620	4200K Cool White	B22 Bayonet	NO	Ø60 x 110mm
19859	9W	820	3000K Warm White	E27 Screw	NO	Ø60 x 110mm
19860	9W	820	3000K Warm White	B22 Bayonet	NO	Ø60 x 110mm
19861	9W	840	4200K Cool White	E27 Screw	NO	Ø60 x 110mm
19862	9W	840	4200K Cool White	B22 Bayonet	NO	Ø60 x 110mm
19863	9W	860	6500K Daylight	E27 Screw	NO	Ø60 x 110mm
19864	12W	1200	3000K Warm White	E27 Screw	NO	Ø60 x 119mm
19865	12W	1200	3000K Warm White	B22 Bayonet	NO	Ø60 x 119mm
19866	12W	1220	4200K Cool White	E27 Screw	NO	Ø60 x 119mm
19867	12W	1220	4200K Cool White	B22 Bayonet	NO	Ø60 x 119mm
19868	12W	1250	6500K DAYLIGHT	E27 Screw	NO	Ø60 x 119mm

<sup>1</sup> Actual life may vary depending on individual circumstances. Hours of life corresponds to approximately 6 hours of use per day.

## LED CLASSIC


## A60 SHAPED DIMMABLE GLOBE



Brilliant's LED Classic A60 is the perfect LED retro-fit solution to incandescent, halogen or compact fluorescent A60 shaped globes. Incorporating a high-powered SMD array technology and polycarbonate diffuser for superior output and energy saving up to 80% compared to traditional incandescent or halogen globes.

Features a high impact resistance for greater durability.

Brilliant Classic A60 LED globes last up to 20,000 hours.<sup>1</sup>



MODEL NO.	WATTAGE (W)	LUMENS (lm)	COLOUR TEMP	BASE	DIMMABLE	SIZE
19869	9W	840	3000K Warm White	E27 Screw	Yes <sup>2</sup>	Ø60 x 110mm
19870	9W	840	3000K Warm White	B22 Bayonet	Yes <sup>2</sup>	Ø60 x 110mm
19871	9W	860	4200K Cool White	E27 Screw	Yes <sup>2</sup>	Ø60 x 110mm
19872	9W	860	4200K Cool White	B22 Bayonet	Yes <sup>2</sup>	Ø60 x 110mm

<sup>1</sup> Actual life may vary depending on individual circumstances. Hours of life corresponds to approximately 6 hours of use per day.

<sup>2</sup> Compatibility may vary depending on dimmer used. Refer to our compatible dimming chart at the beginning of the catalogue for recommended dimmers.

# LED CANDLE 4W

## CANDLE SHAPED GLOBE




240V	50Hz		CRI(Ra) >84					
------	------	--	-------------	--	--	--	--	--

Lifespan:  
Up to 15,000 hours<sup>†</sup>

Brilliant's LED Candle globes are designed for decorative lighting purposes, breathing new life to light globe designs long associated with incandescent globes. Keeping the elegant candle design using a glass crystal cover with a virtual filament lens design delivering an incandescent-like sparkling light effect.

And incorporating a high-powered SMD array technology for superior output and energy saving up to 80% compared to traditional incandescent or halogen globes.

Brilliant Candle LED globes last up to 15,000 hours, meaning you won't have to install another bulb for close to 10 years.<sup>‡</sup>



MODEL NO.	WATTAGE (W)	LUMENS (lm)	COLOUR TEMP	BASE	DIMMABLE <sup>Δ</sup>	SIZE
18879	4	250	3000K Warm White	B15 Small Bayonet	No	Ø37 x 103mm
18545	4	250	3000K Warm White	E14 Small Screw	No	Ø37 x 103mm
18546	4	250	3000K Warm White	B22 Bayonet	No	Ø37 x 103mm
18547	4	250	3000K Warm White	E27 Screw	No	Ø37 x 103mm

<sup>Δ</sup> Replacement wattages and lumens are approximates and are to be used as a guide only.

<sup>‡</sup> Actual life may vary depending on individual circumstances. Hours of life corresponds to approximately 6 hours of use per day.

# LED FANCY ROUND 3W

## FANCY ROUND SHAPED GLOBE




240V	50Hz		CRl(Ra) >81	<b>UV SAFE</b>				
------	------	---	----------------	--------------------	---	---	---	---

Lifespan:  
Up to 15,000 hours<sup>†</sup>

Brilliant's LED Fancy Round globes are ideal for both decorative and general-purpose lighting. They combine 21st century LED lighting technology with the elegance of the classic light globe, thus making it easy for consumers to switch to LEDs. The Fancy Round Frosted LED globes are great for mood or ambient lighting.

Incorporating a high-powered SMD array technology for superior output and energy saving up to 80% compared to traditional incandescent or halogen globes.

Brilliant Fancy Round LED globes last up to 15,000 hours, meaning you won't have to install another bulb for close to 10 years.<sup>†</sup>



MODEL NO.	WATTAGE (W)	LUMENS (lm)	COLOUR TEMP	BASE	DIMMABLE <sup>Δ</sup>	SIZE
18880	3	250	3000K Warm White	B15 Small Bayonet	No	Ø38 x 78mm
18549	3	250	3000K Warm White	E14 Small Screw	No	Ø38 x 78mm
18551	3	250	3000K Warm White	B22 Bayonet	No	Ø38 x 78mm
18550	3	250	3000K Warm White	E27 Screw	No	Ø38 x 78mm

<sup>Δ</sup> Replacement wattages and lumens are approximates and are to be used as a guide only.

<sup>†</sup> Actual life may vary depending on individual circumstances. Hours of life corresponds to approximately 6 hours of use per day.

# HALOGEN GLOBES

CANDLE, FANCY ROUND & CLASSIC SHAPES



Lifespan: Up to 2000 hours<sup>†</sup>

MODEL NO.	STYLE	WATTAGE (W)	BASE	FROSTED/CLEAR	DIMMABLE	SIZE
19120	Candle	28W	E14 Small Screw	Clear	Yes	Ø35 x 98mm
19124	Candle	28W	E14 Small Screw	Frosted	Yes	Ø35 x 98mm
19123	Candle	28W	E27 Screw	Frosted	Yes	Ø35 x 92mm
19119	Fancy Round	28W	E14 Small Screw	Frosted	Yes	Ø45 x 78mm
19118	Fancy Round	28W	E27 Screw	Clear	Yes	Ø45 x 72mm
19117	Fancy Round	28W	E27 Screw	Frosted	Yes	Ø45 x 72mm
19099	A60 Classic	28W	B22 Bayonet	Frosted	Yes	Ø55 x 100mm
19100	A60 Classic	28W	E27 Screw	Clear	Yes	Ø55 x 100mm
19101	A60 Classic	28W	E27 Screw	Frosted	Yes	Ø55 x 100mm
19107	A60 Classic	42W	B22 Bayonet	Clear	Yes	Ø55 x 100mm
19102	A60 Classic	42W	B22 Bayonet	Frosted	Yes	Ø55 x 100mm
19108	A60 Classic	42W	E27 Screw	Clear	Yes	Ø55 x 100mm
19104	A60 Classic	42W	E27 Screw	Frosted	Yes	Ø55 x 100mm
19109	A60 Classic	53W	B22 Bayonet	Frosted	Yes	Ø55 x 100mm
19110	A60 Classic	53W	E27 Screw	Frosted	Yes	Ø55 x 100mm
19111	A60 Classic	70W	B22 Bayonet	Frosted	Yes	Ø55 x 100mm
19116	A60 Classic	70W	E27 Screw	Frosted	Yes	Ø55 x 100mm

<sup>†</sup> Relates to product life - actual life may vary depending on individual circumstances. Hours of life corresponds to approximately 6 hours of use per day.

# LED 5W MR16/GU10


5W LAMP



Lifespan:  
Up to 10,000 hours<sup>†</sup>

Brilliant's MR16 & GU10 LED Globes are an excellent cost efficient and energy saving, lighting option. Our 5 watt globes give an output of 380 to 430 lumens, with a 60 degree beam spread to light up your room. Available in either a soft and inviting warm white or crisp and clear cool white.

LED globes are an ideal retro-fit solution as they can consume up to 85% less power. With an average life of 10,000 hours, they are long lasting and save you money, because you will buy replacements less often. When turned on, LED's achieve full brightness in microseconds and radiate very little heat, so they do not cause damage to sensitive objects or fabrics.



MODEL NO.	WATTAGE (W)	LUMENS (lm)	COLOUR TEMP	BASE	DIMMABLE	SIZE
18596	5	380	3000K Warm White	MR16 GU5.3	No	Ø49.7 x 48.5mm
18597	5	430	4000K Cool White	MR16 GU5.3	No	Ø49.7 x 48.5mm
18601	5	400	3000K Warm White	GU10	No	Ø49.5 x 53.3mm
18602	5	430	4000K Cool White	GU10	No	Ø49.5 x 53.3mm

\* Replacement wattages and lumens are approximates and are to be used as a guide only.

† Relates to LED life - actual life may vary depending on individual circumstances. Hours of life corresponds to approximately 6 hours of use per day.


# LED 6W MR16/GU10

6W LAMP



Brilliant's MR16 & GU10 LED Globes are an excellent cost efficient and energy saving lighting option. Our 6 watt globes give an output of 480 to 540 lumens, with a 60 degree beam spread to light up your room. Available in either a soft and inviting warm white or crisp and clear cool white.

LED globes are an ideal retro-fit solution as they can consume up to 85% less power. With an average life of 10,000 hours, they are long lasting and save you money, because you will buy replacements less often. When turned on, LED's achieve full brightness in microseconds and radiate very little heat, so they do not cause damage to sensitive objects or fabrics.



MODEL NO.	WATTAGE (W)	LUMENS (lm)	COLOUR TEMP	BASE	DIMMABLE	SIZE
18598	6	480	3000K Warm White	MR16 GU5.3	No	Ø50 x 56.7mm
18599	6	540	4000K Cool White	MR16 GU5.3	No	Ø50 x 56.7mm
18603	6	500	3000K Warm White	GU10	No	Ø50 x 56.7mm
18604	6	530	4000K Cool White	GU10	No	Ø50 x 56.7mm

\* Replacement wattages and lumens are approximates and are to be used as a guide only.

† Actual life may vary depending on individual circumstances. Hours of life corresponds to approximately 6 hours of use per day.

# LED MR16 & GU10

## ADJUSTABLE BEAM



12V		240V		50Hz		CRI(Ra) >80				
-----	--	------	--	------	--	-------------	--	--	--	--

Lifespan:  
Up to 15,000 hours<sup>†</sup>


As part of our new state-of-the-art product line, these angle-adjustable globes are unique with their adjustable beam angles and high brightness making them perfectly suited for recessed, track and landscape lighting applications in and commercial retrofit installations.

### Adjustable angle:

- Narrow flood (20-25 degrees): focused intense light. Use a single light or use a group of light to illuminate a small area or an object.
- Flood (40 degrees): a combination of focused and flood lighting.
- Wide flood (50 degrees): light spreads out over a larger area.

### Design:

Thermoplastic material and insulated power driver protect users from electric shocks. The arc-shaped grooves and ventilation slots enhance the convection and bring superior cooling effect. The material's high radiation ratio enables it to dissipate heat quickly, & consequently brings excellent cooling effects, which directly contributes to a longer and more stable service life.



MODEL NO.	WATTAGE (w)	LUMENS (lm)	COLOUR TEMP	BASE	DIMMABLE	SIZE
18588	5.5	380	3000K Warm White	MR16 GU5.3	No	Ø50 x 51mm
18589	5.5	430	4200K Cool White	MR16 GU5.3	No	Ø50 x 51mm
18590	5	400	3000K Warm White	GU10	No	Ø50 x 59mm

\*Replacement wattages are approximates and are to be used as a guide only.

† Actual life may vary depending on individual circumstances.


# LED MR16 & GU10

DIMMABLE



Lifespan:  
Up to 10,000 hours<sup>†</sup>

Brilliant's Multifaceted LED Globes are an excellent cost efficient and energy saving, lighting option. The new dimmable version is available in both MR16 and GU10 bases. The range is available in multiple wattages that have excellent lumen output. Each globe has a 40 degree beam spread to light up your room. Available in either a soft and inviting warm white or crisp and clear cool white. LED globes are an ideal retro-fit solution as they can consume up to 85% less power. With an average life of 10,000 hours, they are long lasting and save you money, because you will buy replacements less often. When turned on, LED's achieve full brightness quickly.



MODEL NO.	WATTAGE (w)	LUMENS (lm)	COLOUR TEMP	BASE	DIMMABLE <sup>Δ</sup>	SIZE
18906	7	450	3000K Warm White	MR16 GU5.3	Yes	Ø50 x 51mm
19303	7	460	4200K Cool White	MR16 GU5.3	Yes	Ø50 x 51mm
19137	5	390	3000K Warm White	GU10	Yes	Ø50 x 57mm
19138	5	430	4200K Cool White	GU10	Yes	Ø50 x 57mm
19139	6.5	500	3000K Warm White	GU10	Yes	Ø50 x 57mm
19140	6.5	560	4200K Cool White	GU10	Yes	Ø50 x 57mm

<sup>Δ</sup> Replacement wattages and lumens are approximates and are to be used as a guide only.

<sup>†</sup> Actual life may vary depending on individual circumstances. Hours of life corresponds to approximately 6 hours of use per day.

# LED CAPSULES

## G9 & G4 GLOBE TWIN PACKS



240V 50Hz	G9	12V AC/DC	G4	SMD LED	CRI(Ra) >80	UV SAFE
	G9		G4			


This warm white high power capsules are the perfect replacement for your old inefficient 20 Watt Halogen capsules.

The G9 3W LED Lamp is commonly used in chandeliers and pendant lights, downlights, wall lights, security lighting and under cabinet downlights.

The G4 3.5W LED Lamp is commonly used in downlights, cookers, rangehoods, motorhomes, boats and caravans.

### FEATURES

- Direct replacement for halogen G9 and G4 capsules.
- No UV, No Mercury or IR radiation.
- UV radiation free.
- G9 Lifespan: Up to 8,000 hours†.
- G4 Lifespan: Up to 5,000 hours†.



MODEL NO.	WATTAGE(W)	LUMENS (lm)	COLOUR TEMP	BASE	DIMMABLE	SIZE
18552	3	200	3000K Warm White	G9 BI-PIN	No	Ø18.2 x 45mm
18862	3.5	330	2700K Warm White	G4 BI-PIN	No	Ø17.5 x 38mm

\* Replacement wattages and lumens are approximates and are to be used as a guide only.


# LED PAR38

## COLOURED REFLECTOR GLOBE



Lifespan:  
Up to 20,000 hours\*

- Hard glass construction.
- Prismatic diffuser.
- Uses 80 percent less energy than standard equivalent halogen globes.
- Non-dimmable.
- Lasts up to 20,000 hours\*.
- IP65 weather-resistant rating.
- Suitable for most PAR38 fixtures.




MODEL NO.	WATTAGE (W)	LUMENS (lm)	COLOUR	BASE	DIMMABLE	CRI (Ra)	SIZE
19705/01	15W	150	Red	E27 SCREW	NO	≤51	Ø122 x 134mm
19705/02	15W	1050	Yellow	E27 SCREW	NO	≤59	Ø122 x 134mm
19705/03	15W	60	Blue	E27 SCREW	NO	≤10	Ø122 x 134mm
19705/04	15W	250	Green	E27 SCREW	NO	≤12	Ø122 x 134mm

\* Actual life may vary depending on individual circumstances. Hours of life corresponds to approximately 6 hours of use per day.


# LED PAR38

## REFLECTOR GLOBE



Lifespan:  
Up to 30,000 hours<sup>†</sup>

- PAR38 replacements that look and light the way consumers expect.
- Uses 80 percent less energy.
- 10W version is made from high grade UV stabilised plastic with an opaque polycarbonate diffuser and lasts up to 30,000 hours.
- 13W utilises the same textured hard glass of traditional halogen PAR38 globes and lasts up to 20,000 hours.
- Suitable for use outdoors with their IP66 weather-resistant rating.



MODEL NO.	WATTAGE (W)	LUMENS (lm)	COLOUR TEMP	BASE	DIMMABLE	SIZE
19408	10	850	4200K Cool White	E27 Screw	No	Ø121 x 135mm
18486	13	1050	4000K Cool White	E27 Screw	No	Ø122 x 126mm

\* Replacement wattages and lumens are approximates and are to be used as a guide only.

† Relates to LED life - actual life may vary depending on individual circumstances. Hours of life corresponds to approximately 6 hours of use per day.


# LED R63 & R80

## REFLECTOR GLOBE



Lifespan:  
Up to 25,000 hours<sup>†</sup>

- Replacements for incandescent/halogen/CFL R63 & R80 lamps.
- Utilises the same shape as traditional bulbs.
- Perfect for long-burn areas in commercial, hospitality and residential applications.
- Wide diffused beam angle.
- Lasts up to 25,000 hours.



STYLE	MODEL NO.	WATTAGE (W)	LUMENS (lm)	COLOUR TEMP	BASE	DIMMABLE	SIZE
R63	19409	8	750	4200K Cool White	E27 Screw	No	Ø63 x 100mm
R80	19410	9	850	4200K Cool White	E27 Screw	No	Ø80 x 112mm

\* Replacement wattages and lumens are approximates and are to be used as a guide only.

† Relates to LED life - actual life may vary depending on individual circumstances. Hours of life corresponds to approximately 6 hours of use per day.

# INFRARED

## HEAT LAMP GLOBE



Lifespan: Up to 5000 hours<sup>†</sup>

The Infra Red Heat Lamp is commonly used in bathroom heaters and in restaurants in food warmers. These globes have a E27 (standard edison screw) 240V base.

- Instant Heat and start-up.
- Clear Glass Finish.
- R125 Reflector Globe.
- Anti-Blast hard glass for durability.





MODEL NO.	BASE
18782	E27

Bathroom Mate used for illustrative purposes only.

<sup>†</sup> Relates to product life - actual life may vary depending on individual circumstances. Hours of life corresponds to approximately 6 hours of use per day.

# LED T8 TUBE

## ACRYLIC



Lifespan:  
Up to 20,000 hours<sup>†</sup>

Brilliant's new LED T8 linear tube is an ideal retrofit solution for traditional T8 fluorescent lamps. Offering both high performance and energy efficiency, it is an ideal solution for a wide range of applications. It also features an acrylic diffuser, making it safe for use in commercial kitchens.

### Energy Saving

Regular T8 fluorescent lamps consume 36 Watts of power with a further ~9 Watts lost in the magnetic ballast. As a result, total power consumption per lamp is actually around 45 Watts. To the contrary, Brilliant LED tube consumes just 18 Watts in total. Resulting in up to 60% energy savings in some fittings.

### Lumen Output

Lumens is a measure of total light output. It is true that the Brilliant LED tube produces less lumens than a modern T8 fluorescent tube. However, regular T8 tubes release their light in all directions (360°). Much of this light is lost in the fitting and to unused parts of the room.

The LED tube only directs its light output downward, where it is actually needed. It has a beam angle of about 140° so it still spreads light throughout the room, but without losing any light to the fixture or ceiling.

APPROVALS (18W only)  
VEET (ESC) 3904

MODEL NO.	WATTAGE (w)	LUMENS (lm)	COLOUR TEMP	BASE	DIMMABLE	STARTER LINK SUPPLIED	SIZE
19273	9	900	6500K Daylight	G13	NO	YES	Ø28 x 600mm
18533	18	1690	4200K Cool White	G13	NO	YES	Ø28 x 1200mm
18534	18	1750	6500K Daylight	G13	NO	YES	Ø28 x 1200mm

\* Replacement wattages and lumens are approximates and are to be used as a guide only.

<sup>†</sup> Relates to LED life - actual life may vary depending on individual circumstances. Hours of life corresponds to approximately 6 hours of use per day. Please note: Only suitable with iron-core magnetic ballast. DO NOT USE with electronic ballast. Ensure conventional starter is removed and replaced with LED starter link, supplied in box.

# FLUORESCENT T5 TUBE

GLASS



240V		CRI(Ra) >84	
------	---	----------------	---

Lifespan: Up to 20,000 hours<sup>†</sup>

## Product Benefits

- Economical and efficient.
- Up to 20 % more economical than T8.
- Up to 50 % smaller volume than comparable T8 lamps.

## Areas of application

- Public buildings.
- Offices.
- Shops.
- Supermarkets and department stores.
- Industry.
- Outdoor applications only in suitable luminaires.

## Product features

- Very good lumen maintenance.
- Long average lifetime: up to 20,000 hours.
- Good color rendering.



MODEL NO.	WATTAGE (W)	LUMENS	COLOUR TEMP	BASE	DIMMABLE	STARTER LINK	CARTON QTY	SIZE
18852	14W	1200	4200K Cool White	G5	NO	No	100	Ø16 x 549mm
18853	28W	2600	4200K Cool White	G5	NO	No	100	Ø16 x 1150mm

<sup>†</sup> Relates to product life - actual life may vary depending on individual circumstances. Hours of life corresponds to approximately 6 hours of use per day.



# SPOTLIGHTS






# GENESIS

## LED TRACK SPOTLIGHT HEAD



240V	<b>9W</b> 700lm	 COB LED	<b>4200K</b> COOL WHITE	 72°	 CRI >84	POWER FACTOR <b>0.95</b>
------	--------------------	---	-------------------------------	---	---	--------------------------------


- High grade diecast aluminium housing, with powder coated finish and aluminium heatsink.
- 330 degree rotatable head and 90 degree adjustable knuckle to direct light where required.
- Track adaptor to suit standard 3-wire track.
- SAA approved dimmable LED driver.
- 3 Year Warranty.



MODEL NO.	WATTAGE (W)	LUMENS	LUMENS PER WATT	COLOUR TEMP (K)	COLOUR
19276/05	9	700	77	4200	White
19276/06	9	700	77	4200	Black

# TRACK COMPONENTS

## TRACK, JOINS & ENDS (3-WIRE)




- 240V, 50Hz.
- 3-Wire Single Phase Track.
- Extruded aluminium body with powdercoated finish.
- IP20 indoor use only.
- Suitable for use with Elbow & Genesis heads.


MODEL NO.	DESCRIPTION	COLOUR	IMAGE
19274/05	1M track length	White	
19274/06	1M track length	Black	
18847/05	Joiner - straight	White	
18847/06	Joiner - straight	Black	
18848/05	Joiner - lh corner	White	
18848/06	Joiner - lh corner	Black	
19080/05	Joiner - rh corner	White	
19080/06	Joiner - rh corner	Black	
18849/05	Joiner - lh t shape	White	
18849/06	Joiner - lh t shape	Black	
19081/05	Joiner - rh t shape	White	
19081/06	Joiner - rh t shape	Black	
18850/05	Live end	White	
18850/06	Live end	Black	
18851/05	Dead end	White	
18851/06	Dead end	Black	

**VOGUE**

## DIY HALOGEN SPOTLIGHT



- Classic halogen Do-It-Yourself spotlight range in a beautiful brushed steel finish.
- Supplied with 50W GU10 halogen globes.
- 12 Month Warranty.



MODEL NO.	NO. LIGHTS	COLOUR
25150/13	2	Brushed Steel






# TABLE & FLOOR LAMPS



# POTTER


## TABLE LAMP



The Potter plays on an abstract way of thinking. Giving the mood of an experimental lab from a time gone by. Clean lines update a classic look.

Accessorise with an eclectic mix of vintage globes to heighten the look.

12-Month Warranty



Brilliant recommends use with



Vintage  
A60



Vintage  
ST57




Vintage  
T45

MODEL NO.	COLOUR
18978/62	Mahogany/Clear/Brass

# COPENHAGEN

## TABLE LAMP



The shapes and finishes of the Copenhagen create an interesting juxtaposition, intended as a centre piece to a Retro inspired interior.

The sculpted, rounded glass shade echoes the pop art movement of the early 1950's, finished with a timber stand – perfectly balanced.

The clear glass of the shapely, bold shade creates an inspiring mood and also presents as an opportunity to frame a decorative globe.

12-Month Warranty



Brilliant recommends use with



Vintage  
ST57



Vintage  
G95




Star Glow  
G95

MODEL NO.	COLOUR
18980/07	Clear/Timber

# JACOBSEN

## TABLE LAMP



The unique stance of the Jacobsen legs are cut straight from the Modernist movement of the mid-century. Darkening the recently popular beech timber into a teak finish strengthens the lines of the classic stance. Topped with a matt metal shade. A strong, sharp finish that balances and frame the angular legs. The timber has a depth of grain. A bold and beautifully balanced occasional lamp.

12-Month Warranty



Brilliant recommends use with




Fancy Round LED

MODEL NO.	COLOUR
18979/06	Black/Walnut

# KYOTO

TABLE & FLOOR LAMP



A unique interpretation of Retro revival.

Inspired by the iconic 1947 silhouette of the grasshopper lamp. The Kyoto exaggerates these lines by mirroring the sharp angles of the tripod legs in the upper section.

Finished with a rounded cut away shade. Coordinating black details have been used throughout to highlight integral junctions of this piece.

12-Month Warranty




Brilliant recommends use with



MODEL NO.	TYPE	COLOUR
18991/06	Table	Black
18992/06	Floor	Black


# SYPHON

## TABLE LAMP



Refined, industrial table lamps exercise restraint with clean lines, satin finishes and demure details. Creating a stunningly simple silhouette. The form of the shades repeated throughout this suite is a utilitarian interpretation of farm structures. The slim line steel base, minimalist post and metalware simplify the industrial form. Matching pendants also available.

12-Month Warranty



Brilliant recommends use with



MODEL NO.	TYPE	COLOUR
18985/05	Table	White
18985/06	Table	Black

# HEMINGWAY

## 3 LIGHT FLOOR LAMP



Three light floor lamp in a matt finish.  
Great for use in a lounge room. Doubles  
for use as ambient or task lighting.  
12-Month Warranty



Brilliant recommends use with



Fancy Round  
LED



Fancy Round  
Halogen

MODEL NO.	COLOURS
19604/06	Black


# DOUGLAS

## PIPE TABLE & FLOOR LAMPS



Inspired by industrial pipes the Douglas floor lamp pushes the industrial trend into an era of elegance. Well proportioned and sophisticated lines provide the perfect opportunity to frame this seasons trending decorative globe.

12 Month Warranty.



MODEL NO.	TYPE	COLOUR
18969/06	Table	Black
18969/18	Table	Copper
18969/45	Table	Gold
18972/06	Floor	Black
18972/18	Floor	Copper
18972/45	Floor	Gold

Brilliant recommends use with



Moonbeam G125    Star Glow G125    Vintage G125

# WAVE

## LED SPEAKER LAMP



- 3W 200 Lumen LED Array
- Portable USB rechargeable
- Touch on/off switch
- Touch dimmer
- Flexible goose neck
- Wireless sound:
  - Up to 10m range
  - Will operate with most wireless devices
  - 2" 3W RMS speaker
- Supplied with 1m USB cord
- 12 Month Warranty



MODEL NO.	COLOURS
19533/05	White
19533/06	Black



# PENDANTS



# EQUATOR LED HANGING PENDANT



240V	<b>28W</b> 2200lm	SMD LED	<b>4200K</b> COOL WHITE			INDOOR ONLY
------	----------------------	---------	-------------------------------	--	--	-------------


Slim profile.

Aluminium housing with PC diffuser.

Adjustable suspension cable up to 1600mm length

Black and white fabric cord.

12 Month Warranty



MODEL NO.	COLOUR
19554/05	White
19554/06	Black
19554/26	Brushed Aluminium


# IMOGEN

## CONCRETE PENDANT



A soft industrial pendant. The soft and cool tones of concrete are warmed with an ashwood detail. A great addition to a neutral kitchen. Subtly stylish.

12 Month Warranty



Brilliant recommends use with



Fancy Round LED

MODEL NO.	COLOURS
18674/08	Grey


# TULIP

## DROP PENDANT



Elegantly crafted drop pendants in either a gloss white or brilliant chrome finish.

12 Month Warranty



Brilliant recommends use with




Classic  
A60 LED

MODEL NO.	COLOURS
100399/05	White
100029/15	Chrome

# LISKA

## FEATURE GLASS PENDANT



Stylish. Contemporary and Elegant pendants made from high quality moulded glass, complete with an industrial-style suspension.

A contemporary take on industrial design.

12 Month Warranty




Brilliant recommends use with



MODEL NO.	DIAMETER	COLOURS
18127/07	Ø200	Clear
18128/07	Ø250	Clear

# LISSER

## GLASS PENDANT



A transitional pendant. Creates an air of elegance without over dressing the space.

A great opportunity to accessorise with our wide range of decorative globes. Change the globe to freshen the look. The unique method of the suspension adds to the subtle elegance of this pendant.

12 Month Warranty



Brilliant recommends use with



Helix  
CFL



Star Glow  
LED



Vintage  
Filament

MODEL NO.	COLOURS
18653/07	White
18653/67	Black

# SYPHON METAL PENDANT



Sophisticated industrial design.  
 For an industrial edge in a contemporary setting.  
 The pared back form adds style without a bold statement.  
 Available in white with a gloss white inner shade or black  
 with a gloss burnt orange inner shade.

12 Month Warranty



Brilliant recommends use with



MODEL NO.	COLOURS
18671/05	White
18671/06	Black

# SYPHON

## 3 LIGHT PENDANT



This refined industrial 3 light pendant exercises restraint with its clean lines, satin finishes and demure details. Creating a stunningly simple silhouette. This pendant is a utilitarian interpretation of farm structures. The slim line steel base, minimalist wire suspension and metalware simplify the industrial form. Coordinating table lamps available.

12 Month Warranty



Brilliant recommends use with




MODEL NO.	COLOURS
18989/05	White
18989/06	Black

# SAXON SUSPENSION KIT




Globes are not included and are used for illustrative purposes only.



Modern industrial suspension kit. The heavy metal and textured finish creates a high end industrial feel. The Saxon suspension kits can be used as a single pendant, or more commonly, used as a cluster arrangement.

Customise your style by selecting a decorative globe from our range.

2 Year Warranty



Brilliant recommends use with



Moonbeam G125    Star Glow G125


MODEL NO.	COLOURS
18932/06	Black Pewter
18932/13	Pewter
18932/18	Copper
18932/22	Antique Brass

# HELIX SUSPENSION KIT



The sleek metallic look of the Helix kit adds refined wow factor to most interiors.  
Custom designed for use but not exclusive to the Helix globe.  
Globe not included.

12 Month Warranty




MODEL NO.	TYPE	COLOUR
18645/05	Kit	White
18645/06	Kit	Black
18645/18	Kit	Copper
18561	E27 Globe	

Brilliant recommends use with



# CHIME WIRE PENDANT




Globes are not included and are used for illustrative purposes only.



The exposed globe and cage like structure sits the Chime pendant within our ever evolving industrial interior trend. Elegantly delicate, the chime pendant shimmers with the two tone metals.

12 Month Warranty



Brilliant recommends use with



Silver  
Crown



Star Glow  
G95

MODEL NO.	COLOURS
18993/06	Black/Chrome
18993/18	Copper/Chrome
18993/45	Gold/Chrome

# CARDIN

## WIRE CAGE PENDANT



The rounded cage of the Cardin softens the geometric feel, creates a mature industrial mood and shadow-play when lit at evening.

12 Month Warranty



Brilliant recommends use with



Halogen  
G95



Moonbeam  
ST57



Moonbeam  
G125


MODEL NO.	COLOURS
18947/05	White
18947/06	Black

# FINN METAL PENDANT



This cosmopolitan pendant series in a high gloss finish is a great way to add contrast in a contemporary space.

12 Month Warranty



Brilliant recommends use with

MODEL NO.	DIAMETER	COLOUR
18675/05	200	Gloss White
18675/06	200	Gloss Black
18677/05	400	Gloss White
18677/06	400	Gloss Black



LED  
A60



Helix  
CFL

# MAX LED

## MODERN DROP PENDANTS




240V	5W 400lm	COB LED	4000K COOL WHITE	NON-DIMMABLE	↓	INDOOR ONLY
------	-------------	---------	------------------------	--------------	---	-------------

Inspired by modern architecture. A high lumen output COB LED chip.

Adjustable to suit ceiling height variations.

3 Year Warranty

MODEL NO.	TYPE	COLOURS
18121/05	Round	White
18121/06	Round	Black
18129/05	Straight	White
18129/06	Straight	Black





## INDEX BY PRODUCT

PRODUCT NAME	MODEL	CATEGORY	PAGE	PRODUCT NAME	MODEL	CATEGORY	PAGE
A60 HALOGEN 28W CLEAR E27	19100	Globes	246	ALUMINIUM DUCT 3MX100MM	19937	Bathroom	105
A60 HALOGEN 28W FROM B22	19099	Globes	246	ALUMINIUM DUCT 3MX150MM	19939	Bathroom	105
A60 HALOGEN 28W FROST E27	19101	Globes	246	ALUMINIUM DUCT 6MX150MM	19940	Bathroom	105
A60 HALOGEN 42W CLEAR B22	19107	Globes	246	ANDROMEDA WHITE	18270/05	Bathroom	90
A60 HALOGEN 42W CLEAR E27	19108	Globes	246	ANTIQUE STYLE A60 B22	17924	Globes	236
A60 HALOGEN 42W FROST B22	19102	Globes	246	ANTIQUE STYLE A60 E27	17929	Globes	236
A60 HALOGEN 42W FROST E27	19104	Globes	246	ANTIQUE STYLE G125 B22	17927	Globes	236
A60 HALOGEN 53W FROST B22	19109	Globes	246	ANTIQUE STYLE G125 E27	17932	Globes	236
A60 HALOGEN 53W FROST E27	19110	Globes	246	ANTIQUE STYLE G94 B22	17926	Globes	236
A60 HALOGEN 70W FROST B22	19111	Globes	246	ANTIQUE STYLE G94 E27	17931	Globes	236
A60 HALOGEN 70W FROST E27	19116	Globes	246	ANTIQUE STYLE SPIRAL G125 B22	19285	Globes	237
A60 LED 12W 3000K B22 NON-DIM	19865	Globes	242	ANTIQUE STYLE SPIRAL G125 E27	19287	Globes	237
A60 LED 12W 3000K E27 NON-DIM	19864	Globes	242	ANTIQUE STYLE SPIRAL G95 B22	19284	Globes	237
A60 LED 12W 4200K B22 NON-DIM	19867	Globes	242	ANTIQUE STYLE SPIRAL G95 E27	19286	Globes	237
A60 LED 12W 4200K E27 NON-DIM	19866	Globes	242	ANTIQUE STYLE ST18 B22	17925	Globes	236
A60 LED 12W 6500K E27 NON-DIM	19868	Globes	242	ANTIQUE STYLE ST18 E27	17930	Globes	236
A60 LED 5W 3000K E27 NON-DIM	19854	Globes	242	ANTIQUE STYLE T9 E27	17933	Globes	236
A60 LED 7W 3000K B22 NON-DIM	19856	Globes	242	APACHE ADJUSTABLE	19683/20	Exterior/Security	139
A60 LED 7W 3000K E27 NON-DIM	19855	Globes	242	APACHE TWIN	19685/20	Exterior/Security	139
A60 LED 7W 4200K B22 NON-DIM	19858	Globes	242	APACHE UP/DOWN	19684/20	Exterior/Security	139
A60 LED 7W 4200K E27 NON-DIM	19857	Globes	242	ARIEL SATIN NICKEL	25254/13	Fans	78
A60 LED 9W 3000K B22 DIM	19870	Globes	243	ARIEL WHITE	25254/05	Fans	78
A60 LED 9W 3000K B22 NON-DIM	19860	Globes	242	ASTRAGAL BEIGE	17937/09	Exterior/Security	165
A60 LED 9W 3000K E27 DIM	19869	Globes	243	ASTRAGAL BLACK	17937/06	Exterior/Security	165
A60 LED 9W 3000K E27 NON-DIM	19859	Globes	242	ATLANTIS	19644/05	Downlights	219
A60 LED 9W 4200K B22 DIM	19872	Globes	243	ATRIUM 48"	20101/16	Fans	73
A60 LED 9W 4200K B22 NON-DIM	19862	Globes	242	ATRIUM 52"	20102/16	Fans	73
A60 LED 9W 4200K E27 DIM	19871	Globes	243	ATRIUM 56"	20103/16	Fans	73
A60 LED 9W 4200K E27 NON-DIM	19861	Globes	242	ATRIUM LIGHT 316SS	20108/16	Fans	73, 77
A60 LED 9W 6500K E27 NON-DIM	19863	Globes	242	AUSTIN MATT BLACK	19645/06	Fans	71
ACCORD	19650/05	Ceiling/Wall	186	AUSTIN METALLIC SILVER	19645/11	Fans	71
ACHERON	19691/06	Exterior/Security	148	AUSTIN WHITE	19645/05	Fans	71
ALENA	00101/05	Ceiling/Wall	198	AVENGER 100W	19134/06	Exterior/Security	126
ALLORA 12W	20093/11	Ceiling/Wall	194	AVENGER 200W	19135/06	Exterior/Security	126
ALLORA 18W	20094/11	Ceiling/Wall	194	AVENGER-II +SENSOR 20W	19667/06	Exterior/Security	127
ALLORA 25W	20095/11	Ceiling/Wall	194	AVENGER-II +SENSOR 30W	19669/06	Exterior/Security	127
ALUMA LIGHT	20071/13	Fans	61, 76	AVENGER-II +SENSOR 50W	19671/06	Exterior/Security	127
ALUMA SATIN NICKEL	20104/13	Fans	61,	AVENGER-II 20W	19665/06	Exterior/Security	127

PRODUCT NAME	MODEL	CATEGORY	PAGE
AVENGER-II 30W	19668/06	Exterior/Security	127
AVENGER-II 50W	19670/06	Exterior/Security	127
AVIATOR OIL-RUBBED BRONZE	18516/14	Fans	68
AVIATOR WHITE	18516/05	Fans	68
BAHAMA +LIGHT BLACK	19588/06	Fans	63
BAHAMA +LIGHT CHARCOAL/TIMBER	19588/51	Fans	63
BAHAMA +LIGHT WHITE	19588/05	Fans	63
BAHAMA +LIGHT WHITE/TIMBER	19588/37	Fans	63
BAHAMA BLACK	19587/06	Fans	63
BAHAMA CHARCOAL/TIMBER	19587/51	Fans	63
BAHAMA WHITE	19587/05	Fans	63
BAHAMA WHITE/TIMBER	19587/37	Fans	63
BEREA MATT BLACK	99939/06	Exterior/Security	162
BEREA SILVER	99939/11	Exterior/Security	162
BLADE EXIT BLACK	19878/06	Emergency	42
BLADE EXIT WHITE	19878/05	Emergency	42
BLADE SURFACE MOUNT BOX BLACK	19893/06	Emergency	42
BLADE SURFACE MOUNT BOX WHITE	19893/05	Emergency	42
BLADE SURFACE MOUNT EXIT BLACK	19880/06	Emergency	42
BLADE SURFACE MOUNT EXIT WHITE	19880/05	Emergency	42
BOLTON RECTANGLE	19689/06	Exterior/Security	163
BOLTON SQUARE	19688/06	Exterior/Security	163
BOREAL LARGE STAINLESS STEEL	18249/16	Bathroom	97
BOREAL LARGE WHITE	18249/05	Bathroom	97
BOREAL SMALL STAINLESS STEEL	18247/16	Bathroom	97
BOREAL SMALL WHITE	18247/05	Bathroom	97
BRIGHTON BRUSHED STEEL	100545/13	Fans	62
BRIGHTON WHITE	100545/05	Fans	62
CABLE GARDEN 12V 10M	19918/06	Exterior/Security	180
CABLE GARDEN SPLITTER	19919/06	Exterior/Security	180
CAIRNS NARROW FULL	18056/16	Exterior/Security	161
CAIRNS NARROW SLOTTED	18055/16	Exterior/Security	161
CANDELLA 11W 3000K	17680/05	Downlights	217
CANDELLA 11W 4200K	17681/05	Downlights	217
CANDELLA 15W 3000K	17355/05	Downlights	217
CANDELLA 15W 4200K	17356/05	Downlights	217
CANDLE HALOGEN 28W CLEAR E14	19120	Globes	246
CANDLE HALOGEN 28W FROST E14	19124	Globes	246

PRODUCT NAME	MODEL	CATEGORY	PAGE
CANDLE HALOGEN 28W FROST E27	19123	Globes	246
CANDLE LED B15 NON-DIM	18879	Globes	244
CANDLE LED B22 NON-DIM	18546	Globes	244
CANDLE LED E14 NON-DIM	18545	Globes	244
CANDLE LEDE27 NON-DIM	18547	Globes	244
CAPELLA 18W	20096/05	Ceiling/Wall	187
CAPELLA RING	20097/11	Ceiling/Wall	187
CARDIN BLACK	18947/06	Pendants	288
CARDIN WHITE	18947/05	Pendants	288
CASSIE	18072/15	Ceiling/Wall	201
CAVETTO	18045/16	Exterior/Security	169
CAYMAN +LIGHT SATIN NICKEL	19663/13	Fans	64
CAYMAN +LIGHT WHITE	19663/05	Fans	64
CAYMAN SATIN NICKEL	19661/13	Fans	64
CAYMAN WHITE	19661/05	Fans	64
CENTURION EMERGENCY WHITE	19987/05	Emergency	51
CENTURION WHITE	19989/05	Commercial	28
CHATRI	17956/20	Exterior/Security	160
CHIME CHROME/BLACK	18993/06	Pendants	287
CHIME CHROME/COPPER	18993/18	Pendants	287
CHIME CHROME/GOLD	18993/45	Pendants	287
CIGAR HALOGEN E27	18077	Globes	239
CONCORDE BLACK/MAHOGANY	18936/62	Fans	66
CONCORDE BLACK/MAPLE	18936/65	Fans	66
CONCORDE MATT BLACK	18936/06	Fans	66
CONCORDE SILVER	18936/11	Fans	66
CONCORDE WHITE	18936/05	Fans	66
CONCORDE-II BLACK	20067/06	Fans	67
CONCORDE-II BLACK/MAHOGANY	20067/62	Fans	67
CONCORDE-II BLACK/MAPLE	20067/65	Fans	67
CONCORDE-II LIGHT BLACK	20071/06	Fans	67, 76
CONCORDE-II LIGHT WHITE	20071/05	Fans	67, 76
CONCORDE-II WHITE	20067/05	Fans	67
COOPER CHARCOAL	19698/51	Exterior/Security	166
COOPER WHITE	19698/05	Exterior/Security	166
COPENHAGEN	18980/07	Table/Floor	269
CORDIA 12W 3000K	19527/05	Ceiling/Wall	189
CORDIA 12W 4200K	17841/05	Ceiling/Wall	189

## INDEX BY PRODUCT

PRODUCT NAME	MODEL	CATEGORY	PAGE
CORDIA 18W 3000K	19528/05	Ceiling/Wall	189
CORDIA 18W 4200K	17842/05	Ceiling/Wall	189
CORDIA 24W 3000K	19529/05	Ceiling/Wall	189
CORDIA 24W 4200K	17843/05	Ceiling/Wall	189
CORDIA DIMMABLE 12W	19309/05	Ceiling/Wall	188
CORDIA DIMMABLE 18W	19310/05	Ceiling/Wall	188
CORDIA DIMMABLE 24W	19314/05	Ceiling/Wall	188
DAVIDSON	19931/51	Exterior/Security	134
DAWSON ANODISED ALUMINIUM	19686/20	Exterior/Security	145
DAWSON BLACK	19686/06	Exterior/Security	145
DELATITE 10W	19692/51	Exterior/Security	150
DELATITE 20W	19693/51	Exterior/Security	150
DELTA 6-IN-1	19590/05	Downlights	207
DELTA PLUS	19769/05	Downlights	8, 208
DENVER-II 1LIGHT GARDEN	19399/16	Exterior/Security	137
DENVER-II 2LIGHT BLACK	17531/06	Exterior/Security	136
DENVER-II 2LIGHT GARDEN	19400/16	Exterior/Security	137
DENVER-II 2LIGHT STAINLESS STEEL 304	17531/16	Exterior/Security	136
DENVER-II 2LIGHT STAINLESS STEEL 316	19403/16	Exterior/Security	136
DENVER-II 3LIGHT BLACK	17532/06	Exterior/Security	136
DENVER-II 3LIGHT STAINLESS STEEL 304	17532/16	Exterior/Security	136
DENVER-II 3LIGHT STAINLESS STEEL 316	19404/16	Exterior/Security	136
DENVER-II ADJUSTABLE +SENSOR STAINLESS STEEL 304	19622/16	Exterior/Security	135
DENVER-II ADJUSTABLE BLACK	17530/06	Exterior/Security	135
DENVER-II ADJUSTABLE S COPPER 304	17530/18	Exterior/Security	135
DENVER-II ADJUSTABLE STAINLESS STEEL 304	17530/16	Exterior/Security	135
DENVER-II ADJUSTABLE STAINLESS STEEL 316	19401/16	Exterior/Security	135
DENVER-II TWIN +SENSOR STAINLESS STEEL 304	19397/16	Exterior/Security	136
DENVER-II TWIN STAINLESS STEEL 304	19396/16	Exterior/Security	136
DENVER-II UP/DOWN +SENSOR STAINLESS STEEL 304	19623/16	Exterior/Security	135
DENVER-II UP/DOWN BLACK	17529/06	Exterior/Security	135
DENVER-II UP/DOWN COPPER 304	17529/18	Exterior/Security	135
DENVER-II UP/DOWN STAINLESS STEEL 304	17529/16	Exterior/Security	135
DENVER-II UP/DOWN STAINLESS STEEL 316	19402/16	Exterior/Security	135
DIMMER PUSH BUTTON	18828/05	Downlights	227
DIMMER ROTARY	18829/05	Downlights	227
DISCUS +SENSOR 150W	19601	Commercial	17
DISCUS 100W	19704	Commercial	16

PRODUCT NAME	MODEL	CATEGORY	PAGE
DISCUS 150W	19599	Commercial	16
DISCUS 200W	19600	Commercial	16
DORMON CHARCOAL	17943/51	Exterior/Security	156
DORMON STAINLESS STEEL	17943/16	Exterior/Security	156
DOUGLAS FLOOR COPPER	18972/18	Table/Floor	274
DOUGLAS FLOOR GOLD	18972/45	Table/Floor	274
DOUGLAS FLOOR MATT BLACK	18972/06	Table/Floor	274
DOUGLAS TABLE COPPER	18969/18	Table/Floor	274
DOUGLAS TABLE GOLD	18969/45	Table/Floor	274
DOUGLAS TABLE MATT BLACK	18969/06	Table/Floor	274
DOWNLIGHT FIXED +CAN SATIN NICKEL	17623/13	Downlights	221
DOWNLIGHT FIXED +CAN WHITE	17623/05	Downlights	221
DOWNLIGHT FIXED +CAN&FLEX SATIN NICKEL	17621/13	Downlights	222
DOWNLIGHT FIXED +CAN&FLEX WHITE	17621/05	Downlights	222
DOWNLIGHT FIXED BRUSHED NICKEL	17886/13	Downlights	
DOWNLIGHT FIXED WHITE	17886/05	Downlights	223
DOWNLIGHT GIMBAL +CAN SATIN NICKEL	17624/13	Downlights	221
DOWNLIGHT GIMBAL +CAN WHITE	17624/05	Downlights	221
DOWNLIGHT GIMBAL +CAN&FLEX SATIN NICKEL	17622/05	Downlights	222
DOWNLIGHT GIMBAL +CAN&FLEX WHITE	17622/13	Downlights	222
DOWNLIGHT GIMBAL BRUSHED NICKEL	17887/13	Downlights	223
DOWNLIGHT GIMBAL WHITE	17887/05	Downlights	223
DUBOIS-II	19674/51	Exterior/Security	147
DUO-SCAN	20053/05	Exterior/Security	123
EAVE EDGED	18048/51	Exterior/Security	158
EAVE OPEN	18049/51	Exterior/Security	158
ENTASIS CHARCOAL	17942/51	Exterior/Security	157
ENTASIS STAINLESS STEEL 304	17942/16	Exterior/Security	157
ENVIRO LED	20202/05	Commercial	24
ENVIRO T5	100421/05	Commercial	25
EQUATOR BLACK	19554/06	Pendants	278
EQUATOR BRUSHED ALUMINIUM	19554/26	Pendants	278
EQUATOR WHITE	19554/05	Pendants	278
ERROL 12W	18912/15	Bathroom	87
ESSEX FULL CHARCOAL	19929/51	Exterior/Security	144
ESSEX FULL WHITE	19929/05	Exterior/Security	144
ESSEX LOUVRED CHARCOAL	19930/51	Exterior/Security	144
ESSEX LOUVRED WHITE	19930/05	Exterior/Security	144

PRODUCT NAME	MODEL	CATEGORY	PAGE
EUPRATES UP/DOWN	18047/16	Exterior/Security	140
EVANS	19927/51	Exterior/Security	154
EXPANDA FOLDABLE	19901/06	Commercial	37
EXPANDA TWIN TRIPOD	19902/06	Commercial	36
EXTERIOR COWL 100MM	19943/16	Bathroom	109
EXTERIOR COWL 150MM	19944/16	Bathroom	109
EYE 360	18063/05	Exterior/Security	117
EYE 360 MICROWAVE	20051/05	Exterior/Security	122
EYE 360 MINI	20048/05	Exterior/Security	118
EZY-SCAN BLACK	20044/06	Exterior/Security	120
EZY-SCAN CORNER MOUNT BLACK	20243/06	Exterior/Security	120
EZY-SCAN CORNER MOUNT WHITE	20243/05	Exterior/Security	120
EZY-SCAN WHITE	20044/05	Exterior/Security	120
FAHRENHEIT 1800W	18541	Commercial	32
FAHRENHEIT 2400W	18542	Commercial	32
FAN LOOM KIT	47802/00	Fans	79
FAN LOOM KIT WITH LIGHT	20200/00	Fans	79
FAN REMOTE BASIC	99999	Fans	80
FAN REMOTE BLUETOOTH	19575/06	Fans	9, 81
FAN REMOTE DELUXE	99998	Fans	80
FANCY ROUND HALOGEN 28W CLEAR E27	19118	Globes	246
FANCY ROUND HALOGEN 28W FROST E14	19119	Globes	246
FANCY ROUND HALOGEN 28W FROST E27	19117	Globes	246
FANCY ROUND LED E14 NON-DIM	18549	Globes	245
FANCY ROUND LED B15 NON-DIM	18880	Globes	245
FANCY ROUND LED B22 NON-DIM	18551	Globes	245
FANCY ROUND LED E27 NON-DIM	18550	Globes	245
FINIAL BOLLARD	18043/16	Exterior/Security	141
FINIAL WALL	18044/16	Exterior/Security	141
FINN LARGE BLACK	18677/06	Pendants	289
FINN LARGE WHITE	18677/05	Pendants	289
FINN SMALL BLACK	18675/06	Pendants	289
FINN SMALL WHITE	18675/05	Pendants	289
FLEXISCAN BEIGE	18562/09	Exterior/Security	114
FLEXISCAN BLACK	18562/06	Exterior/Security	114
FLIPFLOOD	18382/02	Commercial	35
FORCE 12W	19935/05	Bathroom	104
FORCE 18W	19936/05	Bathroom	104

PRODUCT NAME	MODEL	CATEGORY	PAGE
FOXY	18354/06	Exterior/Security	128
G4 LED TWINPACK	18862	Globes	251
G9 LED TWINPACK	18552	Globes	251
GALAXY OIL-RUBBED BRONZE	17997/14	Fans	65
GALAXY SATIN NICKEL	17997/13	Fans	65
GALAXY SILVER	17997/11	Fans	65
GALAXY WHITE	17997/05	Fans	65
GENESIS BLACK	19276/06	Spots/Track	261
GENESIS WHITE	19276/05	Spots/Track	261
GRETA-II 12W	18746/11	Bathroom	88
GRETA-II 18W	18747/11	Bathroom	88
GU10 LED 5W 3000K DIM	19137	Globes	250
GU10 LED 5W 4000K DIM	19138	Globes	250
GU10 LED 5W 4200K NON-DIM	18602	Globes	247
GU10 LED 6W 3000K ADJUSTABLE	18590	Globes	249
GU10 LED 6W 3000K NON-DIM	18603	Globes	248
GU10 LED 7W 3000K DIM	19139	Globes	250
GU10 LED 7W 4000K DIM	19140	Globes	250
HARDY FULL BLACK	17450/06	Exterior/Security	152
HARDY FULL GREY	17450/08	Exterior/Security	152
HARDY FULL WHITE	17450/05	Exterior/Security	152
HARDY LED EYELID BLACK	19973/06	Exterior/Security	153
HARDY LED EYELID WHITE	19973/05	Exterior/Security	153
HARDY LED FULL BLACK	19971/06	Exterior/Security	153
HARDY LED FULL WHITE	19971/05	Exterior/Security	153
HAUS	17633/26	Downlights	224
HEAT LAMP R125 E27	18782	Globes	255
HELIOS WHITE	19851/05	Bathroom	98
HELIX BLACK	18645/06	Pendants	286
HELIX CFL	18561	Globes	238
HELIX COPPER	18645/18	Pendants	286
HELLIX WHITE	18645/05	Pendants	286
HEMINGWAY	19604/06	Table/Floor	273
HEPBURN 12W	18917/15	Bathroom	84
HERCULES LIGHT BRUSHED NICKEL	20099/13	Fans	69, 76
HERCULES LIGHT WHITE	20099/05	Fans	69, 76
HERCULES-84 BRUSHED NICKEL	20073/13	Fans	69
HERCULES-84 WHITE	20073/05	Fans	69

## INDEX BY PRODUCT

PRODUCT NAME	MODEL	CATEGORY	PAGE	PRODUCT NAME	MODEL	CATEGORY	PAGE
HERCULES-96 BRUSHED NICKEL	20079/13	Fans	69	LED PANEL 40W 6500K	19251/05	Commercial	19
HERCULES-96 WHITE	20079/05	Fans	69	LED PANEL PLASTER KIT	19625/05	Commercial	19
HORIZON 2-LIGHT SILVER	19847/11	Bathroom	91	LED SLIMLINE BATTEN LINKABLE 18W	19366/05	Commercial	21
HORIZON 2-LIGHT WHITE	19847/05	Bathroom	91	LED SLIMLINE BATTEN LINKABLE 36W	19367/05	Commercial	21
HUNTER-III 1LIGHT +SENSOR BLACK	19975/06	Exterior/Security	130	LED STRIP 10M 3000K	19530	Downlights	229
HUNTER-III 1LIGHT +SENSOR SATIN NICKEL	19975/13	Exterior/Security	130	LED STRIP 10M 4200K	19531	Downlights	229
HUNTER-III 1LIGHT +SENSOR WHITE	19975/05	Exterior/Security	130	LED STRIP 5M 3000K	17879	Downlights	229
HUNTER-III 1LIGHT BLACK	19239/06	Exterior/Security	130	LED STRIP 5M 4200K	17880	Downlights	229
HUNTER-III 1LIGHT SATIN NICKEL	19239/13	Exterior/Security	130	LED STRIP MODULAR 3000K	17558/01	Downlights	228
HUNTER-III 1LIGHT WHITE	19239/05	Exterior/Security	130	LED STRIP MODULAR 4200K	17559/01	Downlights	228
HUNTER-III 2LIGHT +SENSOR BLACK	19245/06	Exterior/Security	130	LETO	18030/16	Exterior/Security	142
HUNTER-III 2LIGHT +SENSOR SATIN NICKEL	19245/13	Exterior/Security	130	LISKA 200MM	18127/07	Pendants	281
HUNTER-III 2LIGHT +SENSOR WHITE	19245/05	Exterior/Security	130	LISKA 250MM	18128/07	Pendants	281
HUNTER-III 2LIGHT BLACK	19242/06	Exterior/Security	130	LISSER CLEAR	18653/07	Pendants	282
HUNTER-III 2LIGHT SATIN NICKEL	19242/13	Exterior/Security	130	LISSER SMOKE	18653/67	Pendants	282
HUNTER-III 2LIGHT WHITE	19242/05	Exterior/Security	130	LIZ 10W	18914/11	Bathroom	85
HYDE CHARCOAL	19923/51	Exterior/Security	178	LIZ 18W	18915/11	Bathroom	85
ILLUMINA 11W 3000K	17716/05	Downlights	216	LUCENT 16W	20091/05	Ceiling/Wall	193
ILLUMINA 11W 4000K	17353/05	Downlights	216	LUCENT 22W	20092/05	Ceiling/Wall	193
ILLUMINA 13W 3000K	17717/05	Downlights	216	LUMA-SCAN	20214/05	Downlights	213
ILLUMINA 13W 4000K	17354/05	Downlights	216	LUSTRE 16W	20089/05	Ceiling/Wall	192
ILLUMINA 8W 3000K	17678/05	Downlights	216	LUSTRE 22W	20090/05	Ceiling/Wall	192
ILLUMINA 8W 4000K	17679/05	Downlights	216	LUSTRE/LUCENT FACE PLATE	20098/11	Ceiling/Wall	192, 193
IMOGEN	18674/08	Pendants	279	LUXOR ROUND FIX 3000K ANODISED ALUMINIUM	18021/20	Downlights	211
JACOBSEN	18979/06	Table/Floor	270	LUXOR ROUND FIX 3000K BRUSHED NICKEL	18021/13	Downlights	211
JEAN-II 12W	18743/11	Bathroom	89	LUXOR ROUND FIX 3000K WHITE	18021/05	Downlights	211
JEAN-II 18W	18742/11	Bathroom	89	LUXOR ROUND FIX 4000K STAINLESS STEEL 316	18023/16	Downlights	211
KYOTO FLOOR	18992/06	Table/Floor	271	LUXOR ROUND FIX 4200K ANODISED ALUMINIUM	18023/20	Downlights	211
KYOTO TABLE	18991/06	Table/Floor	271	LUXOR ROUND FIX 4200K BRUSHED NICKEL	18023/13	Downlights	211
LACHLAN CHARCOAL	19696/51	Exterior/Security	167	LUXOR ROUND FIX 4200K WHITE	18023/05	Downlights	211
LACHLAN WHITE	19696/05	Exterior/Security	167	LUXOR ROUND GIMBAL 3000K WHITE	17798/05	Downlights	212
LANCET CURVE GRILL	18040/16	Exterior/Security	159	LUXOR ROUND GIMBAL 4000K BRUSHED NICKEL	17801/13	Downlights	212
LANCET CURVE OPEN	18041/16	Exterior/Security	159	LUXOR ROUND GIMBAL 4000K WHITE	17801/05	Downlights	212
LANCET RECT OPEN	18039/16	Exterior/Security	159	LUXOR SQUARE GIMBAL 3000 BRUSHED NICKEL	18017/13	Downlights	212
LATITUDE	18517/05	Fans	72	LUXOR SQUARE GIMBAL 4200 WHITE	18018/05	Downlights	212
LED PANEL + ACC 40W 4200K	19069/05	Commercial	19	MAJESTIC 2-LIGHT SILVER	17976/11	Bathroom	93
LED PANEL + ACC 40W 6500K	19070/05	Commercial	19	MAJESTIC 2-LIGHT WHITE	17976/05	Bathroom	93
LED PANEL 40W 4200K	19250/05	Commercial	19	MAJESTIC 4-LIGHT SILVER	17975/11	Bathroom	93

PRODUCT NAME	MODEL	CATEGORY	PAGE
MAJESTIC 4-LIGHT WHITE	17975/05	Bathroom	93
MARLON	19928/51	Exterior/Security	155
MAX ROUND BLACK	18121/06	Pendants	290
MAX ROUND WHITE	18121/05	Pendants	290
MAX STRAIGHT BLACK	18129/06	Pendants	290
MAX STRAIGHT WHITE	18129/05	Pendants	290
MINI-TRIM 11W 3000K	19129/05	Downlights	205
MINI-TRIM 11W 4000K	19130/05	Downlights	205
MINI-TRIM 13W 3000K	19132/05	Downlights	205
MINI-TRIM 13W 4000K	19133/05	Downlights	205
MOONBEAM A60 B22	18612	Globes	234
MOONBEAM A60 E27	18614	Globes	234
MOONBEAM CANDLE E14	18616	Globes	234
MOONBEAM EDISON E27	18620	Globes	234
MOONBEAM G125 E27	18618	Globes	234
MOTION SENSOR GLOBE B22	19252	Globes	233
MOTION SENSOR GLOBE E27	19253	Globes	233
MR16 LED 5W 3000K NON-DIM	18596	Globes	247
MR16 LED 5W 4200K NON-DIM	18597	Globes	247
MR16 LED 6W 3000K ADJUSTABLE	18588	Globes	249
MR16 LED 6W 3000K NON-DIM	18598	Globes	248
MR16 LED 6W 4200K ADJUSTABLE	18589	Globes	249
MR16 LED 6W 4200K NON-DIM	18599	Globes	248
MR16 LED 7W 3000K DIM	18906	Globes	250
MR16 LED 7W 4200K DIM	19303	Globes	250
NOVELLIS EMERGENCY WHITE	19986/05	Emergency	50
OLIVIA 12W	18919/15	Bathroom	86
OLSEN 12W	20082/05	Ceiling/Wall	190
OLSEN 18W	20083/05	Ceiling/Wall	190
OLSEN 25W	20084/05	Ceiling/Wall	190
OLSEN 30W	20085/05	Ceiling/Wall	190
ONCE-BOX EXIT BLACK	19874/06	Emergency	45
ONCE-BOX EXIT WHITE	19874/05	Emergency	45
ONE-BOX EMERGENCY EXIT BLACK	19876/06	Emergency	44
ONE-BOX EMERGENCY EXIT WHITE	19876/05	Emergency	44
ORION 8W 3000K	19591/05	Downlights	206
ORION 8W 4200K	19592/05	Downlights	206
ORION 8W 5000K	19593/05	Downlights	206

PRODUCT NAME	MODEL	CATEGORY	PAGE
PAR38 LED 10W 4200K E27	19408	Globes	253
PAR38 LED 13W 4000K E27	18486	Globes	253
PAR38 LED 15W BLUE E27	19705/03	Globes	252
PAR38 LED 15W GREEN E27	19705/04	Globes	252
PAR38 LED 15W RED E27	19705/01	Globes	252
PAR38 LED 15W YELLOW E27	19705/02	Globes	252
PATHFINDER 3W BLACK	19882/06	Emergency	46
PATHFINDER 3W SURFACE BLACK	19886/06	Emergency	46
PATHFINDER 3W SURFACE WHITE	19886/05	Emergency	46
PATHFINDER 3W WHITE	19882/05	Emergency	46
PATHFINDER 6W BLACK	19884/06	Emergency	47
PATHFINDER 6W SURFACE BLACK	19888/06	Emergency	47
PATHFINDER 6W SURFACE WHITE	19888/05	Emergency	47
PATHFINDER 6W WHITE	19884/05	Emergency	47
PATHFINDER SURFACE MOUNT BOX black	19895/06	Emergency	46, 47
PATHFINDER SURFACE MOUNT BOX WHITE	19895/05	Emergency	46, 47
PEAR HALOGEN E27	18079	Globes	239
PINNACLE 4-PACK BLACK	19922/06	Exterior/Security	176
PINNACLE BLACK	19921/06	Exterior/Security	177
PORTALAMP 10W RED	17857/01	Commercial	34
PORTSEA	99970/16	Exterior/Security	168
POTTER	18978/62	Table/Floor	268
POWERBOARD SATIN NICKEL	18878/13	Commercial	31
PRAIRIE CHARCOAL	17952/51	Exterior/Security	143
PRAIRIE SILVER	17952/11	Exterior/Security	143
PROXIMA BATTEN WHITE	19994/05	Commercial	22
PROXIMA EMERGENCY WHITE	19898/05	Emergency	48
QUATTRO	19909/05	Downlights	209
R63 LED E27	19409	Globes	254
R80 LED E27	19410	Globes	254
RAMSIS 13W WHITE	19761/05	Commercial	29, 214
RAMSIS 15W WHITE	19762/05	Commercial	29, 214
RAMSIS 18W WHITE	19763/05	Commercial	29, 214
RAMSIS 24W WHITE	19764/05	Commercial	29, 214
RAYON	19307/06	Exterior/Security	132
REISS	17634/26	Downlights	225
RETRO-FIT SENSOR	20052/05	Exterior/Security	124
ROD 21MMX900MM GLOSS WHITE	47801/05	Fans	79

## INDEX BY PRODUCT

PRODUCT NAME	MODEL	CATEGORY	PAGE
ROD 21MMX900MM SATIN NICKEL	47801/13	Fans	79
ROD/LOOM 21MMX 900MM GLOSS WHITE	100550/05	Fans	79
ROD/LOOM 21MMX900MM BLACK	100550/06	Fans	79
ROD/LOOM 21MMX900MM BRUSHED ALUMINIUM	100550/20	Fans	79
ROD/LOOM 21MMX900MM GLOSS WHITE	18632/05	Fans	79
ROD/LOOM 21MMX900MM MAHOGANY	20201/62	Fans	79
ROD/LOOM 21MMX900MM MATT SILVER	18240/11	Fans	79
ROD/LOOM 21MMX900MM MATT WHITE	18240/05	Fans	79
ROD/LOOM 21MMX900MM OIL-RUB BRONZE	18240/14	Fans	79
ROD/LOOM 21MMX900MM SATIN NICKEL	100550/13	Fans	79
ROD/LOOM 21MMX900MM SATIN NICKEL	18240/13	Fans	79
ROD/LOOM 21MMX900MM STAINLESS STEEL 316	100666/16	Fans	79
ROD/LOOM 26MMX1800MM OIL-RUB BRONZE	18769/14	Fans	79
ROD/LOOM 26MMX1800MM SATIN NICKEL	18629/13	Fans	79
ROD/LOOM 26MMX1800MM SILVER	18769/05	Fans	79
ROD/LOOM 26MMX1800MM WHITE	18769/11	Fans	79
ROD/LOOM 26MMX900MM OIL-RUB BRONZE	18627/14	Fans	79
ROD/LOOM 26MMX900MM SATIN NICKEL	18628/13	Fans	79
ROD/LOOM 26MMX900MM SILVER	18627/11	Fans	79
ROD/LOOM 26MMX900MM WHITE	18627/05	Fans	79
RUBEN 18W	20086/05	Ceiling/Wall	191
RUBEN 25W	20087/05	Ceiling/Wall	191
RUBEN 30W	20088/05	Ceiling/Wall	191
RUBICON 10W	19694/51	Exterior/Security	151
RUBICON 20W	19695/51	Exterior/Security	151
SARICO-II LARGE STAINLESS STEEL	18194/16	Bathroom	100
SARICO-II LARGE WHITE	18194/05	Bathroom	100
SARICO-II SMALL STAINLESS STEEL	18193/16	Bathroom	100
SARICO-II SMALL WHITE	18193/05	Bathroom	100
SAXON ANTIQUE BRASS	18932/22	Pendants	285
SAXON BLACK PEWTER	18932/06	Pendants	285
SAXON COPPER	18932/18	Pendants	285
SAXON PEWTER	18932/13	Pendants	285
SENSA-FLOW 18W	19934/05	Bathroom	103
SOLARIS WHITE	19892/05	Emergency	52
SOLEI	18362/06	Exterior/Security	133
SOMERSET	19925/51	Exterior/Security	175
SPARTAN WHITE	19890/05	Emergency	53

PRODUCT NAME	MODEL	CATEGORY	PAGE
SPECTRUM WHITE	19673/05	Smart Innovation	7, 204
SPHERE	81000/13	Ceiling/Wall	199
SPIRAL CFL ANTI-INSECT B22	19186	Globes	240
SPIRAL CFL ANTI-INSECT E27	19185	Globes	240
SPIRAL CFL BLACKLIGHT B22	19184	Globes	241
SPIRAL CFL BLACKLIGHT E27	19183	Globes	241
SPIRELET 1LIGHT	17950/13	Ceiling/Wall	195
SPUR 300MM	100407/13	Ceiling/Wall	196
SPUR 400MM	100408/13	Ceiling/Wall	196
STARGLOW A60 B22	18621	Globes	235
STARGLOW A60 E27	18622	Globes	235
STARGLOW G95 B22	18623	Globes	235
STARGLOW G95 E27	18563	Globes	235
STARGLOW PEAR B22	18625	Globes	235
STARGLOW ST57 E27	18626	Globes	235
STEALTH +SENSOR 20W	19493/06	Exterior/Security	129
STEALTH +SENSOR 30W	19495/06	Exterior/Security	129
STEALTH +SENSOR 50W	19497/06	Exterior/Security	129
STEALTH 100W	19491/06	Exterior/Security	129
STEALTH 10W	19484/06	Exterior/Security	129
STEALTH 20W	19485/06	Exterior/Security	129
STEALTH 30W	19487/06	Exterior/Security	129
STEALTH 50W	19489/06	Exterior/Security	129
STEALTH RGB 30W	19499/06	Exterior/Security	12
STELLAR BATTEN GREY	19998/08	Commercial	23
STELLAR EMERGENCY GREY	19992/08	Emergency	49
STILETTO	73120/06	Exterior/Security	172
STRIDE ROUND	17846/05	Downlights	218
STRIDE ROUND DIMMABLE	19058/05	Downlights	218
STRIDE SQUARE DIMMABLE	19057/05	Downlights	218
STYX	19690/06	Exterior/Security	149
SUPERNOVA 2-LIGHT SILVER	18271/11	Bathroom	92
SUPERNOVA 2-LIGHT WHITE	18271/05	Bathroom	92
SUPERNOVA 4-LIGHT SILVER	18273/11	Bathroom	92
SUPERNOVA 4-LIGHT WHITE	18273/05	Bathroom	92
SURFACE MOUNT DOWNLIGHT	18572/05	Downlights	215
SYPHON 1LIGHT BLACK	18671/06	Pendants	283
SYPHON 1LIGHT WHITE	18671/05	Pendants	283

PRODUCT NAME	MODEL	CATEGORY	PAGE
SYPHON 3LIGHT BLACK	18989/06	Pendants	284
SYPHON 3LIGHT WHITE	18989/05	Pendants	284
SYPHON TABLE BLACK	18985/06	Table/Floor	272
SYPHON TABLE WHITE	18985/05	Table/Floor	272
T5 BARE BATTEN 1X14W	18891	Commercial	27
T5 BARE BATTEN 2X14W	18889	Commercial	27
T5 FLUORO 14W	18852	Globes	257
T5 FLUORO 28W	18853	Globes	257
T5 WEATHERPROOF 1X14W	18819	Commercial	26
T5 WEATHERPROOF 1X28W	18821	Commercial	26
T5 WEATHERPROOF 2X14W	18820	Commercial	26
T5 WEATHERPROOF 2X28W	18822	Commercial	26
T8 LED 18W 4200K	18533	Globes	30, 256
T8 LED 18W 6500K	18534	Globes	30, 256
T8 LED 9W 6500K	19273	Globes	256
TALON LARGE STAINLESS STEEL	18190/16	Bathroom	101
TALON LARGE WHITE	18190/05	Bathroom	101
TALON SMALL STAINLESS STEEL	18255/16	Bathroom	101
TALON SMALL WHITE	18255/05	Bathroom	101
TECHNOLED B22	18634/05	Globes	10
TECHNOLED E27	18633/05	Globes	10
TECHNO-SCAN	20049/05	Exterior/Security	119
TEMPEST ALUM DC +LIGHT BRUSHED ALUMINIUM	19717/26	Fans	60
TEMPEST ALUM DC +LIGHT WHITE	19717/05	Fans	60
TEMPEST ALUM DC BRUSHED ALUMINIUM	19715/26	Fans	60
TEMPEST ALUM DC WHITE	19715/05	Fans	60
TEMPEST BLACK	99983/06	Fans	57
TEMPEST BRUSHED ALUMINIUM	99983/13	Fans	57
TEMPEST DC +LIGHT BRUSHED ALUMINIUM	19573/26	Fans	56
TEMPEST DC +LIGHT WHITE	19573/05	Fans	56
TEMPEST DC BRUSHED ALUMINIUM	19571/26	Fans	56
TEMPEST DC WHITE	19571/05	Fans	56
TEMPEST LED 3000K BRUSHED ALUMINIUM	19376/13	Fans	57
TEMPEST LED 3000K WHITE	19376/05	Fans	57
TEMPEST LED 4200K BRUSHED ALUMINIUM	17899/13	Fans	57
TEMPEST LED 4200K WHITE	17899/05	Fans	57
TEMPEST OIL-RUBBED BRONZE	99983/14	Fans	57
TEMPEST WHITE	99983/05	Fans	57

PRODUCT NAME	MODEL	CATEGORY	PAGE
TEMPEST WHITE	99983/05	Fans	57
TEMPEST-II BLACK	99988/06	Fans	57
TEMPEST-II BRUSHED ALUMINIUM	99988/13	Fans	57
TEMPEST-II OIL-RUBBED BRONZE	99988/14	Fans	57
TEMPEST-II WHITE	99988/05	Fans	57
TEMPO ANTIQUE BRASS	100010/22	Fans	59
TEMPO BRUSHED CHROME	100010/13	Fans	59
TEMPO DC +LIGHT WHITE	20001/05	Fans	58
TEMPO DC WHITE	19999/05	Fans	58
TEMPO WHITE	100010/05	Fans	59
TEMPO-II ANTIQUE BRASS	100012/22	Fans	59
TEMPO-II BRUSHED CHROME	100012/13	Fans	59
TEMPO-II WHITE	100012/05	Fans	59
TERCEL WHITE	18192/05	Bathroom	96
THREE-SIXTY	18062/05	Exterior/Security	116
TORNADO LARGE WHITE	19912/05	Bathroom	99
TORNADO SMALL WHITE	19911/05	Bathroom	99
TRACK 1M BLACK	19274/06	Spots/Track	262
TRACK 1M WHITE	19274/05	Spots/Track	262
TRACK DEADEND BLACK	18851/06	Spots/Track	262
TRACK DEADEND WHITE	18851/05	Spots/Track	262
TRACK LH CORNER BLACK	18848/06	Spots/Track	262
TRACK LH CORNER WHITE	18848/05	Spots/Track	262
TRACK LH-T BLACK	18849/06	Spots/Track	262
TRACK LH-T WHITE	18849/05	Spots/Track	262
TRACK LIVE END BLACK	18850/06	Spots/Track	262
TRACK LIVE END WHITE	18850/05	Spots/Track	262
TRACK RH CORNER BLACK	19080/06	Spots/Track	262
TRACK RH CORNER WHITE	19080/05	Spots/Track	262
TRACK RH-T BLACK	19081/06	Spots/Track	262
TRACK RH-T WHITE	19081/05	Spots/Track	262
TRACK STRAIGHT BLACK	18847/06	Spots/Track	262
TRACK STRAIGHT WHITE	18847/05	Spots/Track	262
TRADEMATE 12W 3000K BRUSHED NICKEL	18788/13	Downlights	220
TRADEMATE 12W 3000K WHITE	18788/05	Downlights	220
TRADEMATE 12W 4200K BRUSHED NICKEL	18789/13	Downlights	220
TRADEMATE 12W 4200K WHITE	18789/05	Downlights	220
TRADEMATE 8W 3000K WHITE	19046/05	Downlights	220

## INDEX BY PRODUCT

PRODUCT NAME	MODEL	CATEGORY	PAGE
TRADEMATE 8W 4200K WHITE	19047/05	Downlights	220
TRANSFORMER 105VA	60500	Exterior/Security	182
TRANSFORMER 150VA	60501	Exterior/Security	182
TRANSFORMER 200VA	60503	Exterior/Security	182
TRANSFORMER 300VA	60505	Exterior/Security	182
TRANSFORMER 400VA	60507	Exterior/Security	182
TRANSFORMER 500VA	60509	Exterior/Security	182
TRANSFORMER GARDEN 30VA	17913	Exterior/Security	183
TRANSFORMER GARDEN 60VA	17914	Exterior/Security	183
TRANSFORMER OUTDOOR 24W	19915/06	Exterior/Security	181
TRANSFORMER OUTDOOR 36W	19916/06	Exterior/Security	181
TRANSFORMER OUTDOOR 60W	19917/06	Exterior/Security	181
TRIDENT	18442/14	Exterior/Security	125
TULIP CHROME	100029/15	Pendants	280
TULIP WHITE	100399/05	Pendants	280
TURBINE WHITE	19951/05	Bathroom	110
UMBRA 3000K ANODISED ALUMINIUM	17835/20	Downlights	210
UMBRA 3000K BRUSHED NICKEL	17835/13	Downlights	210
UMBRA 3000K WHITE	17835/05	Downlights	210
UMBRA 4200K WHITE	17837/05	Downlights	210
UNI-SCAN BLACK	18060/06	Exterior/Security	115
UNI-SCAN WHITE	18060/05	Exterior/Security	115
UNIVERSAL	00102/05	Ceiling/Wall	197
VELOCITY 2-LIGHT WHITE	99955/05	Bathroom	94
VELOCITY 4-LIGHT WHITE	99956/05	Bathroom	94
VENETO 2-LIGHT SILVER	99980/13	Bathroom	95
VENETO 2-LIGHT WHITE	99980/05	Bathroom	95
VENT CIRCULAR 100MM	19941/05	Bathroom	108
VENT CIRCULAR 150MM	19942/05	Bathroom	108
VENT LOUVERED 100MM	19945/05	Bathroom	106
VENT LOUVERED 150MM	19946/05	Bathroom	106
VENT SELF-CLOSING 100MM	19947/05	Bathroom	107
VENT SELF-CLOSING 150MM	19948/05	Bathroom	107
VERNIER-II	19675/51	Exterior/Security	146
VERSA-SCAN BEIGE	20046/09	Exterior/Security	121
VERSA-SCAN GREY	20046/08	Exterior/Security	121
VILLA BEIGE	17911/09	Exterior/Security	164
VILLA BLACK	17911/06	Exterior/Security	164

PRODUCT NAME	MODEL	CATEGORY	PAGE
VIPER +SENSOR BLACK	19634/06	Exterior/Security	131
VIPER +SENSOR SATIN NICKEL	19634/13	Exterior/Security	131
VIPER BLACK	19632/06	Exterior/Security	131
VIPER SATIN NICKEL	19632/13	Exterior/Security	131
VISION LED ADJUSTABLE ANODISED ALUMINIUM	17875/20	Exterior/Security	138
VISION LED ADJUSTABLE BLACK	17875/06	Exterior/Security	138
VISION LED TWIN ANODISED ALUMINIUM	19407/20	Exterior/Security	138
VISION LED UP/DOWN ANODISED ALUMINIUM	17871/20	Exterior/Security	138
VISION LED UP/DOWN BLACK	17871/06	Exterior/Security	138
VISION LED UP/DOWN STAINLESS STEEL 316	17871/16	Exterior/Security	138
VISION SPIKE	60600/16	Exterior/Security	170
VISTA-II SPIKE ANODISED ALUMINIUM	60100/20A	Exterior/Security	171
VISTA-II SPIKE BLACK	60100/06A	Exterior/Security	171
VISTA-II SPIKE STAINLESS STEEL 316	60100/16A	Exterior/Security	171
VITA	19924/51	Exterior/Security	179
VOGUE DIY	25150/13	Spots/Track	264
VORTEX-3 52"	100538/16	Fans	74
VORTEX-4 48"	100537/16	Fans	74
VORTEX-4 52"	100536/16	Fans	74
VORTEX-4 56"	100539/16	Fans	74
WAVE BLACK	19533/06	Smart Innovation	11, 275
WAVE WHITE	19533/05	Smart Innovation	11, 275
WHISPER DUCT LARGE	18208	Bathroom	102
WHISPER DUCT SMALL	18207	Bathroom	102
WHISPER LARGE WHITE	18204/05	Bathroom	102
WHISPER SMALL WHITE	18203/05	Bathroom	102
WING MAHOGANY	19677/62	Fans	70
WING WHITE	19677/05	Fans	70



## INDEX BY MODEL NO.

MODEL	PRODUCT NAME	CATEGORY	PAGE
00101/05	ALENA	Ceiling/Wall	198
00102/05	UNIVERSAL	Ceiling/Wall	197
100010/05	TEMPO WHITE	Fans	59
100010/13	TEMPO BRUSHED CHROME	Fans	59
100010/22	TEMPO ANTIQUE BRASS	Fans	59
100012/05	TEMPO-II WHITE	Fans	59
100012/13	TEMPO-II BRUSHED CHROME	Fans	59
100012/22	TEMPO-II ANTIQUE BRASS	Fans	59
100029/15	TULIP CHROME	Pendants	280
100399/05	TULIP WHITE	Pendants	280
100407/13	SPUR 300MM	Ceiling/Wall	196
100408/13	SPUR 400MM	Ceiling/Wall	196
100421/05	ENVIRO T5	Commercial	25
100536/16	VORTEX-4 52"	Fans	74
100537/16	VORTEX-4 48"	Fans	74
100538/16	VORTEX-3 52"	Fans	74
100539/16	VORTEX-4 56"	Fans	74
100545/05	BRIGHTON WHITE	Fans	62
100545/13	BRIGHTON BRUSHED STEEL	Fans	62
100550/05	ROD/LOOM 21MMX 900MM GLOSS WHITE	Fans	79
100550/06	ROD/LOOM 21MMX900MM BLACK	Fans	79
100550/13	ROD/LOOM 21MMX900MM SATIN NICKEL	Fans	79
100550/20	ROD/LOOM 21MMX900MM BRUSHED ALUMINIUM	Fans	79
100666/16	ROD/LOOM 21MMX900MM STAINLESS STEEL 316	Fans	79
17353/05	ILLUMINA 11W 4000K	Downlights	216
17354/05	ILLUMINA 13W 4000K	Downlights	216
17355/05	CANDELLA 15W 3000K	Downlights	217
17356/05	CANDELLA 15W 4200K	Downlights	217
17450/05	HARDY FULL WHITE	Exterior/Security	152
17450/06	HARDY FULL BLACK	Exterior/Security	152
17450/08	HARDY FULL GREY	Exterior/Security	152
17529/06	DENVER-II UP/DOWN BLACK	Exterior/Security	135
17529/16	DENVER-II UP/DOWN STAINLESS STEEL 304	Exterior/Security	135
17529/18	DENVER-II UP/DOWN COPPER 304	Exterior/Security	135
17530/06	DENVER-II ADJUSTABLE BLACK	Exterior/Security	135
17530/16	DENVER-II ADJUSTABLE STAINLESS STEEL 304	Exterior/Security	135
17530/18	DENVER-II ADJUSTABLE S COPPER 304	Exterior/Security	135
17531/06	DENVER-II 2LIGHT BLACK	Exterior/Security	136

MODEL	PRODUCT NAME	CATEGORY	PAGE
17531/16	DENVER-II 2LIGHT STAINLESS STEEL 304	Exterior/Security	136
17532/06	DENVER-II 3LIGHT BLACK	Exterior/Security	136
17532/16	DENVER-II 3LIGHT STAINLESS STEEL 304	Exterior/Security	136
17558/01	LED STRIP MODULAR 3000K	Downlights	228
17559/01	LED STRIP MODULAR 4200K	Downlights	228
17621/05	DOWNLIGHT FIXED +CAN&FLEX WHITE	Downlights	222
17621/13	DOWNLIGHT FIXED +CAN&FLEX SATIN NICKEL	Downlights	222
17622/05	DOWNLIGHT GIMBAL +CAN&FLEX SATIN NICKEL	Downlights	222
17622/13	DOWNLIGHT GIMBAL +CAN&FLEX WHITE	Downlights	222
17623/05	DOWNLIGHT FIXED +CAN WHITE	Downlights	221
17623/13	DOWNLIGHT FIXED +CAN SATIN NICKEL	Downlights	221
17624/05	DOWNLIGHT GIMBAL +CAN WHITE	Downlights	221
17624/13	DOWNLIGHT GIMBAL +CAN SATIN NICKEL	Downlights	221
17633/26	HAUS	Downlights	224
17634/26	REISS	Downlights	225
17678/05	ILLUMINA 8W 3000K	Downlights	216
17679/05	ILLUMINA 8W 4000K	Downlights	216
17680/05	CANDELLA 11W 3000K	Downlights	217
17681/05	CANDELLA 11W 4200K	Downlights	217
17716/05	ILLUMINA 11W 3000K	Downlights	216
17717/05	ILLUMINA 13W 3000K	Downlights	216
17798/05	LUXOR ROUND GIMBAL 3000K WHITE	Downlights	212
17801/05	LUXOR ROUND GIMBAL 4000K WHITE	Downlights	212
17801/13	LUXOR ROUND GIMBAL 4000K BRUSHED NICKEL	Downlights	212
17835/05	UMBRA 3000K WHITE	Downlights	210
17835/13	UMBRA 3000K BRUSHED NICKEL	Downlights	210
17835/20	UMBRA 3000K ANODISED ALUMINIUM	Downlights	210
17837/05	UMBRA 4200K WHITE	Downlights	210
17841/05	CORDIA 12W 4200K	Ceiling/Wall	189
17842/05	CORDIA 18W 4200K	Ceiling/Wall	189
17843/05	CORDIA 24W 4200K	Ceiling/Wall	189
17846/05	STRIDE ROUND	Downlights	218
17857/01	PORTALAMP 10W RED	Commercial	34
17871/06	VISION LED UP/DOWN BLACK	Exterior/Security	138
17871/16	VISION LED UP/DOWN STAINLESS STEEL 316	Exterior/Security	138
17871/20	VISION LED UP/DOWN ANODISED ALUMINIUM	Exterior/Security	138
17875/06	VISION LED ADJUSTABLE BLACK	Exterior/Security	138
17875/20	VISION LED ADJUSTABLE ANODISED ALUMINIUM	Exterior/Security	138

MODEL	PRODUCT NAME	CATEGORY	PAGE
17879	LED STRIP 5M 3000K	Downlights	229
17880	LED STRIP 5M 4200K	Downlights	229
17886/05	DOWNLIGHT FIXED WHITE	Downlights	223
17886/13	DOWNLIGHT FIXED BRUSHED NICKEL	Downlights	
17887/05	DOWNLIGHT GIMBAL WHITE	Downlights	223
17887/13	DOWNLIGHT GIMBAL BRUSHED NICKEL	Downlights	223
17899/05	TEMPEST LED 4200K WHITE	Fans	57
17899/13	TEMPEST LED 4200K BRUSHED ALUMINIUM	Fans	57
17911/06	VILLA BLACK	Exterior/Security	164
17911/09	VILLA BEIGE	Exterior/Security	164
17913	TRANSFORMER GARDEN 30VA	Exterior/Security	183
17914	TRANSFORMER GARDEN 60VA	Exterior/Security	183
17924	ANTIQUE STYLE A60 B22	Globes	236
17925	ANTIQUE STYLE ST18 B22	Globes	236
17926	ANTIQUE STYLE G94 B22	Globes	236
17927	ANTIQUE STYLE G125 B22	Globes	236
17929	ANTIQUE STYLE A60 E27	Globes	236
17930	ANTIQUE STYLE ST18 E27	Globes	236
17931	ANTIQUE STYLE G94 E27	Globes	236
17932	ANTIQUE STYLE G125 E27	Globes	236
17933	ANTIQUE STYLE T9 E27	Globes	236
17937/06	ASTRAGAL BLACK	Exterior/Security	165
17937/09	ASTRAGAL BEIGE	Exterior/Security	165
17942/16	ENTASIS STAINLESS STEEL 304	Exterior/Security	157
17942/51	ENTASIS CHARCOAL	Exterior/Security	157
17943/16	DORMON STAINLESS TEEL	Exterior/Security	156
17943/51	DORMON CHARCOAL	Exterior/Security	156
17950/13	SPIRELET 1LIGHT	Ceiling/Wall	195
17952/11	PRAIRIE SILVER	Exterior/Security	143
17952/51	PRAIRIE CHARCOAL	Exterior/Security	143
17956/20	CHATRI	Exterior/Security	160
17975/05	MAJESTIC 4-LIGHT WHITE	Bathroom	93
17975/11	MAJESTIC 4-LIGHT SILVER	Bathroom	93
17976/05	MAJESTIC 2-LIGHT WHITE	Bathroom	93
17976/11	MAJESTIC 2-LIGHT SILVER	Bathroom	93
17997/05	GALAXY WHITE	Fans	65
17997/11	GALAXY SILVER	Fans	65
17997/13	GALAXY SATIN NICKEL	Fans	65

MODEL	PRODUCT NAME	CATEGORY	PAGE
17997/14	GALAXY OIL-RUBBED BRONZE	Fans	65
18017/13	LUXOR SQUARE GIMBAL 3000 BRUSHED NICKEL	Downlights	212
18018/05	LUXOR SQUARE GIMBAL 4200 WHITE	Downlights	212
18021/05	LUXOR ROUND FIX 3000K WHITE	Downlights	211
18021/13	LUXOR ROUND FIX 3000K BRUSHED NICKEL	Downlights	211
18021/20	LUXOR ROUND FIX 3000K ANODISED ALUMINIUM	Downlights	211
18023/05	LUXOR ROUND FIX 4200K WHITE	Downlights	211
18023/13	LUXOR ROUND FIX 4200K BRUSHED NICKEL	Downlights	211
18023/16	LUXOR ROUND FIX 4000K STAINLESS STEEL 316	Downlights	211
18023/20	LUXOR ROUND FIX 4200K ANODISED ALUMINIUM	Downlights	211
18030/16	LETO	Exterior/Security	142
18039/16	LANCET RECT OPEN	Exterior/Security	159
18040/16	LANCET CURVE GRILL	Exterior/Security	159
18041/16	LANCET CURVE OPEN	Exterior/Security	159
18043/16	FINIAL BOLLARD	Exterior/Security	141
18044/16	FINIAL WALL	Exterior/Security	141
18045/16	CAVETTO	Exterior/Security	169
18047/16	EUPRATES UP/DOWN	Exterior/Security	140
18048/51	EAVE EDGED	Exterior/Security	158
18049/51	EAVE OPEN	Exterior/Security	158
18055/16	CAIRNS NARROW SLOTTED	Exterior/Security	161
18056/16	CAIRNS NARROW FULL	Exterior/Security	161
18060/05	UNI-SCAN WHITE	Exterior/Security	115
18060/06	UNI-SCAN BLACK	Exterior/Security	115
18062/05	THREE-SIXTY	Exterior/Security	116
18063/05	EYE 360	Exterior/Security	117
18072/15	CASSIE	Ceiling/Wall	201
18077	CIGAR HALOGEN E27	Globes	239
18079	PEAR HALOGEN E27	Globes	239
18121/05	MAX ROUND WHITE	Pendants	290
18121/06	MAX ROUND BLACK	Pendants	290
18127/07	LISKA 200MM	Pendants	281
18128/07	LISKA 250MM	Pendants	281
18129/05	MAX STRAIGHT WHITE	Pendants	290
18129/06	MAX STRAIGHT BLACK	Pendants	290
18190/05	TALON LARGE WHITE	Bathroom	101
18190/16	TALON LARGE STAINLESS STEEL	Bathroom	101
18192/05	TERCEL WHITE	Bathroom	96

## INDEX BY MODEL NO.

MODEL	PRODUCT NAME	CATEGORY	PAGE
18193/05	SARICO-II SMALL WHITE	Bathroom	100
18193/16	SARICO-II SMALL STAINLESS STEEL	Bathroom	100
18194/05	SARICO-II LARGE WHITE	Bathroom	100
18194/16	SARICO-II LARGE STAINLESS STEEL	Bathroom	100
18203/05	WHISPER SMALL WHITE	Bathroom	102
18204/05	WHISPER LARGE WHITE	Bathroom	102
18207	WHISPER DUCT SMALL	Bathroom	102
18208	WHISPER DUCT LARGE	Bathroom	102
18240/05	ROD/LOOM 21MMX900MM MATT WHITE	Fans	79
18240/11	ROD/LOOM 21MMX900MM MATT SILVER	Fans	79
18240/13	ROD/LOOM 21MMX900MM SATIN NICKEL	Fans	79
18240/14	ROD/LOOM 21MMX900MM OIL-RUB BRONZE	Fans	79
18247/05	BOREAL SMALL WHITE	Bathroom	97
18247/16	BOREAL SMALL STAINLESS STEEL	Bathroom	97
18249/05	BOREAL LARGE WHITE	Bathroom	97
18249/16	BOREAL LARGE STAINLESS STEEL	Bathroom	97
18255/05	TALON SMALL WHITE	Bathroom	101
18255/16	TALON SMALL STAINLESS STEEL	Bathroom	101
18270/05	ANDROMEDA WHITE	Bathroom	90
18271/05	SUPERNOVA 2-LIGHT WHITE	Bathroom	92
18271/11	SUPERNOVA 2-LIGHT SILVER	Bathroom	92
18273/05	SUPERNOVA 4-LIGHT WHITE	Bathroom	92
18273/11	SUPERNOVA 4-LIGHT SILVER	Bathroom	92
18354/06	FOXY	Exterior/Security	128
18362/06	SOLEI	Exterior/Security	133
18382/02	FLIPFLOOD	Commercial	35
18442/14	TRIDENT	Exterior/Security	125
18486	PAR38 LED 13W 4000K E27	Globes	253
18516/05	AVIATOR WHITE	Fans	68
18516/14	AVIATOR OIL-RUBBED BRONZE	Fans	68
18517/05	LATITUDE	Fans	72
18533	T8 LED 18W 4200K	Globes	30, 256
18534	T8 LED 18W 6500K	Globes	30, 256
18541	FAHRENHEIT 1800W	Commercial	32
18542	FAHRENHEIT 2400W	Commercial	32
18545	CANDLE LED E14 NON-DIM	Globes	244
18546	CANDLE LED B22 NON-DIM	Globes	244
18547	CANDLE LEDE27 NON-DIM	Globes	244

MODEL	PRODUCT NAME	CATEGORY	PAGE
18549	FANCY ROUND LED E14 NON-DIM	Globes	245
18550	FANCY ROUND LED E27 NON-DIM	Globes	245
18551	FANCY ROUND LED B22 NON-DIM	Globes	245
18552	G9 LED TWINPACK	Globes	251
18561	HELIX CFL	Globes	238
18562/06	FLEXISCAN BLACK	Exterior/Security	114
18562/09	FLEXISCAN BEIGE	Exterior/Security	114
18563	STARGLOW G95 E27	Globes	235
18572/05	SURFACE MOUNT DOWNLIGHT	Downlights	215
18588	MR16 LED 6W 3000K ADJUSTABLE	Globes	249
18589	MR16 LED 6W 4200K ADJUSTABLE	Globes	249
18590	GU10 LED 6W 3000K ADJUSTABLE	Globes	249
18596	MR16 LED 5W 3000K NON-DIM	Globes	247
18597	MR16 LED 5W 4200K NON-DIM	Globes	247
18598	MR16 LED 6W 3000K NON-DIM	Globes	248
18599	MR16 LED 6W 4200K NON-DIM	Globes	248
18602	GU10 LED 5W 4200K NON-DIM	Globes	247
18603	GU10 LED 6W 3000K NON-DIM	Globes	248
18612	MOONBEAM A60 B22	Globes	234
18614	MOONBEAM A60 E27	Globes	234
18616	MOONBEAM CANDLE E14	Globes	234
18618	MOONBEAM G125 E27	Globes	234
18620	MOONBEAM EDISON E27	Globes	234
18621	STARGLOW A60 B22	Globes	235
18622	STARGLOW A60 E27	Globes	235
18623	STARGLOW G95 B22	Globes	235
18625	STARGLOW PEAR B22	Globes	235
18626	STARGLOW ST57 E27	Globes	235
18627/05	ROD/LOOM 26MMX900MM WHITE	Fans	79
18627/11	ROD/LOOM 26MMX900MM SILVER	Fans	79
18627/14	ROD/LOOM 26MMX900MM OIL-RUB BRONZE	Fans	79
18628/13	ROD/LOOM 26MMX900MM SATIN NICKEL	Fans	79
18629/13	ROD/LOOM 26MMX1800MM SATIN NICKEL	Fans	79
18632/05	ROD/LOOM 21MMX900MM GLOSS WHITE	Fans	79
18633/05	TECHNOLED E27	Globes	10
18634/05	TECHNOLED B22	Globes	10
18645/05	HELLIX WHITE	Pendants	286
18645/06	HELLIX BLACK	Pendants	286

MODEL	PRODUCT NAME	CATEGORY	PAGE
18645/18	HELIX COPPER	Pendants	286
18653/07	LISSER CLEAR	Pendants	282
18653/67	LISSER SMOKE	Pendants	282
18671/05	SYPHON 1LIGHT WHITE	Pendants	283
18671/06	SYPHON 1LIGHT BLACK	Pendants	283
18674/08	IMOGEN	Pendants	279
18675/05	FINN SMALL WHITE	Pendants	289
18675/06	FINN SMALL BLACK	Pendants	289
18677/05	FINN LARGE WHITE	Pendants	289
18677/06	FINN LARGE BLACK	Pendants	289
18742/11	JEAN-II 18W	Bathroom	89
18743/11	JEAN-II 12W	Bathroom	89
18746/11	GRETA-II 12W	Bathroom	88
18747/11	GRETA-II 18W	Bathroom	88
18769/05	ROD/LOOM 26MMX1800MM SILVER	Fans	79
18769/11	ROD/LOOM 26MMX1800MM WHITE	Fans	79
18769/14	ROD/LOOM 26MMX1800MM OIL-RUB BRONZE	Fans	79
18782	HEAT LAMP R125 E27	Globes	255
18788/05	TRADEMATE 12W 3000K WHITE	Downlights	220
18788/13	TRADEMATE 12W 3000K BRUSHED NICKEL	Downlights	220
18789/05	TRADEMATE 12W 4200K WHITE	Downlights	220
18789/13	TRADEMATE 12W 4200K BRUSHED NICKEL'	Downlights	220
18819	T5 WEATHERPROOF 1X14W	Commercial	26
18820	T5 WEATHERPROOF 2X14W	Commercial	26
18821	T5 WEATHERPROOF 1X28W	Commercial	26
18822	T5 WEATHERPROOF 2X28W	Commercial	26
18828/05	DIMMER PUSH BUTTON	Downlights	227
18829/05	DIMMER ROTARY	Downlights	227
18847/05	TRACK STRAIGHT WHITE	Spots/Track	262
18847/06	TRACK STRAIGHT BLACK	Spots/Track	262
18848/05	TRACK LH CORNER WHITE	Spots/Track	262
18848/06	TRACK LH CORNER BLACK	Spots/Track	262
18849/05	TRACK LH-T WHITE	Spots/Track	262
18849/06	TRACK LH-T BLACK	Spots/Track	262
18850/05	TRACK LIVE END WHITE	Spots/Track	262
18850/06	TRACK LIVE END BLACK	Spots/Track	262
18851/05	TRACK DEADEND WHITE	Spots/Track	262
18851/06	TRACK DEADEND BLACK	Spots/Track	262

MODEL	PRODUCT NAME	CATEGORY	PAGE
18852	T5 FLUORO 14W	Globes	257
18853	T5 FLUORO 28W	Globes	257
18862	G4 LED TWINPACK	Globes	251
18878/13	POWERBOARD SATIN NICKEL	Commercial	31
18879	CANDLE LED B15 NON-DIM	Globes	244
18880	FANCY ROUND LED B15 NON-DIM	Globes	245
18889	T5 BARE BATTEN 2X14W	Commercial	27
18891	T5 BARE BATTEN 1X14W	Commercial	27
18906	MR16 LED 7W 3000K DIM	Globes	250
18912/15	ERROL 12W	Bathroom	87
18914/11	LIZ 10W	Bathroom	85
18915/11	LIZ 18W	Bathroom	85
18917/15	HEPBURN 12W	Bathroom	84
18919/15	OLIVIA 12W	Bathroom	86
18932/06	SAXON BLACK PEWTER	Pendants	285
18932/13	SAXON PEWTER	Pendants	285
18932/18	SAXON COPPER	Pendants	285
18932/22	SAXON ANTIQUE BRASS	Pendants	285
18936/05	CONCORDE WHITE	Fans	66
18936/06	CONCORDE MATT BLACK	Fans	66
18936/11	CONCORDE SILVER	Fans	66
18936/62	CONCORDE BLACK/ MAHOGANY	Fans	66
18936/65	CONCORDE BLACK/MAPLE	Fans	66
18947/05	CARDIN WHITE	Pendants	288
18947/06	CARDIN BLACK	Pendants	288
18969/06	DOUGLAS TABLE MATT BLACK	Table/Floor	274
18969/18	DOUGLAS TABLE COPPER	Table/Floor	274
18969/45	DOUGLAS TABLE GOLD	Table/Floor	274
18972/06	DOUGLAS FLOOR MATT BLACK	Table/Floor	274
18972/18	DOUGLAS FLOOR COPPER	Table/Floor	274
18972/45	DOUGLAS FLOOR GOLD	Table/Floor	274
18978/62	POTTER	Table/Floor	268
18979/06	JACOBSEN	Table/Floor	270
18980/07	COPENHAGEN	Table/Floor	269
18985/05	SYPHON TABLE WHITE	Table/Floor	272
18985/06	SYPHON TABLE BLACK	Table/Floor	272
18989/05	SYPHON 3LIGHT WHITE	Pendants	284
18989/06	SYPHON 3LIGHT BLACK	Pendants	284

## INDEX BY MODEL NO.

MODEL	PRODUCT NAME	CATEGORY	PAGE
18991/06	KYOTO TABLE	Table/Floor	271
18992/06	KYOTO FLOOR	Table/Floor	271
18993/06	CHIME CHROME/BLACK	Pendants	287
18993/18	CHIME CHROME/COPPER	Pendants	287
18993/45	CHIME CHROME/GOLD	Pendants	287
19046/05	TRADEMATE 8W 3000K WHITE	Downlights	220
19047/05	TRADEMATE 8W 4200K WHITE	Downlights	220
19057/05	STRIDE SQUARE DIMMABLE	Downlights	218
19058/05	STRIDE ROUND DIMMABLE	Downlights	218
19069/05	LED PANEL + ACC 40W 4200K	Commercial	19
19070/05	LED PANEL + ACC 40W 6500K	Commercial	19
19080/05	TRACK RH CORNER WHITE	Spots/Track	262
19080/06	TRACK RH CORNER BLACK	Spots/Track	262
19081/05	TRACK RH-T WHITE	Spots/Track	262
19081/06	TRACK RH-T BLACK	Spots/Track	262
19099	A60 HALOGEN 28W FROM B22	Globes	246
19100	A60 HALOGEN 28W CLEAR E27	Globes	246
19101	A60 HALOGEN 28W FROST E27	Globes	246
19102	A60 HALOGEN 42W FROST B22	Globes	246
19104	A60 HALOGEN 42W FROST E27	Globes	246
19107	A60 HALOGEN 42W CLEAR B22	Globes	246
19108	A60 HALOGEN 42W CLEAR E27	Globes	246
19109	A60 HALOGEN 53W FROST B22	Globes	246
19110	A60 HALOGEN 53W FROST E27	Globes	246
19111	A60 HALOGEN 70W FROST B22	Globes	246
19116	A60 HALOGEN 70W FROST E27	Globes	246
19117	FANCY ROUND HALOGEN 28W FROST E27	Globes	246
19118	FANCY ROUND HALOGEN 28W CLEAR E27	Globes	246
19119	FANCY ROUND HALOGEN 28W FROST E14	Globes	246
19120	CANDLE HALOGEN 28W CLEAR E14	Globes	246
19123	CANDLE HALOGEN 28W FROST E27	Globes	246
19124	CANDLE HALOGEN 28W FROST E14	Globes	246
19129/05	MINI-TRIM 11W 3000K	Downlights	205
19130/05	MINI-TRIM 11W 4000K	Downlights	205
19132/05	MINI-TRIM 13W 3000K	Downlights	205
19133/05	MINI-TRIM 13W 4000K	Downlights	205
19134/06	AVENGER 100W	Exterior/Security	126
19135/06	AVENGER 200W	Exterior/Security	126

MODEL	PRODUCT NAME	CATEGORY	PAGE
19137	GU10 LED 5W 3000K DIM	Globes	250
19138	GU10 LED 5W 4000K DIM	Globes	250
19139	GU10 LED 7W 3000K DIM	Globes	250
19140	GU10 LED 7W 4000K DIM	Globes	250
19183	SPIRAL CFL BLACKLIGHT E27	Globes	241
19184	SPIRAL CFL BLACKLIGHT B22	Globes	241
19185	SPIRAL CFL ANTI-INSECT E27	Globes	240
19186	SPIRAL CFL ANTI-INSECT B22	Globes	240
19239/05	HUNTER-III 1LIGHT WHITE	Exterior/Security	130
19239/06	HUNTER-III 1LIGHT BLACK	Exterior/Security	130
19239/13	HUNTER-III 1LIGHT SATIN NICKEL	Exterior/Security	130
19242/05	HUNTER-III 2LIGHT WHITE	Exterior/Security	130
19242/06	HUNTER-III 2LIGHT BLACK	Exterior/Security	130
19242/13	HUNTER-III 2LIGHT SATIN NICKEL	Exterior/Security	130
19245/05	HUNTER-III 2LIGHT +SENSOR WHITE	Exterior/Security	130
19245/06	HUNTER-III 2LIGHT +SENSOR BLACK	Exterior/Security	130
19245/13	HUNTER-III 2LIGHT +SENSOR SATIN NICKEL	Exterior/Security	130
19250/05	LED PANEL 40W 4200K	Commercial	19
19251/05	LED PANEL 40W 6500K	Commercial	19
19252	MOTION SENSOR GLOBE B22	Globes	233
19253	MOTION SENSOR GLOBE E27	Globes	233
19273	T8 LED 9W 6500K	Globes	256
19274/05	TRACK 1M WHITE	Spots/Track	262
19274/06	TRACK 1M BLACK	Spots/Track	262
19276/05	GENESIS WHITE	Spots/Track	261
19276/06	GENESIS BLACK	Spots/Track	261
19284	ANTIQUE STYLE SPIRAL G95 B22	Globes	237
19285	ANTIQUE STYLE SPIRAL G125 B22	Globes	237
19286	ANTIQUE STYLE SPIRAL G95 E27	Globes	237
19287	ANTIQUE STYLE SPIRAL G125 E27	Globes	237
19303	MR16 LED 7W 4200K DIM	Globes	250
19307/06	RAYON	Exterior/Security	132
19309/05	CORDIA DIMMABLE 12W	Ceiling/Wall	188
19310/05	CORDIA DIMMABLE 18W	Ceiling/Wall	188
19314/05	CORDIA DIMMABLE 24W	Ceiling/Wall	188
19366/05	LED SLIMLINE BATTEN LINKABLE 18W	Commercial	21
19367/05	LED SLIMLINE BATTEN LINKABLE 36W	Commercial	21
19376/05	TEMPEST LED 3000K WHITE	Fans	57

MODEL	PRODUCT NAME	CATEGORY	PAGE
19376/13	TEMPEST LED 3000K BRUSHED ALUMINIUM	Fans	57
19396/16	DENVER-II TWIN STAINLESS STEEL 304	Exterior/Security	136
19397/16	DENVER-II TWIN +SENSOR STAINLESS STEEL 304	Exterior/Security	136
19399/16	DENVER-II 1LIGHT GARDEN	Exterior/Security	137
19400/16	DENVER-II 2LIGHT GARDEN	Exterior/Security	137
19401/16	DENVER-II ADJUSTABLE STAINLESS STEEL 316	Exterior/Security	135
19402/16	DENVER-II UP/DOWN STAINLESS STEEL 316	Exterior/Security	135
19403/16	DENVER-II 2LIGHT STAINLESS STEEL 316	Exterior/Security	136
19404/16	DENVER-II 3LIGHT STAINLESS STEEL 316	Exterior/Security	136
19407/20	VISION LED TWIN ANODISED ALUMINIUM	Exterior/Security	138
19408	PAR38 LED 10W 4200K E27	Globes	253
19409	R63 LED E27	Globes	254
19410	R80 LED E27	Globes	254
19484/06	STEALTH 10W	Exterior/Security	129
19485/06	STEALTH 20W	Exterior/Security	129
19487/06	STEALTH 30W	Exterior/Security	129
19489/06	STEALTH 50W	Exterior/Security	129
19491/06	STEALTH 100W	Exterior/Security	129
19493/06	STEALTH +SENSOR 20W	Exterior/Security	129
19495/06	STEALTH +SENSOR 30W	Exterior/Security	129
19497/06	STEALTH +SENSOR 50W	Exterior/Security	129
19499/06	STEALTH RGB 30W	Exterior/Security	12
19527/05	CORDIA 12W 3000K	Ceiling/Wall	189
19528/05	CORDIA 18W 3000K	Ceiling/Wall	189
19529/05	CORDIA 24W 3000K	Ceiling/Wall	189
19530	LED STRIP 10M 3000K	Downlights	229
19531	LED STRIP 10M 4200K	Downlights	229
19533/05	WAVE WHITE	Smart Innovation	11, 275
19533/06	WAVE BLACK	Smart Innovation	11, 275
19554/05	EQUATOR WHITE	Pendants	278
19554/06	EQUATOR BLACK	Pendants	278
19554/26	EQUATOR BRUSHED ALUMINIUM	Pendants	278
19571/05	TEMPEST DC WHITE	Fans	56
19571/26	TEMPEST DC BRUSHED ALUMINIUM	Fans	56
19573/05	TEMPEST DC +LIGHT WHITE	Fans	56
19573/26	TEMPEST DC +LIGHT BRUSHED ALUMINIUM	Fans	56
19575/06	FAN REMOTE BLUETOOTH	Fans	9, 81
19587/05	BAHAMA WHITE	Fans	63

MODEL	PRODUCT NAME	CATEGORY	PAGE
19587/06	BAHAMA BLACK	Fans	63
19587/37	BAHAMA WHITE/TIMBER	Fans	63
19587/51	BAHAMA CHARCOAL/TIMBER	Fans	63
19588/05	BAHAMA +LIGHT WHITE	Fans	63
19588/06	BAHAMA +LIGHT BLACK	Fans	63
19588/37	BAHAMA +LIGHT WHITE/TIMBER	Fans	63
19588/51	BAHAMA +LIGHT CHARCOAL/TIMBER	Fans	63
19590/05	DELTA 6-IN-1	Downlights	207
19591/05	ORION 8W 3000K	Downlights	206
19592/05	ORION 8W 4200K	Downlights	206
19593/05	ORION 8W 5000K	Downlights	206
19599	DISCUS 150W	Commercial	16
19600	DISCUS 200W	Commercial	16
19601	DISCUS +SENSOR 150W	Commercial	17
19604/06	HEMINGWAY	Table/Floor	273
19622/16	DENVER-II ADJUSTABLE +SENSOR STAINLESS STEEL 304	Exterior/Security	135
19623/16	DENVER-II UP/DOWN +SENSOR STAINLESS STEEL 304	Exterior/Security	135
19625/05	LED PANEL PLASTER KIT	Commercial	19
19632/06	VIPER BLACK	Exterior/Security	131
19632/13	VIPER SATIN NICKEL	Exterior/Security	131
19634/06	VIPER +SENSOR BLACK	Exterior/Security	131
19634/13	VIPER +SENSOR SATIN NICKEL	Exterior/Security	131
19644/05	ATLANTIS	Downlights	219
19645/05	AUSTIN WHITE	Fans	71
19645/06	AUSTIN MATT BLACK	Fans	71
19645/11	AUSTIN METALLIC SILVER	Fans	71
19650/05	ACCORD	Ceiling/Wall	186
19661/05	CAYMAN WHITE	Fans	64
19661/13	CAYMAN SATIN NICKEL	Fans	64
19663/05	CAYMAN +LIGHT WHITE	Fans	64
19663/13	CAYMAN +LIGHT SATIN NICKEL	Fans	64
19665/06	AVENGER-II 20W	Exterior/Security	127
19667/06	AVENGER-II +SENSOR 20W	Exterior/Security	127
19668/06	AVENGER-II 30W	Exterior/Security	127
19669/06	AVENGER-II +SENSOR 30W	Exterior/Security	127
19670/06	AVENGER-II 50W	Exterior/Security	127
19671/06	AVENGER-II +SENSOR 50W	Exterior/Security	127
19673/05	SPECTRUM WHITE	Smart Innovation	7, 204

## INDEX BY MODEL NO.

MODEL	PRODUCT NAME	CATEGORY	PAGE
19674/51	DUBOIS-II	Exterior/Security	147
19675/51	VERNIER-II	Exterior/Security	146
19677/05	WING WHITE	Fans	70
19677/62	WING MAHOGANY	Fans	70
19683/20	APACHE ADJUSTABLE	Exterior/Security	139
19684/20	APACHE UP/DOWN	Exterior/Security	139
19685/20	APACHE TWIN	Exterior/Security	139
19686/06	DAWSON BLACK	Exterior/Security	145
19686/20	DAWSON ANODISED ALUMINIUM	Exterior/Security	145
19688/06	BOLTON SQUARE	Exterior/Security	163
19689/06	BOLTON RECTANGLE	Exterior/Security	163
19690/06	STYX	Exterior/Security	149
19691/06	ACHERON	Exterior/Security	148
19692/51	DELATITE 10W	Exterior/Security	150
19693/51	DELATITE 20W	Exterior/Security	150
19694/51	RUBICON 10W	Exterior/Security	151
19695/51	RUBICON 20W	Exterior/Security	151
19696/05	LACHLAN WHITE	Exterior/Security	167
19696/51	LACHLAN CHARCOAL	Exterior/Security	167
19698/05	COOPER WHITE	Exterior/Security	166
19698/51	COOPER CHARCOAL	Exterior/Security	166
19704	DISCUS 100W	Commercial	16
19705/01	PAR38 LED 15W RED E27	Globes	252
19705/02	PAR38 LED 15W YELLOW E27	Globes	252
19705/03	PAR38 LED 15W BLUE E27	Globes	252
19705/04	PAR38 LED 15W GREEN E27	Globes	252
19715/05	TEMPEST ALUM DC WHITE	Fans	60
19715/26	TEMPEST ALUM DC BRUSHED ALUMINIUM	Fans	60
19717/05	TEMPEST ALUM DC +LIGHT WHITE	Fans	60
19717/26	TEMPEST ALUM DC +LIGHT BRUSHED ALUMINIUM	Fans	60
19761/05	RAMSIS 13W WHITE	Commercial	29, 214
19762/05	RAMSIS 15W WHITE	Commercial	29, 214
19763/05	RAMSIS 18W WHITE	Commercial	29, 214
19764/05	RAMSIS 24W WHITE	Commercial	29, 214
19769/05	DELTA PLUS	Downlights	8, 208
19847/05	HORIZON 2-LIGHT WHITE	Bathroom	91
19847/11	HORIZON 2-LIGHT SILVER	Bathroom	91
19851/05	HELIOS WHITE	Bathroom	98

MODEL	PRODUCT NAME	CATEGORY	PAGE
19854	A60 LED 5W 3000K E27 NON-DIM	Globes	242
19855	A60 LED 7W 3000K E27 NON-DIM	Globes	242
19856	A60 LED 7W 3000K B22 NON-DIM	Globes	242
19857	A60 LED 7W 4200K E27 NON-DIM	Globes	242
19858	A60 LED 7W 4200K B22 NON-DIM	Globes	242
19859	A60 LED 9W 3000K E27 NON-DIM	Globes	242
19860	A60 LED 9W 3000K B22 NON-DIM	Globes	242
19861	A60 LED 9W 4200K E27 NON-DIM	Globes	242
19862	A60 LED 9W 4200K B22 NON-DIM	Globes	242
19863	A60 LED 9W 6500K E27 NON-DIM	Globes	242
19864	A60 LED 12W 3000K E27 NON-DIM	Globes	242
19865	A60 LED 12W 3000K B22 NON-DIM	Globes	242
19866	A60 LED 12W 4200K E27 NON-DIM	Globes	242
19867	A60 LED 12W 4200K B22 NON-DIM	Globes	242
19868	A60 LED 12W 6500K E27 NON-DIM	Globes	242
19869	A60 LED 9W 3000K E27 DIM	Globes	243
19870	A60 LED 9W 3000K B22 DIM	Globes	243
19871	A60 LED 9W 4200K E27 DIM	Globes	243
19872	A60 LED 9W 4200K B22 DIM	Globes	243
19874/05	ONCE-BOX EXIT WHITE	Emergency	45
19874/06	ONCE-BOX EXIT BLACK	Emergency	45
19876/05	ONE-BOX EMERGENCY EXIT WHITE	Emergency	44
19876/06	ONE-BOX EMERGENCY EXIT BLACK	Emergency	44
19878/05	BLADE EXIT WHITE	Emergency	42
19878/06	BLADE EXIT BLACK	Emergency	42
19880/05	BLADE SURFACE MOUNT EXIT WHITE	Emergency	42
19880/06	BLADE SURFACE MOUNT EXIT BLACK	Emergency	42
19882/05	PATHFINDER 3W WHITE	Emergency	46
19882/06	PATHFINDER 3W BLACK	Emergency	46
19884/05	PATHFINDER 6W WHITE	Emergency	47
19884/06	PATHFINDER 6W BLACK	Emergency	47
19886/05	PATHFINDER 3W SURFACE WHITE	Emergency	46
19886/06	PATHFINDER 3W SURFACE BLACK	Emergency	46
19888/05	PATHFINDER 6W SURFACE WHITE	Emergency	47
19888/06	PATHFINDER 6W SURFACE BLACK	Emergency	47
19890/05	SPARTAN WHITE	Emergency	53
19892/05	SOLARIS WHITE	Emergency	52
19893/05	BLADE SURFACE MOUNT BOX WHITE	Emergency	42

MODEL	PRODUCT NAME	CATEGORY	PAGE
19893/06	BLADE SURFACE MOUNT BOX BLACK	Emergency	42
19895/05	PATHFINDER SURFACE MOUNT BOX WHITE	Emergency	46, 47
19895/06	PATHFINDER SURFACE MOUNT BOX black	Emergency	46, 47
19898/05	PROXIMA EMERGENCY WHITE	Emergency	48
19901/06	EXPANDA FOLDABLE	Commercial	37
19902/06	EXPANDA TWIN TRIPOD	Commercial	36
19909/05	QUATTRO	Downlights	209
19911/05	TORNADO SMALL WHITE	Bathroom	99
19912/05	TORNADO LARGE WHITE	Bathroom	99
19915/06	TRANSFORMER OUTDOOR 24W	Exterior/Security	181
19916/06	TRANSFORMER OUTDOOR 36W	Exterior/Security	181
19917/06	TRANSFORMER OUTDOOR 60W	Exterior/Security	181
19918/06	CABLE GARDEN 12V 10M	Exterior/Security	180
19919/06	CABLE GARDEN SPLITTER	Exterior/Security	180
19921/06	PINNACLE BLACK	Exterior/Security	177
19922/06	PINNACLE 4-PACK BLACK	Exterior/Security	176
19923/51	HYDE CHARCOAL	Exterior/Security	178
19924/51	VITA	Exterior/Security	179
19925/51	SOMERSET	Exterior/Security	175
19927/51	EVANS	Exterior/Security	154
19928/51	MARLON	Exterior/Security	155
19929/05	ESSEX FULL WHITE	Exterior/Security	144
19929/51	ESSEX FULL CHARCOAL	Exterior/Security	144
19930/05	ESSEX LOUVRED WHITE	Exterior/Security	144
19930/51	ESSEX LOUVRED CHARCOAL	Exterior/Security	144
19931/51	DAVIDSON	Exterior/Security	134
19934/05	SENSA-FLOW 18W	Bathroom	103
19935/05	FORCE 12W	Bathroom	104
19936/05	FORCE 18W	Bathroom	104
19937	ALUMINIUM DUCT 3MX100MM	Bathroom	105
19939	ALUMINIUM DUCT 3MX150MM	Bathroom	105
19940	ALUMINIUM DUCT 6MX150MM	Bathroom	105
19941/05	VENT CIRCULAR 100MM	Bathroom	108
19942/05	VENT CIRCULAR 150MM	Bathroom	108
19943/16	EXTERIOR COWL 100MM	Bathroom	109
19944/16	EXTERIOR COWL 150MM	Bathroom	109
19945/05	VENT LOUVERED 100MM	Bathroom	106
19946/05	VENT LOUVERED 150MM	Bathroom	106

MODEL	PRODUCT NAME	CATEGORY	PAGE
19947/05	VENT SELF-CLOSING 100MM	Bathroom	107
19948/05	VENT SELF-CLOSING 150MM	Bathroom	107
19951/05	TURBINE WHITE	Bathroom	110
19971/05	HARDY LED FULL WHITE	Exterior/Security	153
19971/06	HARDY LED FULL BLACK	Exterior/Security	153
19973/05	HARDY LED EYELID WHITE	Exterior/Security	153
19973/06	HARDY LED EYELID BLACK	Exterior/Security	153
19975/05	HUNTER-III 1LIGHT +SENSOR WHITE	Exterior/Security	130
19975/06	HUNTER-III 1LIGHT +SENSOR BLACK	Exterior/Security	130
19975/13	HUNTER-III 1LIGHT +SENSOR SATIN NICKEL	Exterior/Security	130
19986/05	NOVELLIS EMERGENCY WHITE	Emergency	50
19987/05	CENTURION EMERGENCY WHITE	Emergency	51
19989/05	CENTURION WHITE	Commercial	28
19992/08	STELLAR EMERGENCY GREY	Emergency	49
19994/05	PROXIMA BATTEN WHITE	Commercial	22
19998/08	STELLAR BATTEN GREY	Commercial	23
19999/05	TEMPO DC WHITE	Fans	58
20001/05	TEMPO DC +LIGHT WHITE	Fans	58
20044/05	EZY-SCAN WHITE	Exterior/Security	120
20044/06	EZY-SCAN BLACK	Exterior/Security	120
20046/08	VERSA-SCAN GREY	Exterior/Security	121
20046/09	VERSA-SCAN BEIGE	Exterior/Security	121
20048/05	EYE 360 MINI	Exterior/Security	118
20049/05	TECHNO-SCAN	Exterior/Security	119
20051/05	EYE 360 MICROWAVE	Exterior/Security	122
20052/05	RETRO-FIT SENSOR	Exterior/Security	124
20053/05	DUO-SCAN	Exterior/Security	123
20067/05	CONCORDE-II WHITE	Fans	67
20067/06	CONCORDE-II BLACK	Fans	67
20067/62	CONCORDE-II BLACK/ MAHOGANY	Fans	67
20067/65	CONCORDE-II BLACK/MAPLE	Fans	67
20071/05	CONCORDE-II LIGHT WHITE	Fans	67, 76
20071/06	CONCORDE-II LIGHT BLACK	Fans	67, 76
20071/13	ALUMA LIGHT	Fans	61, 76
20073/05	HERCULES-84 WHITE	Fans	69
20073/13	HERCULES-84 BRUSHED NICKEL	Fans	69
20079/05	HERCULES-96 WHITE	Fans	69
20079/13	HERCULES-96 BRUSHED NICKEL	Fans	69

## INDEX BY MODEL NO.

MODEL	PRODUCT NAME	CATEGORY	PAGE	MODEL	PRODUCT NAME	CATEGORY	PAGE
20082/05	OLSEN 12W	Ceiling/Wall	190	60100/20A	VISTA-II SPIKE ANODISED ALUMINIUM	Exterior/Security	171
20083/05	OLSEN 18W	Ceiling/Wall	190	60500	TRANSFORMER 105VA	Exterior/Security	182
20084/05	OLSEN 25W	Ceiling/Wall	190	60501	TRANSFORMER 150VA	Exterior/Security	182
20085/05	OLSEN 30W	Ceiling/Wall	190	60503	TRANSFORMER 200VA	Exterior/Security	182
20086/05	RUBEN 18W	Ceiling/Wall	191	60505	TRANSFORMER 300VA	Exterior/Security	182
20087/05	RUBEN 25W	Ceiling/Wall	191	60507	TRANSFORMER 400VA	Exterior/Security	182
20088/05	RUBEN 30W	Ceiling/Wall	191	60509	TRANSFORMER 500VA	Exterior/Security	182
20089/05	LUSTRE 16W	Ceiling/Wall	192	60600/16	VISION SPIKE	Exterior/Security	170
20090/05	LUSTRE 22W	Ceiling/Wall	192	73120/06	STILETTO	Exterior/Security	172
20091/05	LUCENT 16W	Ceiling/Wall	193	81000/13	SPHERE	Ceiling/Wall	199
20092/05	LUCENT 22W	Ceiling/Wall	193	99939/06	BEREA MATT BLACK	Exterior/Security	162
20093/11	ALLORA 12W	Ceiling/Wall	194	99939/11	BEREA SILVER	Exterior/Security	162
20094/11	ALLORA 18W	Ceiling/Wall	194	99955/05	VELOCITY 2-LIGHT WHITE	Bathroom	94
20095/11	ALLORA 25W	Ceiling/Wall	194	99956/05	VELOCITY 4-LIGHT WHITE	Bathroom	94
20096/05	CAPELLA 18W	Ceiling/Wall	187	99970/16	PORTSEA	Exterior/Security	168
20097/11	CAPELLA RING	Ceiling/Wall	187	99980/05	VENETO 2-LIGHT WHITE	Bathroom	95
20098/11	LUSTRE/LUCENT FACE PLATE	Ceiling/Wall	192, 193	99980/13	VENETO 2-LIGHT SILVER	Bathroom	95
20099/05	HERCULES LIGHT WHITE	Fans	69, 76	99983/05	TEMPEST WHITE	Fans	57
20099/13	HERCULES LIGHT BRUSHED NICKEL	Fans	69, 76	99983/05	TEMPEST WHITE	Fans	57
20101/16	ATRIUM 48"	Fans	73	99983/06	TEMPEST BLACK	Fans	57
20102/16	ATRIUM 52"	Fans	73	99983/13	TEMPEST BRUSHED ALUMINIUM	Fans	57
20103/16	ATRIUM 56"	Fans	73	99983/14	TEMPEST OIL-RUBBED BRONZE	Fans	57
20104/13	ALUMA SATIN NICKEL	Fans	61,	99988/05	TEMPEST-II WHITE	Fans	57
20108/16	ATRIUM LIGHT 316SS	Fans	73, 77	99988/06	TEMPEST-II BLACK	Fans	57
20200/00	FAN LOOM KIT WITH LIGHT	Fans	79	99988/13	TEMPEST-II BRUSHED ALUMINIUM	Fans	57
20201/62	ROD/LOOM 21MMX900MM MAHOGANY	Fans	79	99988/14	TEMPEST-II OIL-RUBBED BRONZE	Fans	57
20202/05	ENVIRO LED	Commercial	24	99998	FAN REMOTE DELUXE	Fans	80
20214/05	LUMA-SCAN	Downlights	213	99999	FAN REMOTE BASIC	Fans	80
20243/05	EZY-SCAN CORNER MOUNT WHITE	Exterior/Security	120				
20243/06	EZY-SCAN CORNER MOUNT BLACK	Exterior/Security	120				
25150/13	VOGUE DIY	Spots/Track	264				
25254/05	ARIEL WHITE	Fans	78				
25254/13	ARIEL SATIN NICKEL	Fans	78				
47801/05	ROD 21MMX900MM GLOSS WHITE	Fans	79				
47801/13	ROD 21MMX900MM SATIN NICKEL	Fans	79				
47802/00	FAN LOOM KIT	Fans	79				
60100/06A	VISTA-II SPIKE BLACK	Exterior/Security	171				
60100/16A	VISTA-II SPIKE STAINLESS STEEL 316	Exterior/Security	171				





**Brilliant Lighting**

956 Stud Road  
Rowville VIC 3178 Australia  
[www.brilliantlighting.com.au](http://www.brilliantlighting.com.au)

**Australia Sales**

T 03 9765 2555  
T 1800 817 754 (Interstate only)  
F 03 9763 0277  
E [sales@brilliantlighting.com.au](mailto:sales@brilliantlighting.com.au)

**New Zealand Sales**

T 09 9749618  
E [sales@brilliantlighting.com.au](mailto:sales@brilliantlighting.com.au)

**YOUR STOCKIST**