



COUGAR LIGHTING CATALOGUE



OVER 40 YEARS OF LIGHTING EXPERIENCE

www.cougarlighting.com.au



www.cougarlighting.com.au



COUGAR
LIGHTING

HEAD OFFICE

Cougar Lighting Pty Ltd
ABN: 17 007 780 270
30 Produce Lane Pooraka
South Australia, 5095

www.cougarlighting.com.au

www.cougarlighting.com

SALES ENQUIRIES

toll free: 1800 888 517
p: (08) 8169 2900
f: (08) 8169 2944

Lorraine Boyko
lorraineb@cougarlighting.com.au

ACCOUNT ENQUIRIES











toll free: 1800 888 517
p: (08) 8169 2900
f: (08) 8169 2922

Natalie Blomeley
natalieb@cougarlighting.com.au

View live stock numbers and delivery dates at
www.cougarlighting.com.au



TABLE OF CONTENTS

Index	4	
Pendants	5-31	
Flush	32-38	
Vanity	39-50	
Wall	51-59	
Table & Floor	60-77	
Spotlights	78-81	
Downlights & Globes	82-87	
Exteriors	88-111	
Warranty	112	



INDEX

Aero	12	Gamma	41	Norfolk	109
Amos	55	Gina	69	Nottingham	109
Anglesea	107	Glint	11	Omega	21
Arcadia	27	Grace	70	Orpheus	8
Arden	37	Graz	95	Oxford	108
Arden	15	Haiger	38	Ozone	99
Armon	72	Haiger	18	Pando	34
Benson	54	Hamburg	93	Pentax	56
Betty	71	Hanover	102	Picasso	57
Beverly	66	Harley	36	Pino	7
Bjorn	53	Holly	58	Pilsen	95
Blomeley	74	Idaho	64	Plymouth	110
Bodo	98	Ikon	100	Predator	84
Bollene	25	Impression	57	Rachael	73
Bonti	6	Indy	38	Raglan	11
Brugge	102	Indy	19	Rampi	13
Cairns	103	Infinity	26	Raptor	85
Cambridge	110	Jasmine	63	Riley	67
Candy	7	Java	16	Risto	14
Carlisle LED	48	Java	62	Roland	71
Carlisle T5	49	Karl	65	Sahara	74
Cemi	22	Kobe	35	Saturn	80
Coogee	111	Lalah	68	Scarborough	72
Corsten	54	Larz	52	Seth	50
Coventry	108	Laurent	9	Shore	100
Cube	45	LED globes	87	Skein	53
Cylon	77	Lemans	94	Slim	10
Darwin	104	Linear	105	Snorkel	101
Delta	37	Lucerne	24	Sorel	34
Derwent	28	Lynx Alu	43	Stepney	31
Detroit	36	Lynx Black	42	Stockholm Alu	90
Dockside	105	Lyon	106	Stockholm Blk	92
Eaton	47	Macey	73	Stockholm Tita	91
Edgewood	29	Macro	76	Stout	10
Edgewood	59	Madrid	106	Susie	75
Elise	70	Mainz	96	Talas	86
Essex	35	Marcus	65	Tenby	97
Eternity	30	Medi	10	Theatre	58
Eternity	59	Mercury	81	Tida	55
Evo	44	Minsk	98	Torquay	101
Extreme	40	Missy	23	Tucson	99
Fascia	104	Modena	97	Ulric	17
Fiesta	52	Mona	6	Varde	96
Fontaine	26	Naomi	67	Vortex	20
Freya	46	Neo	59		

View live stock numbers and delivery dates at www.cougarlighting.com.au



Pendants





Mona

Champagne Gold finish | Timber highlights | Clear cable



Bonti

Champagne Gold finish | Timber highlights | Clear cable

Model No.	Description	Light Source	Dimensions	Comment
MONA1P	1lt Pendant	60w ES Max	H: 435mm + 1.6m cable. W: 220mm	Globe not included
BONT1P	1lt Pendant	60w ES Max	H: 415mm + 1.6m cable. W: 505mm	Globe not included



Candy

Champagne Gold finish | Timber highlights | Clear cable

Pino

Champagne Gold finish | Timber highlights | Clear cable

Model No.	Description	Light Source	Dimensions	Comment
CAND1PSML	1lt Small Pendant	60w ES Max	H: 335mm + 1.6m cable. W: 250mm	Globe not included
CAND1PLGE	1lt Large Pendant	60w ES Max	H: 385mm + 1.6m cable. W: 350mm	Globe not included
PINO1P	1lt Pendant	60w ES Max	H: 435mm + 1.6m cable. W: 300mm	Globe not included



Orpheus

Black finish | Clear glass | Black cloth cord cable

Model No.	Description	Light Source	Dimensions	Comment
ORPH1PS	1lt Small Pendant	60w ES Max	H: 280mm + 2m cable. W: 250mm	Globe not included
ORPH1PL	1lt Large Pendant	60w ES Max	H: 440mm + 2m cable. W: 400mm	Globe not included



Laurent

Chrome finish | Clear glass | Clear cable

Natural colour shade

Sml: W 90mm x H 215mm

Lge: W 120mm x H 350mm

Model No.	Description	Light Source	Dimensions	Comment
LAUR1PS	1lt Small Pendant	60w ES Max	H: 280mm + 2m cable. W: 250mm	Globe not included
LAUR1PL	1lt Large Pendant	60w ES Max	H: 440mm + 2m cable. W: 400mm	Globe not included



Slim

Black finish | Black/Clear glass | Black cable



Medi

Black finish | Black/Clear glass | Black cable



Stout

Black finish | Black/Clear glass | Black cable

Model No.	Description	Light Source	Dimensions	Comment
STOU1P	1lt Pendant	60w ES Max	H: 230mm + 2m cable. W: 250mm	Globe not included
MEDI1P	1lt Pendant	60w ES Max	H: 390mm + 2m cable. W: 150mm	Globe not included
SLIM1P	1lt Pendant	60w ES Max	H: 350mm + 2m cable. W: 120mm	Globe not included



Glint

Black finish | Timber highlights | Black cable



Raglan

Black finish | Timber highlights | Black cable

Model No.	Description	Light Source	Dimensions	Comment
GLIN1P	1lt Pendant	60w ES Max	H: 360mm + 2m cable. W: 330mm	Globe not included
RAGL1P	1lt Pendant	60w ES Max	H: 450mm + 2m cable. W: 330mm	Globe not included



Aero

Black finish | Chrome finish | Rose Gold finish
Satin Chrome finish | White finish
Aluminium reflector | Clear cable



Model No.	Description	Light Source	Dimensions	Comment
AERO1P BLK,CH,RGLD,SC,WH	1lt Pendant	60w ES Max	H: 400mm + 2.1m cable. W: 160mm	Globe not included



Rampi

Black Marble look finish | Grey Marble look finish
Chrome highlights | Clear Cable

Model No.	Description	Light Source	Dimensions	Comment
RAMP1P BLK, GRY	1lt Pendant	60w ES Max	H: 325mm + 1.6m cable. W: 250mm	Globe not included



Risto

Black finish | Copper finish | Satin chrome finish
White finish | Clear twisted cable

Model No.	Description	Light Source	Dimensions	Comment
RIST1P BLK,COP,SC WHT	1lt Pendant	60w ES Max	H: 250mm + 1.6m cable. W: 285mm	Globe not included



Arden

Black finish | Coffee finish | Silver finish
 Chrome highlights | Clear cable

Model No.	Description	Light Source	Dimensions	Comment
ARD1BF BLK, COF, SLV	1lt Batten Fix	60w BC Max	H: 240mm. W: 300mm	Globe not included
ARD1P BLK, COF, SLV	1lt Pendant	60w ES Max	H: 210mm + 1.4m cable. W: 300mm	Globe not included
ARD3P BLK, COF, SLV	3lt Pendant	60w ES Max	H: 300mm + 1.4m cable. W: 400mm	Globes not included



Pendants

Java

Rust finish | Brown cloth cord cable | Table & floor lamp available

Fawn woven shade

Sm: W 250mm x H 130mm

Med: W 330mm x H 150mm

Lge: W 400mm x H 210mm

Model No.	Description	Light Source	Dimensions	Comment
JAVA1PS	1lt Small Pendant	60w ES Max	H: 300mm + 1.5m cable. W: 310mm	Globe not included
JAVA1PM	1lt Medium Pendant	60w ES Max	H: 350mm + 1.5m cable. W: 400mm	Globe not included
JAVA1PL	1lt Large Pendant	60w ES Max	H: 410mm + 1.5m cable. W: 500mm	Globe not included



Ulric

Black finish | Black cable

Model No.	Description	Light Source	Dimensions	Comment
ULRI1P	1lt Pendant	60w ES Max	H: 380mm + 1.6m chain/cable. W: 147mm	Globe not included
ULRI4P	4lt Pendant	60w ES Max	H: 350mm + 1.6m chain/cable. W: 410mm	Globes not included



Haiger     Recommended dimmer: Clipsal LED

Chrome finish | Alloy glass holders | Clear glass | Clear cable

Model No.	Description	Light Source	Lumens	Dimensions
HAIG1P	1lt Pendant	1 x 5w LED	350Lm	H: 255mm + 1.6m cable. W: 118mm
HAIG4P	4lt Rail Pendant	4 x 5w LED	1400Lm	H: 165mm + 1.6m cable. L: 800mm
HAIG5P	5lt Rail Pendant	5 x 5w LED	1750Lm	H: 165mm + 1.6m cable. L: 1040mm
HAIG4CTC	4lt Close To Ceiling	4 x 5w LED	1400Lm	H: 125mm W: 320mm



Pendants

Indy



Recommended dimmer: Clipsal LED

Chrome finish | Opal Acrylic lens | Clear cable

Model No.	Description	Light Source	Lumens	Dimensions
INDY1P	1lt Pendant	1 x 5w LED	350Lm	H: 96mm + 1.6m cable. W: 90mm
INDY4P	4lt Rail Pendant	4 x 5w LED	1400Lm	H: 140mm + 1.6m cable. L: 700mm
INDY5P	5lt Rail Pendant	5 x 5w LED	1750Lm	H: 140mm + 1.6m cable. L: 900mm
INDY5RDP	5lt Round Pendant	5 x 5w LED	1750Lm	H: 135mm + 1.6 cable W: 415mm
INDY8RDP	8lt Round Pendant	8 x 5 LED	2800Lm	H: 135mm + 1.6 cable W: 585mm
INDY4CTC	4lt Close To Ceiling	4 x 5 LED	1400Lm	H: 100mm W: 350mm



Vortex



Recommended dimmer:
Clipsal LED

Chrome finish | Frost/Clear glass | Clear cable

Model No.	Description	Light Source	Lumens	Dimensions
VORT1P	1lt Pendant	1 x 5w LED	350Lm	H: 105mm + 1.6m cable. W: 165mm
VORT4P	4lt Rail Pendant	4 x 5w LED	1400Lm	H: 125mm + 1.6m cable. L: 850mm
VORT5P	5lt Rail Pendant	5 x 5w LED	1750Lm	H: 125mm + 1.6m cable. L: 1065mm
VORT3RDP	3lt Round Pendant	3 x 5w LED	1050Lm	H: 190mm + 1.6m cable. W: 380mm
VORT5RDP	5lt Round Pendant	5 x 5w LED	1750Lm	H: 190mm + 1.6m cable. W: 450mm



Omega     Recommended dimmer: Clipsal LED

White finish | Opal Acrylic lenses | Clear cable

Model No.	Description	Light Source	Lumens	Dimensions
OMEG3P	3lt Rail Pendant	3 x 7w LED	1780Lm	H: 77mm + 1.6m cable. L: 1000mm
OMEG4P	4lt Rail Pendant	4 x 7w LED	2380Lm	H: 77mm + 1.6m cable. L: 1250mm



Cemi

Grey finish | Cement lampholder covers | Grey cloth cord

Model No.	Description	Light Source	Dimensions	Comment
CEMI1P	1lt Pendant	60 w ES Max	H: 155mm + 1.6m cable. W: 100mm	Globe not included
CEMI3P	3lt Pendant	60w ES Max	H: 155mm + 1.6m cable. W: 180mm	Globes not included
CEMI5P	5lt Pendant	60 w ES Max	H: 155mm + 1.6m cable. W: 280mm	Globes not included



Missy

Chrome finish | Grey Taffeta shade | Grey cloth cord cable

Model No.	Description	Light Source	Dimensions	Comment
MISS1PSML	1lt Small Pendant	60w ES Max	H: 280mm + 1.6m cable. W: 300mm	Globe not included
MISS1PLGE	1lt Large Pendant	60w ES Max	H: 350mm + 1.6m cable. W: 400mm	Globe not included
MISS3P	3lt Pendant	60w ES Max	H: 470mm + 1.6m cable. W: 650mm	Globes not included



Lucerne

Chrome finish | Black/Clear Acrylic | Matt opal glass | Clear cable

Matt opal glass

Sml: W 160mm x H 145mm

Lge: W 240mm x H 208mm

Model No.	Description	Light Source	Dimensions	Comment
LUCE1PSM BLK, CL	1lt Small Pendant	60 w ES Max	H: 350mm + 1.6m cable. W: 300mm	Globe not included
LUCE1PLG BLK, CL	1lt Large Pendant	60w ES Max	H: 400mm + 1.6m cable. W: 400mm	Globe not included



Pendants

Bollene

Chrome finish | Gloss opal glass | Clear cable

Model No.	Description	Light Source	Dimensions	Comment
BOLL1PS	1lt Small Pendant	60w ES Max	H: 270mm + 1.6m cable. W: 155mm	Globe not included
BOLL1PM	1lt Medium Pendant	60w ES Max	H: 520mm + 1.6m cable. W: 280mm	Globe not included
BOLL1PL	1lt Large Pendant	60w ES Max	H: 620mm + 1.6m cable. W: 380mm	Globe not included



Fontaine

Chrome finish | Clear glass | Three rods included

Small:

2 x 11.5 x 300mm

1 x 11.5 x 150mm

Large:

2 x 13.6 x 300mm

1 x 13.6 x 150mm



Infinity

Chrome finish | Frost/Clear glass | Clear cable

Model No.	Description	Light Source	Dimensions	Comment
FONT1PCHSML	1lt Small Pendant	60 w ES Max	H: 410mm + 750mm rods W: 255mm	Globe not included
FONT1PCHLGE	1lt Large Pendant	60w ES Max	H: 550mm + 750mm rods W: 355mm	Globe not included
INF1CD	1lt Pendant	60w ES Max	H: 275mm + 3m cable. W: 130mm	Globe not included



Pendants

Arcadia

Satin Chrome finish | Clear bevelled glass | Clear cable

Model No.	Description	Light Source	Dimensions	Comment
ARCA1P	1lt Pendant	40w SES Max	H: 555mm + 2m chain/cable. W: 165mm	Globe not included
ARCA3P	3lt Pendant	40w SES Max	H: 710mm + 2m chain/cable. W: 235mm	Globes not included
ARCA6P	6lt Pendant	40w SES Max	H: 790mm + 2m chain/cable. W: 350mm	Globes not included



Derwent

Chrome finish | Matt opal glass | K9 Crystal drops | Clear cable

Model No	Description	Light Source	Dimensions	Comment
DERW3P	3lt Pendant	60w ES Max	H: 480mm + 1.2m chain/cable. W: 570mm	Globes not included
DERW5P	5lt Pendant	60w ES Max	H: 480mm + 1.2m chain/cable. W: 620mm	Globes not included



Edgewood

Antique Brass finish | Frost glass | Black cable | Wall Bracket available

Model No	Description	Light Source	Dimensions	Comment
EDGE1P	1lt Pendant	60w ES Max	H: 290mm + 1.5m chain/cable. W: 390mm	Globe not included
EDGE3P	3lt Pendant	60w ES Max	H: 260mm + 1.5m chain/cable. W: 550mm	Globes not included
EDGE5P	5lt Pendant	60w ES Max	H: 260mm + 1.5m chain/cable. W: 550mm	Globes not included



Eternity

Satin chrome finish | Gloss opal glass | Two rods included | Wall Sconce available

1 x 15mm x 400mm

1 x 15mm x 300mm

Model No	Description	Light Source	Dimensions	Comment
ETER3P	3lt Pendant	60w ES Max	H: 190mm + 700mm rods W: 350mm	Globes not included
ETER4P	4lt Pendant	60w ES Max	H: 190mm + 700mm rods W: 450mm	Globes not included
ETER5P	5lt Pendant	60w ES Max	H: 190mm + 700mm rods W: 550mm	Globes not included



Stepney

Antique Brass finish | Satin chrome finish | White marble glass | Two rods included

1lt; 2 x 10mm x 260mm
3lt/5lt; 2 x 10mm x 210mm

Model No	Description	Light Source	Dimensions	Comment
STEP1P AB, SC	1lt Pendant	60w ES Max	H: 310mm + 520mm rods W: 310mm	Globe not included
STEP3P AB, SC	3lt Pendant	60w ES Max	H: 280mm + 420mm rods W: 500mm	Globes not included
STEP5P AB, SC	5lt Pendant	60w ES Max	H: 280mm + 420mm rods W: 500mm	Globes not included





Flush





Pando



Recommended dimmer:
Clipsal LED

White finish | Gloss opal acrylic

Flush



Sorel



Recommended dimmer:
Clipsal LED

White finish | Gloss opal acrylic

Model No	Description	Light Source	Lumens	Dimensions
PAND16WLED 3000K, 5000K	16W LED Oyster	40 x 0.4w SMD	2202Lm/2398Lm	W: 300mm H: 90mm
PAND27WLED 3000K, 5000K	27W LED Oyster	80 x 0.4w SMD	3546Lm/3743Lm	W: 400mm H: 105mm
SORE16WLED 3000K, 5000K	16W LED Oyster	40 x 0.4w SMD	2202Lm/2398Lm	W: 300mm H: 90mm
SORE27WLED 3000K, 5000K	27W LED Oyster	80 x 0.4w SMD	3546Lm/3743Lm	W: 400mm H: 100mm



Kobe    

White finish | Gloss opal acrylic



Flush

Essex

Chrome finish | Opal/Frost/Clear glass

Model No	Description	Light Source	Lumens	Dimensions
KOBE16WLED 3000K, 5000K	16W LED Oyster	40 x 0.4w SMD	2202Lm/2398Lm	W: 300mm H: 80mm
KOBE27WLED 3000K, 5000K	27W LED Oyster	80 x 0.4w SMD	3546Lm/3743Lm	W: 390mm H: 95mm
ESS2O360	2lt Oyster	60w ES Max	N/A	W: 360mm H: 90mm
ESS3O435	3lt Oyster	60w ES Max	N/A	W: 440mm H: 90mm



Harley

Chrome finish | Frost glass



Detroit

Chrome finish | Frost glass

Model No	Description	Light Source	Dimensions	Comment
HAR1O335MM	1lt Oyster	60w ES Max	W: 335mm H: 85mm	Globe not included
HAR2O420MM	2lt Oyster	60w ES Max	W: 420mm H: 85mm	Globes not included
DET1O330	1lt Oyster	60w ES Max	W: 330mm H: 80mm	Globe not included
DET2O440	2lt Oyster	60w ES Max	W: 440mm H: 80mm	Globes not included



Delta

Satin Chrome finish | Frost glass



Arden

DIY

Black finish | Coffee finish | Silver finish |
Chrome batten cover

Model No	Description	Light Source	Dimensions	Comments
DELT1O	1lt Oyster	60w ES Max	W: 300mm H: 80mm	Globe not included
DELT2O	2lt Oyster	60w ES Max	W: 440mm H: 80mm	Globes not included
ARD1BF BLK, COF, SLV	1lt Batten Fix	60w BC Max	W: 300mm H: 240mm	Globe not included



Haiger

LED
CRI 80
3000k
DIMMABLE
 Recommended dimmer: Clipsal LED

Chrome finish | Alloy glass holders | Clear glass

Flush



Indy

LED
CRI 80
3000k
DIMMABLE
 Recommended dimmer: Clipsal LED


Chrome finish | Opal acrylic lens

Model No	Description	Light Source	Lumens	Dimensions
HAIG4CTC	4lt Close To Ceiling	4 x 5w LED	1400Lm	W: 320mm H: 125mm
INDY4CTC	4lt Close To Ceiling	4 x 5w LED	1400Lm	W: 350mm P: 100mm



Vanity





Vanity

Extreme







Recommended dimmer:
Clipsal LED

Chrome finish | Frost acrylic lens

Model No	Description	Light Source	Lumens	Dimensions
EXT12WLED	12W LED Vanity Light	72 x 0.2w SMD	1470Lm	L: 430mm H: 42mm P: 100mm
EXT18WLED	18W LED Vanity Light	108 x 0.2w SMD	2205Lm	L: 590mm H: 42mm P: 100mm
EXT20WLED	20W LED Vanity Light	120 x 0.2w SMD	2450Lm	L: 900mm H: 45mm P: 110mm



Vanity

Gamma     Recommended dimmer: Clipsal LED

Chrome finish | Frost/Clear glass

Model No	Description	Light Source	Lumens	Dimensions
GAMM12WLED	12W LED Vanity Light	72 x 0.2w SMD	1470Lm	L: 540mm H: 100mm P: 50mm
GAMM16WLED	16W LED Vanity Light	96 x 0.2w SMD	1960Lm	L: 700mm H: 100mm P: 50mm
GAMM20WLED	20W LED Vanity Light	120 x 0.2w SMD	2450Lm	L: 860mm H: 100mm P: 50mm



Vanity

Lynx



Recommended dimmer:
Clipsal LED

Black finish | Frost acrylic lens

Model No	Description	Light Source	Lumens	Dimensions
LYNX12WLEDBLK	12W LED Vanity Light	72 x 0.2w SMD	1470Lm	L: 500mm H: 32mm P: 110mm
LYNX16WLED BLK	16W LED Vanity Light	96 x 0.2w SMD	1960Lm	L: 617mm H: 32mm P: 110mm
LYNX20WLED BLK	20W LED Vanity Light	96 x 0.2w SMD	2450Lm	L: 797mm H: 32mm P: 110mm



Vanity

Lynx



Recommended dimmer:
Clipsal LED

Brushed Aluminium finish | Frost acrylic lens

Model No	Description	Light Source	Lumens	Dimensions
LYNX12WLEDALU	12W LED Vanity Light	72 x 0.2w SMD	1470Lm	L: 500mm H: 32mm P: 110mm
LYNX16WLEDALU	16W LED Vanity Light	96 x 0.2w SMD	1960Lm	L: 617mm H: 32mm P: 110mm
LYNX20WLEDALU	20W LED Vanity Light	96 x 0.2w SMD	2450Lm	L: 797mm H: 32mm P: 110mm



Vanity

Evo



Recommended dimmer:
Clipsal LED

Chrome finish | Brushed aluminum highlights
Opal/Clear glass

Model No	Description	Light Source	Lumens	Dimensions
EVO12WLED	12W LED Vanity Light	72 x 0.2w SMD	1470Lm	L: 435mm H: 90mm P: 100mm
EVO16WLED	16W LED Vanity Light	96 x 0.2w SMD	1960Lm	L: 550mm H: 90mm P: 100mm
EVO20WLED	20W LED Vanity Light	96 x 0.2w SMD	2450Lm	L: 735mm H: 90mm P: 100mm



Vanity

Cube



Recommended dimmer:
Clipsal LED

Chrome finish | Clear/Frost acrylic lens

Model No	Description	Light Source	Lumens	Dimensions
CUB3LT15WLED	15W LED Vanity Light	3 x 5w LED	1740Lm	L: 520mm H: 46mm P: 95mm
CUB4LT20WLED	20W LED Vanity Light	4 x 5w LED	2320Lm	L: 730mm H: 46mm P: 95mm



Vanity


Freya



Recommended dimmer:
Clipsal LED

White finish | Chrome highlights | Gloss opal acrylic lens

Model No	Description	Light Source	Lumens	Dimensions
FREY8WLED	8W LED Vanity Light	48 x 0.2w SMD	980Lm	L: 380mm H: 75mm P: 70mm
FREY16WLED	16W LED Vanity Light	96 x 0.2w SMD	1960Lm	L: 700mm H: 75mm P: 70mm
FREY20WLED	20W LED Vanity Light	120 x 0.2w SMD	2450Lm	L: 860mm H: 75mm P: 70mm



Vanity

Eaton 

White finish | Chrome highlights | Frost glass

Model No	Description	Light Source	Dimensions	Comment
EATO8W	T5 8W Vanity Light	1 x T5 8w Fluorescent	L: 380mm H: 85mm P: 60mm	Fluorescent tube included
EATO14W	T5 14W Vanity Light	1 x T5 14w Fluorescent	L: 650mm H: 85mm P: 60mm	Fluorescent tube included
EATO21W	T5 21W Vanity Light	1 x T5 21w Fluorescent	L: 915mm H: 85mm P: 60mm	Fluorescent tube included



Vanity

Carlisle

CRI
80



4000K



Recommended dimmer:
Clipsal LED

Chrome finish | Frost/clear acrylic lens

Model No	Description	Light Source	Lumens	Dimensions
CARLI8WLED	8W LED Vanity Light	48 x 0.2w SMD	980Lm	L: 440mm H: 55mm P: 90mm
CARLI14WLED	16W LED Vanity Light	96 x 0.2w SMD	1960Lm	L: 763mm H: 55mm P: 90mm
CARLI20WLED	20W LED Vanity Light	120 x 0.2w SMD	2450Lm	L: 925mm H: 55mm P: 90mm



Vanity

Carlisle

4000K
Tube

Chrome finish | Frost/clear acrylic lens

Model No	Description	Light Source	Dimensions	Comments
CARLI8W	T5 8W Vanity Light	1 x T5 8w Fluorescent	L: 425mm H: 55mm P: 84mm	Fluorescent tube included
CARLI14W	T5 14W Vanity Light	1 x T5 14w Fluorescent	L: 688mm H: 50mm P: 84mm	Fluorescent tube included
CARLI21W	T5 21W Vanity Light	1 x T5 21w Fluorescent	L: 991mm H: 50mm P: 84mm	Fluorescent tube included



Vanity

Seth



Recommended dimmer:
Clipsal LED


Chrome finish | Gloss opal glass

Model No	Description	Light Source	Lumens	Dimensions
SETH15WLED	15W LED Vanity Light	74 x 0.2w SMD	900Lm	L: 408mm H: 70mm P: 113mm
SETH22WLED	22W LED Vanity Light	108 x 0.2w SMD	1320Lm	L: 528mm H: 70mm P: 113mm



Wall






Larz

Recommended dimmer: Clipsal LED

Black finish | White finish

6w non-dimmable



Fiesta

Recommended dimmer: Clipsal LED

Black finish | White finish

6w non-dimmable

Wall

Model No	Description	Light Source	Lumens	Dimensions
LARZ6WLED BLK, WHT	6W LED Wall Light	36 x 0.2w SMD	720Lm	W: 220mm H: 50mm P: 110mm
LARZ12WLED BLK, WHT	12W LED Wall Light	72 x 0.2w SMD	1440Lm	W: 380mm H: 50mm P: 118mm
FIES6WLED BLK, WHT	6W LED Wall Light	6 x 1w SMD	600Lm	W: 247mm H: 135mm P: 85mm
FIES12WLED BLK, WHT	12W LED Wall Light	12 x 1w SMD	1200Lm	W: 330mm H: 170mm P: 110mm



Bjorn     Recommended dimmer: Clipsal LED
 Black finish | White finish | Chrome highlights



Skein     Recommended dimmer: Clipsal LED
 White finish

Wall

Model No	Description	Light Source	Lumens	Dimensions
BJOLEDWS BLK, WHT	9W LED Wall Light	9 x 1w SMD	900Lm	W: 305mm H: 120mm P: 90mm
SKELEDWS	12W LED Wall Light	60 x 0.2w SMD	870Lm	W: 435mm H: 80mm P: 90mm



Corsten



Recommended dimmer:
Clipsal LED

Bronze finish | White highlights



Benson

Satin chrome finish | White finish | Frost glass

Model No	Description	Light Source	Lumens	Dimensions
CORSLEDWS	10W LED Wall Light	2 X 5w COB	1080Lm	W: 150mm H: 120mm P: 118mm
BENS1W SC, WHT	1lt Wall Light	60w ES Max	N/A	W: 270mm H: 78mm P: 75mm



Amos

LED CRI 80 3000K

Satin Chrome finish | Frost/Clear acrylic lens



Tida

Black finish | Chrome finish | White finish | Matt opal glass
C/W Switch

Model No	Description	Light Source	Lumens	Dimensions
AMOLEDWS	6W LED Wall Light	2 x 3w LED COB	334Lm	W: 90mm H: 215mm P: 80mm
TIDA1W BLK, CH, WHT	1lt Wall Light	40w SES Max	N/A	W: 148mm H: 150mm P: 173mm



Wall

Pentax




Recommended dimmer:
Clipsal LED

White finish


6w non-dimmable

Model No	Description	Light Source	Lumens	Dimensions
PENT6WLEDSML	6W LED Wall Light	6 X 1w SMD	552Lm	W: 100mm H: 80mm P: 100mm
PENT6WLEDLGE	6W LED Wall Light	36 X 0.2w SMD	720Lm	W: 200mm H: 80mm P: 100mm
PENT12WLED	12W LED Wall Light	72 X 0.2w SMD	1440Lm	W: 365mm H: 80mm P: 100mm
PENT18WLED	18W LED Wall Light	108 X 0.2w SMD	2160Lm	W: 530mm H: 80mm P: 100mm



Picasso

Chrome finish



Impression

Satin Chrome finish



Model No	Description	Light Source	Lumens	Dimensions
PICAWLSML	5W LED Picture Light	66 x 0.06w SMD	561Lm	W: 455mm H: 55mm P: 245mm
PICAWLLGE	8W LED Picture Light	114 x 0.06w SMD	969Lm	W: 755mm H: 55mm P: 245mm
IMPWLSML	5W LED Picture Light	66 x 0.06w SMD	561Lm	W: 470mm H: 55mm P: 245mm
IMPWLLGE	8W LED Picture Light	114 x 0.06w SMD	969Lm	W: 770mm H: 55mm P: 245mm



Holly

Matt opal glass | Chrome highlights



Theatre

Matt opal glass | Satin Chrome highlights

Model No	Description	Light Source	Dimensions	Comment
HOLL1SWS	1ft Small Wall Light	40w SES Max	W: 195mm H: 195mm P: 95mm	Globe not included
HOLL1LWS	1ft Large Wall Light	60w ES Max	W: 250mm H: 240mm P: 125mm	Globe not included
THE2LTWS	2ft Wall Light	60w ES Max	W: 250mm H: 410mm P: 120mm	Globes not included



Eternity

White/Clear glass | Frost glass | Satin Chrome highlights
Matching Pendant range



Neo

Frost glass | Satin Chrome highlights



Edgewood

Antique Brass finish | Frost ribbed glass
Matching Pendant range

Model No	Description	Light Source	Dimensions	Comment
ETER1WS	1lt Wall Light	60w ES Max	W: 250mm H: 100mm P: 90mm	Globe not included
NEO1WS	1lt Wall Light	60w ES Max	W: 200mm H: 200mm P: 80mm	Globe not included
EDGE1W	1lt Wall Light	60w ES Max	W: 175mm H: 195mm P: 290mm	Globe not included





Table and Floor





Java

Walnut timber finish | Rust metal highlights | Rust Metal shade finish
Fawn Woven shade | Floor lamp height adjustable | Pendant range available

Rust metal shade finish: Table: H: 200mm W: 305mm Floor: H: 300mm W: 390mm

Fawn woven shade: T: 250mm B: 250mm H: 130mm Floor: T: 330mm B: 330mm H: 205mm

Model No	Description	Light Source	Dimensions	Comment
JAVA1TL	1lt Table Lamp	60w ES Max	H: 600mm	Globe not included
JAVA1FL	1lt Floor Lamp	60w ES Max	H: 1420mm	Globe not included



Jasmine

Teak timber finish | Off white shade

Table: T: 305mm B: 380mm H: 260mm

Floor: T: 330mm B: 405mm H: 285mm

Model No	Description	Light Source	Dimensions	Comment
JASM1TL	1lt Table Lamp	60w ES Max	H: 690mm	Globe not included
JASM1FL	1lt Floor Lamp	60w ES Max	H: 1570mm	Globe not included



Idaho

Black finish | Chrome highlights | Black shade | Table & Floor lamp height adjustable

Table: T: 300mm B: 400mm H: 220mm

Floor: T: 370mm B: 490mm H: 270mm

Model No	Description	Light Source	Dimensions	Comment
IDAH1TL	1lt Table Lamp	60w ES Max	H: 825mm	Globe not included
IDAH1FL	1lt Floor Lamp	60w ES Max	H: 1700mm	Globe not included



Marcus


Black finish | Chrome highlights
Black & White shade | Opal acrylic top cover
T: 350mm B: 350mm H: 205mm



Karl

Black finish | Chrome highlights | Black & White shade
T: 320mm B: 320mm H: 240mm

Model No	Description	Light Source	Dimensions	Comment
MARC1TL BLK, WHT	1lt Table Lamp	60w ES Max	H: 610mm	Globe not included
KARL1TL BLK, WHT	1lt Table Lamp	60w ES Max	H: 685mm	Globe not included



Beverly

Chrome finish | Decorative clear glass ball centre
Dark Grey shade

Table: T: 305mm B: 305mm H: 230mm

Floor: T: 375mm B: 375mm H: 240mm

Model No	Description	Light Source	Dimensions	Comment
BEVE1TL	1lt Table Lamp	60w ES Max	H: 620mm	Globe not included
BEVE1FL	1lt Floor Lamp	60w ES Max	H: 1565mm	Globe not included



Naomi

Crackle glass finish | Chrome highlights | Off White shade
 T: 280mm B: 305mm H: 225mm



Riley

Chrome finish | Black shade
 T: 280mm B: 380mm H: 250mm

Model No	Description	Light Source	Dimensions	Comment
NAOM1TL	1lt Table Lamp	60w ES Max	H: 495mm	Globe not included
RILE1TL	1lt Table Lamp	60w ES Max	H: 540mm	Globe not included



Lalah

Birch finish | Green finish | White finish | Chrome highlights
Off White shade

T: 330mm B: 330mm H: 230mm

Model No	Description	Light Source	Dimensions	Comment
LALA1TLBIR, GRN, WHT	1lt Table Lamp	60w ES Max	H: 600mm	Globe not included



Gina

Clear glass finish | Chrome highlights
Black, Green & White shade

T: 305mm B: 380mm H: 260mm

Model No	Description	Light Source	Dimensions	Comment
GINA1TL BLK, GRN, WHT	1lt Table Lamp	60w ES Max	H: 650mm	Globe not included



Elise

Antique Silver finish | Bronze finish | Antique Silver shade
Off White shade

T: 200mm B: 255mm H: 200mm



Grace

Antique Silver finish | Bronze finish | Antique Silver shade
Off White shade

T: 100mm B: 225mm H: 225mm

Table & Floor

Model No	Description	Light Source	Dimensions	Comment
ELIS1TL AS, BRZ	1lt Table Lamp	60w BC Max	H: 555mm	Globe not included
GRAC1TL AS, BRZ	1lt Table Lamp	60w BC Max	H: 560mm	Globe not included



Betty

Black finish | White finish
Decorative clear glass ball centre | Black & White shade

T: 230mm B: 230mm H: 200mm



Roland

Aged Brass finish | Satin Chrome finish
Decorative glass ball centre | White shade

T: 200mm B: 200mm H: 200mm

Model No	Description	Light Source	Dimensions	Comment
BET1TL BLK, WHT	1lt Table Lamp	60w ES Max	H: 545mm	Globe not included
ROL1TL AGB, SC	1lt Table Lamp	60w ES Max	H: 540mm	Globe not included



Armon

Antique Silver finish | Bronze finish | Antique Silver shade
Off White shade

T: 100mm B: 225mm H: 225mm



Scarborough

Cream Wash finish | Cream shade

T: 200mm B: 360mm H: 260mm

Model No	Description	Light Source	Dimensions	Comment
ARM1TLAS, BRZ	1lt Table Lamp	60w BC Max	H: 465mm	Globe not included
SCARTLL	1lt Table Lamp	60w ES Max	H: 750mm	Globe not included



Macey

Concrete finish | Grey highlights | Metallic Grey shade

T: 325mm B: 325mm H: 205mm



Rachael

Concrete finish | Grey highlights | Metallic Grey shade

T: 260mm B: 260mm H: 180mm

Model No	Description	Light Source	Dimensions	Comment
MACE1TL	1lt Table Lamp	60w ES Max	H: 450mm	Globe not included
RACH1TL	1lt Table Lamp	60w ES Max	H: 465mm	Globe not included



Blomeley

Antique Gold Wash finish | Black highlights | Brown shade

T: 315mm B: 380mm H: 260mm



Sahara

Antique Gold Wash finish | Black highlights | Brown shade

T: 355mm B: 355mm H: 255mm

Model No	Description	Light Source	Dimensions	Comment
BLOM1TL	1lt Table Lamp	60w ES Max	H: 700mm	Globe not included
SAHA1TL	1lt Table Lamp	60w ES Max	H: 600mm	Globe not included



Susie

Chrome finish | Black, Orange, Purple & White shade
 T: 125mm B: 200mm H: 280mm

Model No	Description	Light Source	Dimensions	Comment
SUS1TL BLK, ORA, PUR, WHT	1lt Table Lamp	60w BC Max	H: 535mm	Globe not included



Macro



Chrome finish | Silver Aluminium head | Frost acrylic lens
Adjustable knuckles

Head L: 110 W: 60mm

Model No	Description	Light Source	Lumens	Dimensions
MACRDL	7W LED Desk Lamp	1 x 7w COB	580Lm	H: 445mm
MACRFL	7W LED Floor Lamp	1 x 7w COB	580Lm	H: 1370mm



Cylon

LED CRI 80 3000K

Chrome finish | Silver Aluminium head | Frost acrylic lens
Adjustable knuckles

Head W: 100mm

Model No	Description	Light Source	Lumens	Dimensions
CYLODL	7W LED Desk Lamp	1 x 7w COB	580Lm	H: 445mm
CYLOFL	7W LED Floor Lamp	1 x 7w COB	580Lm	H: 1370mm





Spotlights



2017
CATALOGUE



Saturn




Recommended dimmer:
Clipsal LED

Satin Chrome finish | Chrome highlights | Frost/Clear glass panel
Adjustable knuckles

Available as Frame only or with GU10 LED globes.

Model No	Description	Light Source	Lumens	Dimensions
SAT1S LED 3000KD, 4000KD	1lt Spotlight	1 x GU10 7w globe	640Lm/660Lm	L: 100mm W: 100mm P: 140mm
SAT2R LED 3000KD, 4000KD	2lt Rail	2 x GU10 7w globes	1280Lm/1320Lm	L: 340mm W: 75mm P: 140mm
SAT3R LED 3000KD, 4000KD	3lt Rail	3 x GU10 7w globes	1920Lm/1980Lm	L: 420mm W: 75mm P: 140mm
SAT4R LED 3000KD, 4000KD	4lt Rail	4 x GU10 7w globes	2560Lm/2640Lm	L: 510mm W: 75mm P: 140mm



Mercury



Recommended dimmer:
Clipsal LED

Satin Chrome finish | Chrome highlights | Adjustable knuckles

Available as Frame only or with GU10 LED globes.



Model No	Description	Light Source	Lumens	Dimensions
MER1S LED 3000KD, 4000KD	1lt Spotlight	1 x GU10 7w globe	640Lm/660Lm	L: 80mm W: 80mm P: 140mm
MER2R LED 3000KD, 4000KD	2lt Rail	2 x GU10 7w globes	1280Lm/1320Lm	L: 340mm W: 60mm P: 165mm
MER3R LED 3000KD, 4000KD	3lt Rail	3 x GU10 7w globes	1920Lm/1980Lm	L: 570mm W: 60mm P: 165mm
MER4R LED 3000KD, 4000KD	4lt Rail	4 x GU10 7w globes	2560Lm/2640Lm	L: 800mm W: 60mm P: 165mm





Downlights & Globes





Predator






Recommended dimmers:
Clipsal LED

Satin Chrome finish | White finish

85-90mm Cut Out
60° Beam angle
C/w LED Driver, Flex & Plug

ThermoARC heatsink with pinfin design
IC-F Abutted & Covered
C-Bus compatible

Model No	Description	Light Source	Lumens	Dimensions
PREDLSC3000K	Satin Chrome LED Downlight	1 x 12w COB 3000k	1040Lm	W: 110mm H: 90mm
PREDLSC4000K	Satin Chrome LED Downlight	1 x 12w COB 4000k	1080Lm	W: 110mm H: 90mm
PREDLW3000K	White LED Downlight	1 x 12w COB 3000k	1040Lm	W: 110mm H: 90mm
PREDLW4000K	White LED Downlight	1 x 12w COB 4000k	1080Lm	W: 110mm H: 90mm



Raptor









Recommended dimmers:
Clipsal LED

Satin Chrome finish | White finish | Opal lens

85-90mm Cut Out
100° Beam angle
M-DCOB internal AC driverless
C/w Flex & Plug

ThermoARC heatsink with pinfin design
IC-F Abutted & Covered
C-Bus compatible

Model No	Description	Light Source	Lumens	Dimensions
RAPDLS3000K	Satin Chrome LED Downlight	1 x 9w COB 3000k	820Lm	W: 110mm H: 42.50mm
RAPDLS4000K	Satin Chrome LED Downlight	1 x 9w COB 4000k	840Lm	W: 110mm H: 42.50mm
RAPDLW3000K	White LED Downlight	1 x 9w COB 3000k	820Lm	W: 110mm H: 42.50mm
RAPDLW4000K	White LED Downlight	1 x 9w COB 4000k	840Lm	W: 110mm H: 42.50mm



Talas

LED
CRI 85
3000K 4000K
IP 54
DIMMABLE

Recommended dimmers: Clipsal LED

White finish

90mm Cut Out
 100° Beam angle
 M-DCOB internal AC driverless
 V0 Fire Rated injection mould PC housing

6063 Aluminium In-built heatsink
 C/w Flex & Plug
 IC-F Abutted & Covered

Model No	Description	Light Source	Lumens	Dimensions
TALDLW3000K	White LED Downlight	1 x 8w COB 3000k	752Lm	W: 114mm H: 65mm
TALDLW4000K	White LED Downlight	1 x 8w COB 4000k	784Lm	W: 114mm H: 65mm




GU10 LED Globes

LED **CRI 80** **3000K 4000K** **DIMMABLE**

Recommended dimmer:
Clipsal LED

60° Beam angle
265Volt Surge Protection
Soft Edge Reflector

Do NOT use with timers
Do NOT use with sensor lights



MR16 LED Globes

LED **CRI 80** **3000K 4000K**

Recommended Transformers:
Iron Core
Cougar SET 60
Osram Redback
Actec
Clipsal
Tridonic Atco Viper

60° Beam angle
Soft Edge Reflector


Model No	Description	Light Source	Lumens	Dimensions
LEDGU105W 3000KD, 4000KD	GU10 5W LED Globe	1 x 5w COB 3000k, 4000k	450Lm/470Lm	W: 50mm H: 57mm
LEDGU107W 3000KD, 4000KD	GU10 7W LED Globe	1 x 7w COB 3000k, 4000k	640Lm/660Lm	W: 50mm H: 57mm
LEDMR165W 3000K, 4000K	MR16 5W LED Globe	1 x 5w COB 3000k, 4000k	430Lm/460Lm	W: 50mm H: 52mm
LEDMR167W 3000K, 4000K	MR16 7W LED Globe	1 x 7w COB 3000k, 4000k	580Lm/600Lm	W: 50mm H: 52mm





Exteriors





Stockholm

LED
CRI 80
3000K 4000K
IP 44
IP 65
DIMMABLE

Recommended dimmers:
Clipsal LED


Anodized Aluminium finish | Clear glass

IP65 Spike, 1lt Adj & 2lt Wall
IP44 2lt/3lt & 4lt Rail

Available as Frame only
or with GU10 LED globes
12v Spike light not dimmable

Rail Measurements
2lt R L 300mm W 50mm P 25mm
3lt R L 500mm W 50mm P 25mm
4lt R L 640mm W 50mm P 25mm

Model No	Description	Light Source	Lumens	Dimensions
STO1SA 3000K, 4000K	1lt 12v LED Exterior Spike Light	1 x MR16 5w globe	430Lm/460Lm	H: 650mm W: 60mm P: 130mm
STO1WA 3000K, 4000K	1lt LED Exterior Adjustable Wall Light	1 x GU10 5w globe	450Lm/470Lm	H: 160mm W: 68mm P: 160mm
STO2WA 3000K, 4000K	2lt LED Exterior Wall Light	2 x GU10 5w globes	900Lm/940Lm	H: 205mm W: 68mm P: 86mm
STO2RA 3000K, 4000K	2lt LED Exterior Rail	2 x GU10 5w globes	900Lm/940Lm	L: 360mm W: 60mm P: 170mm
STO3RA 3000K, 4000K	3lt LED Exterior Rail	3 x GU10 5w globes	1350Lm/1410Lm	L: 560mm W: 60mm P: 170mm
STO4RA 3000K, 4000K	4lt LED Exterior Rail	4 x GU10 5w globes	1800Lm/1880Lm	L: 700mm W: 60mm P: 170mm



Stockholm

LED
CRI 80
3000K 4000K
IP 44
IP 65
DIMMABLE

Recommended dimmers: Clipsal LED

Anodized Titanium finish | Clear glass

IP65 Spike, 1lt Adj & 2lt Wall
IP44 2lt/3lt & 4lt Rail

Available as Frame only
or with GU10 LED globes
12v Spike light not dimmable

Rail Measurements
2lt R L 300mm W 50mm P 25mm
3lt R L 500mm W 50mm P 25mm
4lt R L 640mm W 50mm P 25mm

Model No	Description	Light Source	Lumens	Dimensions
STO1ST 3000K, 4000K	1lt 12v LED Exterior Spike Light	1 x MR16 5w globe	430Lm/460Lm	H: 650mm W: 60mm P: 130mm
STO1WT 3000K, 4000K	1lt LED Exterior Adjustable Wall Light	1 x GU10 5w globe	450Lm/470Lm	H: 160mm W: 68mm P: 160mm
STO2WT 3000K, 4000K	2lt LED Exterior Wall Light	2 x GU10 5w globes	900Lm/940Lm	H: 205mm W: 68mm P: 86mm
STO2RT 3000K, 4000K	2lt LED Exterior Rail	2 x GU10 5w globes	900Lm/940Lm	L: 360mm W: 60mm P: 170mm
STO3RT 3000K, 4000K	3lt LED Exterior Rail	3 x GU10 5w globes	1350Lm/1410Lm	L: 560mm W: 60mm P: 170mm
STO4RT 3000K, 4000K	4lt LED Exterior Rail	4 x GU10 5w globes	1800Lm/1880Lm	L: 700mm W: 60mm P: 170mm



Stockholm

LED
CRI 80
3000K / 4000K
IP 44
DIMMABLE

Recommended dimmers:
Clipsal LED

Matt Black finish | Clear glass

IP65 Spike, 1lt Adj & 2lt Wall
IP44 2lt/3lt & 4lt Rail

Available as Frame only
or with GU10 LED globes
12v Spike light not dimmable

Rail Measurements
2lt R L 300mm W 50mm P 25mm
3lt R L 500mm W 50mm P 25mm
4lt R L 640mm W 50mm P 25mm

Model No	Description	Light Source	Lumens	Dimensions
STO1SBLK 3000K, 4000K	1lt 12v LED Exterior Spike Light	1 x MR16 5w globe	430Lm/460Lm	H: 650mm W: 60mm P: 130mm
STO1WBLK 3000K, 4000K	1lt LED Exterior Adjustable Wall Light	1 x GU10 5w globe	450Lm/470Lm	H: 160mm W: 68mm P: 160mm
STO2WBLK 3000K, 4000K	2lt LED Exterior Wall Light	2 x GU10 5w globes	900Lm/940Lm	H: 205mm W: 68mm P: 86mm
STO2RBLK 3000K, 4000K	2lt LED Exterior Rail	2 x GU10 5w globes	900Lm/940Lm	L: 360mm W: 60mm P: 170mm
STO3RBLK 3000K, 4000K	3lt LED Exterior Rail	3 x GU10 5w globes	1350Lm/1410Lm	L: 560mm W: 60mm P: 170mm
STO4RBLK 3000K, 4000K	4lt LED Exterior Rail	4 x GU10 5w globes	1800Lm/1880Lm	L: 700mm W: 60mm P: 170mm



Hamburg




Recommended dimmers:
Clipsal LED

Anodized Aluminium finish | Anodized Titanium finish
Matt Black finish | Clear glass

Available as Frame only or with GU10 LED globes

Model No	Description	Light Source	Lumens	Dimensions
HAM2WA 3000K, 4000K	2lt LED Exterior Wall Light	2 x GU10 5w globes	900Lm/940Lm	H: 210mm W: 100mm P: 90mm
HAM2WT 3000K, 4000K	2lt LED Exterior Wall Light	2 x GU10 5w globes	900Lm/940Lm	H: 210mm W: 100mm P: 90mm
HAM2BLK 3000K, 4000K	2lt LED Exterior Wall Light	2 x GU10 5w globes	900Lm/940Lm	H: 210mm W: 100mm P: 90mm



Lemans



Black finish | Clear glass

240v AC driverless
C/w 50cm flex & plug

C/w Mounting Setup
10w: W 140mm, H 87mm
30/50w: W 240mm, H 140mm

Model No.	Description	Light Source	Lumens	Dimensions
LEMA10WLED	10w LED Exterior Box Flood	20 x 0.5w SMD	950Lm	H: 95mm W: 130mm P: 25mm
LEMA30WLED	30w LED Exterior Box Flood	64 x 0.5w SMD	2800Lm	H: 168mm W: 230mm P: 40mm
LEMA50WLED	50w LED Exterior Box Flood	100 x 0.5w SMD	4700Lm	H: 168mm W: 230mm P: 40mm



Graz



Charcoal finish | Silver finish | Clear glass



Pilsen



Charcoal finish | Silver finish | Clear acrylic lens

Black reflectors to adjust light angle

Model No.	Description	Light Source	Lumens	Dimensions
GRAZ2E CHA, SLV	2lt LED Exterior Wall Light	2 x 6w COB	855Lm	H: 260mm W: 90mm P: 60mm
PILS2E CHA, SLV	2lt LED Exterior Wall Light	2 x 6w COB	750Lm	H: 140mm W: 105mm P: 130mm



Mainz



Charcoal finish | Silver finish | Opal acrylic lens



Varde



Charcoal finish | Silver finish | Opal acrylic lens

Model No.	Description	Light Source	Lumens	Dimensions
MAIN1E CHA, SLV	LED Exterior Wall Light	6w SMD	460Lm	H: 200mm W: 160mm P: 45mm
VARD1E CHA, SLV	LED Exterior Wall Light	6w SMD	322Lm	H: 180mm W: 180mm P: 55mm



Modena

LED CRI 80 3000K IP 54

Charcoal finish | White finish | Opal acrylic lens



Tenby

LED CRI 80 3000K IP 54

Charcoal finish | White finish | Opal acrylic lens

Exteriors

Model No.	Description	Light Source	Lumens	Dimensions
MODE1E CHA, WHT	LED Exterior Wall Light	10w SMD	632Lm	H: 70mm W: 180mm P: 160mm
TENB1E CHA, WHT	LED Exterior Wall Light	9w SMD	629Lm	H: 220mm W: 125mm P: 103mm



Bodo



Charcoal finish | Silver finish | Opal acrylic lens

240v AC driverless



Minsk



Charcoal finish | Silver finish | Opal acrylic lens

240v AC driverless

Model No.	Description	Light Source	Lumens	Dimensions
BODO1E CHA, SLV	LED Exterior Light	4w SMD	280Lm	H: 140mm W: 140mm P: 65mm
MINS1E CHA, SLV	LED Exterior Wall Light	7w SMD	360Lm	H: 300mm W: 65mm P: 95mm



Tucson



Black finish | Pewter finish | Frost glass
240v AC driverless



Ozone



Black finish | White finish | Clear acrylic lens

Model No.	Description	Light Source	Lumens	Dimensions
TUCS2E BLK, PWT	2lt LED Exterior Wall Light	2 x 6w COB	690Lm	H: 300mm W: 188mm P: 100mm
OZO1E BLK, WHT	LED Exterior Wall Light	1 x 4w COB	280Lm	H: 75mm W: 140mm P: 210mm



Shore

LED CRI 85 3000K IP 54

Aluminium finish | Clear glass



Ikon

LED CRI 85 3000K IP 54

Aluminium finish | Clear glass

Model No.	Description	Light Source	Lumens	Dimensions
SHOR2ELED	2lt LED Exterior Wall Light	2 x 3w COB	460Lm	H: 170mm W: 83mm P: 45mm
IKON2ELED	2lt LED Exterior Wall Light	2 x 3w COB	460Lm	H: 170mm W: 83mm P: 130mm



Snorkel



Bronze finish | Galvanized finish | Clear glass




Torquay



Black finish | Silver finish | Opal acrylic lens
Polycarbonate

Model No.	Description	Light Source	Lumens	Dimensions
SNOR1E BRZ, GAL	LED Exterior Wall Light	1 x 4w COB	380Lm	H: 155mm W: 110mm P: 150mm
TORQPLED BLK, SLV	Plain LED Exterior Bunker Light	12w LED SMD	800Lm	W: 300mm P: 95mm
TORQELLED BLK, SLV	Eyelid LED Exterior Bunker Light	12w LED SMD	800Lm	W: 300mm P: 95mm



Brugge



Recommended dimmers:
Clipsal LED

Charcoal finish | Silver finish | Clear glass

Available as Frame only or with GU10 LED globes



Hanover



Recommended dimmers:
Clipsal LED

Charcoal finish | Silver finish | Clear glass

Available as Frame only or with GU10 LED globes

Model No.	Description	Light Source	Lumens	Dimensions
BRUG2ECHA 3000K, 4000K	2lt LED Exterior Wall Light	2 x GU10 5w globes	900Lm/940Lm	H: 150mm W: 65mm P: 95mm
BRUG2ESLV 3000K, 4000K	2lt LED Exterior Wall Light	2 x GU10 5w globes	900Lm/940Lm	H: 150mm W: 65mm P: 95mm
HANO2ECHA 3000K, 4000K	2lt LED Exterior Wall Light	2 x GU10 5w globes	900Lm/940Lm	H: 150mm W: 70mm P: 95mm
HANO2ESLV 3000K, 4000K	2lt LED Exterior Wall Light	2 x GU10 5w globes	900Lm/940Lm	H: 150mm W: 70mm P: 95mm



Cairns



Recommended dimmers:
Clipsal LED

Black finish | White finish | 304 Stainless Steel finish
Clear glass

Available as Frame only or with GU10 LED globes

Model No.	Description	Light Source	Lumens	Dimensions
CAIR1EBLK 3000K, 4000K	1lt LED Exterior Wall Light	1 x GU10 5w globe	450Lm/470Lm	H: 110mm W: 115mm P: 155mm
CAIR1EWHT 3000K, 4000K	1lt LED Exterior Wall Light	1 x GU10 5w globe	450Lm/470Lm	H: 110mm W: 115mm P: 155mm
CAIR1E304 3000K, 4000K	1lt LED Exterior Wall Light	1 x GU10 5w globe	450Lm/470Lm	H: 110mm W: 115mm P: 155mm



Fascia



Recommended dimmers:
Clipsal LED

Black finish | White finish | Clear glass

Available as Frame only or with GU10 LED globes



Darwin



Black finish | Silver finish | Opal acrylic lens

Vertical mount only

Model No.	Description	Light Source	Lumens	Dimensions
FACSEDLBK 3000K, 4000K	1lt Exterior Surface Mounted Downlight	1x GU10 5w globe	450Lm/470Lm	H: 135mm W: 90mm
FACSEDLWHT 3000K, 4000K	1lt Exterior Surface Mounted Downlight	1x GU10 5w globe	450Lm/470Lm	H: 135mm W: 90mm
DARW1E B, SLV	1lt Exterior Wall Light	60w ES Max	N/A	H: 350mm W: 120mm P: 120mm



Linear

IP
44

304 Stainless Steel finish | 316 Stainless Steel finish
Opal glass

Vertical mount only




Dockside

IP
44

304 Stainless Steel finish | 316 Stainless Steel finish
Opal acrylic lens

Vertical mount only

Model No.	Description	Light Source	Dimensions	Comment
LIN1E 304SS, 316SS	1lt Exterior Wall Light	40w ES Max	H: 230mm W: 90mm P: 90mm	Globe not included
LIN2E 304SS, 316SS	2lt Exterior Wall Light	40w ES Max	H: 400mm W: 90mm P: 90mm	Globes not included
DOCK1E 304, 316	1lt Exterior Wall Light	40w ES Max	H: 240mm W: 170mm P: 100mm	Globe not included



Lyon

IP
54

Charcoal finish | Silver finish | Opal acrylic lens
Vertical mount only



Madrid

IP
44

Black finish | Bronze finish | Clear bevelled glass
Vertical mount only

Model No.	Description	Light Source	Dimensions	Comment
LYON1E CHA, SLV	1lt Exterior Wall Light	40w ES Max	H: 285mm W: 150mm P: 95mm	Globe not included
MAD1ESM BLK, BRZ	1lt Small Exterior Wall Light	60w ES Max	H: 240mm W: 180mm P: 100mm	Globe not included
MAD1ELG BLK, BRZ	1lt Large Exterior Wall Light	60w ES Max	H: 300mm W: 230mm P: 125mm	Globe not included



Anglesea

IP
44

Black finish | Bronze finish | 316 Stainless Steel finish
Clear glass

Vertical mount only

Model No.	Description	Light Source	Dimensions	Comment
ANGL1E BLK, BRZ, 316	1lt Exterior Wall Light	60w ES Max	H: 280mm W: 120mm P: 145mm	Globe not included



Oxford

IP
44

Black finish | Bronze finish | Clear stippled glass

Vertical mount only



Coventry

IP
43

Bronze finish | Clear stippled glass

Vertical mount only

Model No.	Description	Light Source	Dimensions	Comment
OXFO1E BLK, BRZ	1lt Exterior Wall Light	60w ES Max	H: 395mm W: 185mm P: 230mm	Globe not included
COVE1ESMBRZ	1lt Small Exterior Wall Light	60w ES Max	H: 240mm W: 155mm P: 185mm	Globe not included
COVE1ELGBRZ	1lt Large Exterior Wall Light	60w ES Max	H: 330mm W: 205mm P: 240mm	Globe not included



Nottingham

IP 43

Black finish | Bronze finish | Clear stippled glass
Vertical mount only



Norfolk

IP 44

Black finish | Bronze finish | Matt Opal glass
Vertical mount only

Exteriors

Model No.	Description	Light Source	Dimensions	Comment
NOTT1E BLK, BRZ	1lt Exterior Wall Light	60w ES Max	H: 385mm W: 190mm P: 235mm	Globe not included
NORF1E BLK, BRZ	1lt Exterior Wall Light	60w ES Max	H: 295mm W: 185mm P: 175mm	Globe not included



Cambridge

IP 43

Black finish | Bronze finish | Clear stippled glass

Vertical mount only



Plymouth

IP 43

Black finish | Bronze finish | Frost glass

Vertical mount only

Model No.	Description	Light Source	Dimensions	Comment
CAMB1E BLK, BRZ	1lt Exterior Wall Light	60w ES Max	H: 305mm W: 160mm P: 190mm	Globe not included
PLYM1E BLK, BRZ	1lt Exterior Wall Light	60w ES Max	H: 260mm W: 150mm P: 170mm	Globe not included



Coogee

IP
44

Aluminium finish | Black finish | White finish
Frost ribbed glass

Model No.	Description	Light Source	Dimensions	Comment
COOG1ESOV ALU, BLK, WHT	1lt Small Oval Exterior Bunker	60w ES Max	L: 215mm W: 140mm H: 95mm	Globe not included
COOG1ELOV ALU, BLK, WHT	1lt Large Oval Exterior Bunker	60w ES Max	L: 320mm W: 210mm H: 110mm	Globe not included
COOG1ESR ALU, BLK, WHT	1lt Small Round Exterior Bunker	60w ES Max	W: 190mm H: 90mm	Globe not included
COOG1ELR ALU, BLK, WHT	1lt Large Round Exterior Bunker	60w ES Max	W: 255mm H: 95mm	Globe not included



WARRANTY

1 year warranty applies to all light fixtures and table/floor lamps that are used in an internal household application. This warranty covers defect of finish or electrical components. It does not cover light globes that come complete with light fixtures supplied by Cougar Lighting. This warranty is only valid upon proof of installation by a licensed electrician and the light fixtures have not been misused or used in an inappropriate situation that the fitting in question was not designed for.

A 3 year warranty applies to all LED lighting fixtures, LED table/floor lamps that are used in an internal or external household application. This warranty covers defect of finish or electrical components, including electronic converters supplied with fitting by Cougar Lighting. This warranty is only valid upon proof of installation by a licensed electrician and the light fixtures have not been misused or used in an inappropriate situation that the fitting in question was not designed for.

A 2-5 year warranty applies to all LED downlights that are used in an internal or external household application. This warranty covers defect of finish or electrical components, including electronic converters supplied with fitting by Cougar Lighting. This warranty is only valid upon proof of installation by a licensed electrician and the light fixtures have not been misused or used in an inappropriate situation that the fitting in question was not designed for. Please review individual downlight Maintenance/Warranty forms for warranty period relating to each downlight model.

A 1 year warranty applies to all LED light fixtures, LED downlights and LED table/floor lamps that are used in an internal or external commercial application. Commercial application is deemed when the light fixture will be operating for periods longer than 12 hours at a time on a daily basis in a non-household application. This warranty covers defect of finish or electrical components, including electronic converters supplied with fitting by Cougar Lighting. This warranty is only valid upon proof of installation by a licensed electrician and the light fixtures have not been misused or used in an inappropriate situation that the fitting in question was not designed for.

A 2 year warranty applies to external light fixtures that are used in an external household application. This warranty covers defect of finish or electrical components. It does not cover light globes that come complete with light fixtures supplied by Cougar Lighting. This warranty is only valid upon proof of installation by a licensed electrician and the light fixtures have not been misused or used in an inappropriate situation that the fitting in question was not designed for.

A 2 year warranty applies to all 304 Stainless Steel external light fixtures as long as the light fixture is not located any closer than 1km to either salt water or salt mining. The fixture as well must be regularly cleaned to maintain its finish. All wall and under eave fixtures unwashed by rain water should be cleaned 3-4 times a year. Tea staining is a natural process that may happen to 304 Stainless Steel fixtures if not cleaned regularly.

A 2 year warranty applies to all Anodized Aluminium and 316 Stainless Steel external light fixtures as long as the light fixture is not located any closer than 50m to either salt water or salt mining. The fixture as well must be regularly cleaned to maintain its finish. All wall and under eave fixtures unwashed by rain water should be cleaned 3-4 times a year. Tea staining is a natural process that may happen to 316 Stainless Steel fixtures if not cleaned regularly.

Cougar Lightings liability during the warranty period is to repair or replace faulty components or complete fittings without charge as long as returned to the place of purchase, with proof of purchase, and proof of installation by a licensed electrician.

Cougar Lighting will not be liable for re-installation charges unless previously approved in writing by Cougar Lighting.

The benefits of Cougar Lightings warranty are in addition to the other rights and remedies under the Australian Consumer Law in relation to all of Cougar Lightings light fixtures.

For a full list of our TRADING TERMS & CONDITIONS please refer to our Wholesale Pricelist.

Specifications of light fixtures represented in this catalogue are subject to change without prior notification.



www.cougarlighting.com.au

NOTES:



www.cougarlighting.com.au