

EVER  GREEN

LED Profiles



Bobby - Curve

This LED profile can be used for many applications. Applications include wall mount, ceiling mount, under cupboard mount and also as a wire suspended pendant for over desk or bench top applications.


Natural anodised aluminium finish, 6063 grade aluminium, hidden screw mounting, complete with a rounded PMMA matt opal diffuser. Maximum continuous length = 2.5mtrs.

Order code: **22008**
 Product code: **EV-EXT200**
 Size: (W) 19.5mm x (H) 19.8mm (L) 2500mm maximum length (sold per mtr)

Order code: **22009**
 Product code: **EV-EXT200-CAP**
 Description: Rounded end cap to suit EV-EXT200 LED profile.
 Colour: Silver

Order code: **22041**
 Product code: **EV-EXT-SUSPENSION**
 Description: Stainless steel wire suspension (2mtr) to suit above LED profile.





Special: Special custom powder coated colours available upon request.



Compatible LED strips:

Flexi Strip 60	Flexi Strip 90	Flexi Strip 120	Flexi Strip 240	Flexi Strip RGB
○ W	○ W	○ W	○ W	●●● 30
○ NW	○ NW	○ NW	○ NW	●●● 60
○ WW	○ WW	○ WW	○ WW	●●● Digital
● R	● B			●●● AWB
● G				
● B				
● A				

Installation Process



Bobby - Bloc

This LED profile can be used for many applications. Applications include wall mount, ceiling mount, under cupboard mount and also as a wire suspended pendant for over desk or bench top applications.


Natural anodised aluminium finish, 6063 grade aluminium, hidden screw mounting, complete with a square PMMA matt opal diffuser. Maximum continuous length = 2.5mtrs.

Order code: **22010**
 Product code: **EV-EXT201**
 Size: (W) 19.5mm x (H) 19.8mm (L) 2500mm maximum length (sold per mtr)

Order code: **22011**
 Product code: **EV-EXT201-CAP**
 Description: Square end cap to suit EV-EXT201 LED profile.
 Colour: Silver

Order code: **22041**
 Product code: **EV-EXT-SUSPENSION**
 Description: Stainless steel wire suspension (2mtr) to suit above LED profile.






Special: Special custom powder coated colours available upon request.



Compatible LED strips:

Flexi Strip 60	Flexi Strip 90	Flexi Strip 120	Flexi Strip 240	Flexi Strip RGB
○ W	○ W	○ W	○ W	●●● 30
○ NW	○ NW	○ NW	○ NW	●●● 60
○ WW	○ WW	○ WW	○ WW	●●● Digital
● R	● B			●●● AWB
● G				
● B				
● A				

Installation Process



B o b b y - T

This LED profile can be used for many applications. Applications include wall mount, ceiling mount and also as a wire suspended pendant for over desk or bench top applications.


Natural anodised aluminium finish, 6063 grade aluminium, hidden screw mounting, complete with a T-shape PMMA matt opal diffuser. Maximum continuous length = 2.5mtrs.

Order code: **22012**
 Product code: **EV-EXT202**
 Size: (W) 19.5mm x (H) 32.3mm (L) 2500mm maximum length (sold per mtr)

Order code: **22013**
 Product code: **EV-EXT202-CAP**
 Description: T-shape end cap to suit EV-EXT202 LED profile.
 Colour: Silver

Order code: **22041**
 Product code: **EV-EXT-SUSPENSION**
 Description: Stainless steel wire suspension (2mtr) to suit above LED profile.






Special: Special custom powder coated colours available upon request.



Compatible LED strips:

Flexi Strip 60	Flexi Strip 90	Flexi Strip 120	Flexi Strip 240	Flexi Strip RGB
○ W	○ W	○ W	○ W	●●● 30
○ NW	○ NW	○ NW	○ NW	●●● 60
○ WW	○ WW	○ WW	○ WW	●●● Digital
● R	● B			●●● AWB
● G				
● B				
● A				

Installation Process



Bobby - Optic

This LED profile can be used for many applications. Applications include wall mount, ceiling mount and also as a wire suspended pendant for over desk or bench top applications.


Natural anodised aluminium finish, 6063 grade aluminium, hidden screw mounting, complete with an optical 30° clear lens diffuser. Maximum continuous length = 2.5mtrs.

Order code: **22014**
 Product code: **EV-EXT203**
 Size: (W) 19.5mm x (H) 17.4mm (L) 2500mm maximum length (sold per mtr)

Order code: **22015**
 Product code: **EV-EXT203-CAP**
 Description: Optical end cap to suit EV-EXT203 LED profile.
 Colour: Silver

Order code: **22041**
 Product code: **EV-EXT-SUSPENSION**
 Description: Stainless steel wire suspension (2mtr) to suit above LED profile.




Special: Special custom powder coated colours available upon request.



Compatible LED strips:

Flexi Strip 60	Flexi Strip 90	Flexi Strip 120	Flexi Strip 240	Flexi Strip RGB
○ W	○ W	○ W	○ W	●●● 30
○ NW	○ NW	○ NW	○ NW	●●● 60
○ WW	○ WW	○ WW	○ WW	●●● Digital
● R	● B			●●● AWB
● G				
● B				
● A				

Installation Process



Shadow-Line

This LED profile is very versatile. It can be used to make a pelmet around the room for down lighting or cut to size to make a wall light or a architectural style picture light.


Natural anodised aluminium finish, 6063 grade aluminium, hidden screw mounting, complete with a PMMA matt opal diffuser. Maximum continuous length = 2.5mtrs.

Order code: **22016**
 Product code: **EV-EXT204**
 Size: (W) 80mm x (H) 36mm (L) 2500mm maximum length (sold per mtr)

Order code: **22011**
 Product code: **EV-EXT201-CAP (to suit smaller profile)**
 Description: Square end cap to suit EV-EXT201 LED profile.
 Colour: Silver

Order code: **22017**
 Product code: **EV-EXT204-CAP (to suit main profile)**
 Description: Rectangular end cap to suit EV-EXT204 LED profile.
 Colour: Silver



Special: Special custom powder coated colours available upon request.



Compatible LED strips:

Flexi Strip 60	Flexi Strip 90	Flexi Strip 120	Flexi Strip 240	Flexi Strip RGB
○ W	○ W	○ W	○ W	●●● 30
○ NW	○ NW	○ NW	○ NW	●●● 60
○ WW	○ WW	○ WW	○ WW	●●● Digital
● R	● B			●○● AWB
● G				
● B				
● A				

Installation Process



Luma-Line


This LED profile is very versatile. It can be used to make a pelmet around the room for down lighting or used to make a architectural style wall light for up or down lighting.

Natural anodised aluminium finish, 6063 grade aluminium, hidden screw mounting, complete with a PMMA matt opal diffuser. Maximum continuous length = 2.5mtrs.

Order code: **22018**
 Product code: **EV-EXT205**
 Size: (W) 30mm x (H) 25mm (L) 2500mm maximum length (sold per mtr)

Order code: **22019**
 Product code: **EV-EXT205-CAP**
 Description: Flat end cap to suit EV-EXT205 LED profile.
 Colour: Silver



Special: Special custom powder coated colours available upon request.



Compatible LED strips:

Flexi Strip 60	Flexi Strip 90	Flexi Strip 120	Flexi Strip 240	Flexi Strip RGB
○ W	○ W	○ W	○ W	●●● 30
○ NW	○ NW	○ NW	○ NW	●●● 60
○ WW	○ WW	○ WW	○ WW	●●● Digital
● R	● B			●○● AWB
● G				
● B				
● A				

Installation Process



Bobby - Bloc Maxi

This LED profile can be used for many applications. Applications include wall mount, ceiling mount and also as a wire suspended pendant for over desk or bench top applications.


Natural anodised aluminium finish, 6063 grade aluminium, complete with a squared shape PMMA matt opal diffuser. Maximum continuous length = 2.5mtrs.

Order code: **22020**
 Product code: **EV-EXT206**
 Size: (W) 42.5mm x (H) 56mm (L) 2500mm maximum length (sold per mtr)

Order code: **22021**
 Product code: **EV-EXT206-CAP**
 Description: Rectangular end cap to suit EV-EXT206 LED profile.
 Colour: Silver

Order code: **22041**
 Product code: **EV-EXT-SUSPENSION**
 Description: Stainless steel wire suspension (2mtr) to suit above LED profile.



Special: Special custom powder coated colours available upon request.



Compatible LED strips:

Flexi Strip 60	Flexi Strip 90	Flexi Strip 120	Flexi Strip 240	Flexi Strip RGB
○ W	○ W	○ W	○ W	●●● 30
○ NW	○ NW	○ NW	○ NW	●●● 60
○ WW	○ WW	○ WW	○ WW	●●● Digital
● R	● B			●○● AWB
● G				
● B				
● A				

Installation Process



Luma-Line 2

This LED profile is an architectural style wall light with an up and down wall washing. The configurations in the LED effects are endless. This profile can also be used with wire suspensions to also create a nice effect.


Natural anodised aluminium finish, 6063 grade aluminium, complete with a flat shape PMMA matt opal diffuser. Maximum continuous length = 2.5mtrs

Order code: **22022**
 Product code: **EV-EXT207**
 Size: (W) 32.7mm x (H) 85mm (L) 2500mm maximum length (sold per mtr)

Order code: **22023**
 Product code: **EV-EXT207-CAP**
 Description: Rectangular end cap to suit EV-EXT207 LED profile.
 Colour: Silver

Order code: **22041**
 Product code: **EV-EXT-SUSPENSION**
 Description: Stainless steel wire suspension (2mtr) to suit above LED profile.




Special: Special custom powder coated colours available upon request.



Compatible LED strips:

Flexi Strip 60	Flexi Strip 90	Flexi Strip 120	Flexi Strip 240	Flexi Strip RGB
○ W	○ W	○ W	○ W	●●● 30
○ NW	○ NW	○ NW	○ NW	●●● 60
○ WW	○ WW	○ WW	○ WW	●●● Digital
● R	● B			●○● AWB
● G				
● B				
● A				

Installation Process



V-Line

This LED profile can be used for many applications. Applications include wall mount, ceiling mount and also as a wire suspended pendant for over desk or bench top applications.


Natural anodised aluminium finish, 6063 grade aluminium, complete with a flat shape PMMA matt opal diffuser. Maximum continuous length = 2.5mtrs

Order code: **22024**
 Product code: **EV-EXT208**
 Size: (W) 100mm x (H) 41.5mm (L) 2500mm maximum length (sold per mtr)

Order code: **22025**
 Product code: **EV-EXT208-CAP**
 Description: Triangular end cap to suit EV-EXT208 LED profile.
 Colour: Silver

Order code: **22041**
 Product code: **EV-EXT-SUSPENSION**
 Description: Stainless steel wire suspension (2mtr) to suit above LED profile.





Special: Special custom powder coated colours available upon request.



Compatible LED strips:

Flexi Strip 60		Flexi Strip 90		Flexi Strip 120		Flexi Strip RGB	
○	W	○	W	○	W	● ● ●	30
○	NW	○	NW	○	NW	● ● ●	60
○	WW	○	WW	○	WW	● ● ●	Digital
●	R	●	B			● ● ●	AWB
●	G						
●	B						
●	A						

Installation Process



Q-Line Mini

This LED profile is used for under cupboard applications where the light is mounted on a 45° angle to throw the light onto the working space. It's also a good profile for perimeter lighting in rooms where a minimalist look is required.

Natural anodised aluminium finish, 6063 grade aluminium, hidden screw mounting, complete with a rounded PMMA matt opal diffuser. Maximum continuous length = 2.5mtrs.

Order code: **22026**
Product code: **EV-EXT209**
Size: (W) 16mm x (H) 16mm (L) 2500mm maximum length (sold per mtr)



Order code: **22027**
Product code: **EV-EXT209-CAP**
Description: Rounded end cap to suit EV-EXT209 LED profile.
Colour: Silver

Special: Special custom powder coated colours available upon request.

Compatible LED strips:

Flexi Strip 60	Flexi Strip 90	Flexi Strip 120	Flexi Strip RGB
○ W	○ W	○ W	●●● 30
○ NW	○ NW	○ NW	●●● 60
○ WW	○ WW	○ WW	●●● Digital
● R	● B		●○● AWB
● G			
● B			
● A			

Installation Process



Quad-Line Mini


This LED profile is used for under cupboard applications where the light is mounted on a 45° angle to throw the light onto the working space. It is also a good profile for perimeter lighting in rooms where a minimalist look is required.

Natural anodised aluminium finish, 6063 grade aluminium, hidden screw mounting, complete with a square PMMA matt opal diffuser. Maximum continuous length = 2.5mtrs.

Order code: **22028**
 Product code: **EV-EXT210**
 Size: (W) 16mm x (H) 16mm (L) 2500mm maximum length (sold per mtr)

Order code: **22029**
 Product code: **EV-EXT210-CAP**
 Description: Squared end cap to suit EV-EXT210 LED profile.
 Colour: Silver



Special: Special custom powder coated colours available upon request.



Compatible LED strips:

Flexi Strip 60	Flexi Strip 90	Flexi Strip 120	Flexi Strip RGB
○ W	○ W	○ W	●●● 30
○ NW	○ NW	○ NW	●●● 60
○ WW	○ WW	○ WW	●●● Digital
● R	● B		●○● AWB
● G			
● B			
● A			

Installation Process



Infinity


This special LED profile is used for wall or floor washing. Used in ceilings it can create a continuous wall washing effect and if used low in a wall application it can create a continuous path light effect.

Natural anodised aluminium finish, 6063 grade aluminium, complete with a flat PMMA matt opal diffuser. Maximum continuous length = 2.5mtrs.

Order code: **22031**
 Product code: **EV-EXT211**
 Size: (W) 26mm x (H) 80mm (L) 2500mm maximum length (sold per mtr)

Order code: **22032**
 Product code: **EV-EXT211-CAP**
 Description: Flat end cap to suit EV-EXT211 LED profile.
 Colour: Silver

Special: Special custom powder coated colours available upon request.



Compatible LED strips:

Flexi Strip 60	Flexi Strip 90	Flexi Strip 120	Flexi Strip RGB
○ W	○ W	○ W	● ● ● 30
○ NW	○ NW	○ NW	● ● ● 60
○ WW	○ WW	○ WW	● ● ● Digital
● R	● B		● ● ● AWB
● G			
● B			
● A			

Installation Process



Omega 35

This LED profile is designed to be recessed into ceilings or walls. It is the perfect profile for an architectural seamless look.


Natural anodised aluminium finish, 6063 grade aluminium, complete with a flat PMMA matt opal diffuser. Maximum continuous length = 2.5mtrs.

Order code: **22034**
 Product code: **EV-EXT212**
 Size: (W) 43.8mm x (H) 34.8mm (L) 2500mm maximum length (sold per mtr)

Order code: **22035**
 Product code: **EV-EXT212-CAP**
 Description: Flat end cap to suit EV-EXT212 LED profile.
 Colour: Silver

Order code: **22036**
 Product code: **EV-EXT212-MOUNTING**
 Description: Mounting saddle to suit EV-EXT212 recessed LED profile.
 Colour: Natural anodised







Special: Special custom powder coated colours available upon request.



Compatible LED strips:

Flexi Strip 60	Flexi Strip 90	Flexi Strip 120	Flexi Strip 240	Flexi Strip RGB
○ W	○ W	○ W	○ W	●●● 30
○ NW	○ NW	○ NW	○ NW	●●● 60
○ WW	○ WW	○ WW	○ WW	●●● Digital
● R	● B			●○● AWB
● G				
● B				
● A				

Installation Process



Edge

This LED profile is designed to be used as a stair nose profile. This gives a continuous and even light.



















Natural anodised aluminium finish, 6063 grade aluminium, complete with a flat PMMA matt opal diffuser.
Maximum continuous length = 2.5mtrs.

Order code: **22037**
Product code: **EV-EXT213**
Size: (W) 48mm x (H) 26.7mm (L) 2500mm maximum length (sold per mtr)





Order code: **22038**
Product code: **EV-EXT213-CAP**
Description: Flat end cap to suit EV-EXT213 LED profile.
Colour: Silver

Special: Special custom powder coated colours available upon request.

Compatible LED strips:

Flexi Strip 60	Flexi Strip 90	Flexi Strip 120	Flexi Strip RGB
 W	 W	 W	 30
 NW	 NW	 NW	 60
 WW	 WW	 WW	 Digital
 R	 B		 AWB
 G			
 B			
 A			

Installation Process



Line 46

This LED profile can be used for many applications. Applications include ceiling mounted and also as a wire suspended pendant for over desk or bench top applications.

With its built in reflector for optimal output and the step back diffuser makes this a must for any architectural application.

Natural anodised aluminium finish, 6063 grade aluminium, internal reflector, complete with a flat step back shape PMMA matt opal diffuser. Maximum continuous length = 2.5mtrs.

Order code: **22039**
Product code: **EV-EXT214**
Size: (W) 46mm x (H) 75mm (L) 2500mm maximum length (sold per mtr)

Order code: **22040**
Product code: **EV-EXT214-CAP**
Description: Rectangular end cap to suit EV-EXT214 LED profile.
Colour: Silver






Order code: **22041**
Product code: **EV-EXT-SUSPENSION**
Description: Stainless steel wire suspension (2mtr) to suit above LED profile.

Special: Special custom powder coated colours available upon request.

Compatible LED strips:

Flexi Strip 60	Flexi Strip 90	Flexi Strip 120	Flexi Strip 240	Flexi Strip RGB
○ W	○ W	○ W	○ W	●●● 30
○ NW	○ NW	○ NW	○ NW	●●● 60
○ WW	○ WW	○ WW	○ WW	●●● Digital
● R	● B			●○● AWB
● G				
● B				
● A				

Installation Process



Opti-Line SM

This aluminium LED profile is very versatile. Applications range from ceiling mounting, wall mounting, under bench mounting and also as a wire suspended version for over work bench areas.

Natural anodised aluminium finish, 6063 grade aluminium, polycarbonate clear and opal diffuser which is UV stable and unbreakable. Maximum continuous length = 3mtr.

Order code: **22000**
 Product code: **EV-EXT100-CLEAR**
 Size: (W) 20.6mm x (H) 12.6mm (L) 3000mm maximum length (sold per mtr)

Order code: **22001**
 Product code: **EV-EXT100-OPAL**
 Size: (W) 20.6mm x (H) 12.6mm (L) 3000mm maximum length (sold per mtr)

Order code: **22002**
 Product code: **EV-EXT100-CAP**
 Description: Moulded end cap to suit EV-EXT100 LED profile.
 Colour: Silver

Order code: **22003**
 Product code: **EV-EXT100-MOUNTING CLIP**
 Description: Moulded mounting clip to suit EV-EXT100 LED profile.
 Colour: Silver

Order code: **22041**
 Product code: **EV-EXT-SUSPENSION**
 Description: Stainless steel wire suspension (2mtr) to suit above LED profile.








Special: Special custom powder coated colours available upon request.



Compatible LED strips:

Flexi Strip 60	Flexi Strip 90	Flexi Strip 120	Flexi Strip RGB
○ W	○ W	○ W	●●● 30
○ NW	○ NW	○ NW	●●● 60
○ WW	○ WW	○ WW	●●● Digital
● R	● B		●○● AWB
● G			
● B			
● A			

Installation Process



Opti-Line Recessed

This slim line recessed aluminium LED profile is very versatile. Applications range from ceiling mounting, wall mounting and under bench mounting.

Natural anodised aluminium finish, 6063 grade aluminium, polycarbonate clear and opal diffuser which is UV stable and unbreakable. Maximum continuous length = 3mtr.


Order code: **22004**
 Product code: **EV-EXT101-CLEAR**
 Size: (W) 20.8mm x (H) 13mm (L) 3000mm maximum length (sold per mtr)

Order code: **22005**
 Product code: **EV-EXT101-OPAL**
 Size: (W) 20.6mm x (H) 12.6mm (L) 3000mm maximum length (sold per mtr)

Order code: **22006**
 Product code: **EV-EXT101-CAP**
 Description: Moulded end cap to suit EV-EXT101 LED profile.
 Colour: Silver

Order code: **22007**
 Product code: **EV-EXT101-SPRING CLIP**
 Description: Spring clip to suit EV-EXT101 LED profile.
 Colour: Silver







Special: Special custom powder coated colours available upon request.



Compatible LED strips:

Flexi Strip 60	Flexi Strip 90	Flexi Strip 120	Flexi Strip 240	Flexi Strip RGB
○ W	○ W	○ W	○ W	●●● 30
○ NW	○ NW	○ NW	○ NW	●●● 60
○ WW	○ WW	○ WW	○ WW	●●● Digital
● R	● B			●○● AWB
● G				
● B				
● A				

Installation Process





New South Wales

Head Office:
Domus Lighting
29-31 Richland Street, Kingsgrove
Sydney, NSW 2208, Australia
Phone: (02) 9554 9600
Sales Fax: (02) 9554 9433
Admin Fax: (02) 9554 9061

www.domuslighting.com
sales@domuslighting.com

Queensland

Domus Lighting
Unit 1 / 61-71 Nestor Drive, Meadowbrook
Brisbane, QLD 4131, Australia
Phone: (07) 3200 2222
Sales Fax: (07) 3200 7777

www.domuslighting.com
sales@domuslighting.com

Western Australia

Lanark Trading
7 Pitino Court, Osborne Park
Perth, WA 6017, Australia
Phone: (08) 9446 8922
Sales Fax: (08) 9446 8498

www.lanarktrading.com.au
lanark@lanarktrading.com.au

