



Oriel
LIGHTING

lighting innovation
2017-18 master catalogue

popular categories



Chinese table lamps 007



designer pendants 054



Spanish glass 074



garden bollard lights 119

symbols used in this catalogue



All fixed fittings, other than DIY and portable lamps, must be installed by a licensed electrical contractor in accordance with AS/NZS: 3000.



The fittings offered in this catalogue with these symbols are energy saver and LED ready.

Measuring Light Fittings

We measure fittings in various ways, with the following "prefixes":

L = Length, W = Width, H = Height, P = Projection, D = Diameter, BD = Base Diameter, S = Suspension, C = Cutout, R = Recess, HD = Head Diameter, SD = Shade Diameter

Generally a pendant is measured as the fitting only, with a separate measurement for the suspension.

If it is unclear, please contact your distributor.


IP Ratings

IP65 For details on IP rating, see page 143.

Measuring Lampshades

We measure shades (generally) in Inches. The measurements are expressed as Top x Bottom x Height, as per the diagram below.

For example, a 4x7x11 shade is 4" across the top, 7" across the bottom and 11" down the side.



E27 lampholder



E14 lampholder



B22 lampholder



B15 lampholder



Fitted with a cordline switch



Fitted with a foot switch



Manual override of motion sensor



This fitting is designed for use with energy saving globes



Circular cut-out dimensions 112



Colour temperature of light (° Kelvin) 3000K



Colour rendition of light (CRI) >Ra81



Fitting is suitable for dimming



Fitting is not suitable for dimming



Double insulated



Suitable for indoor use only



May be used outdoor



This fitting is designed for use with reflector lamps



Square / rectangular cut-out dimensions 75x75



Down light supplied with a flex + plug



Domestic use replacement guarantee



GU10 LED globe included with this fitting



Dimmer touch NOT suitable for energy saver



On / Off touch switch suitable for energy saver



IC - abutted & covered




CA - abutted only




This fitting should not be used with an energy saving globe



Minimum distance to nearest surface 0.5m



T5 linear tube included with this fitting



PL fluoro tube included with this fitting



PLC fluoro tube included with this fitting




CFL R80 included with this fitting




G10q circular fluorescent tube included with fitting




2GX13 fluorescent tube included with fitting



Bi-Pin halogen globe included with this fitting



MR16 halogen globe included with this fitting



GU10 halogen globe included with this fitting

Unless stated, fittings do not include globes (bulbs). Maximum wattages noted in this catalogue may be reviewed as a result of product development. Globe styles and wattages are recommended only and no responsibility can be taken for damage to fittings or fixtures caused by globes. Care should be taken with all light fittings, heat is generated and can cause injury. No representations are made as to suitability for specific use. Engaging a specifier, lighting consultant or designer is recommended.

All fixed lights, other than "do it your self" models, must be installed by a qualified electrician, in accordance with AS/NZS3000.

Improper use, modification or incorrect installation could cause serious injury to persons or damage to property; and will void warranties.

All reasonable care has been taken to ensure that colours, illustrations and descriptions are correct, however due to printing processes and continuing product research and development we reserve the right to alter specifications at any time. Dimensions are in millimeters (mm), and as accurate as possible - if dimension is critical contact your distributor.

Some products experience "batch" colour variations, this applies specifically to fabric shades and fittings made from natural materials, such as the Earth range.

For detailed terms & conditions of sale, refer to the current Standard Terms & Conditions.



table lamps 004



touch lamps 020



floor lamps 022



task lamps 029



industrial vintage 038



pendant lights 054



earth lighting 070



wall lights 074



linear energy saving 078



ceiling lights 085



DIY ceiling lights 090



spot lights 096



recessed lights 102



outdoor lights 111



SG outdoor 126



outdoor security 130



outdoor 12v DIY 132



ceiling fan lights 135



accessories 136



light globes 139

designer ceramic table LAMPS



All of the fittings on this page are energy saver and LED ready.



OL97971WH
Bikki
H540 Shade D360
E27 60w





OL97971BL
Bikki
H540 Shade D360
E27 60w





OL96959
Yingtai
H550 Shade 360x180
E27 60w






OL97974OR
Bol
H640 Shade D380
E27 60w





OL97972BL
Chaka
H650 Shade D380
E27 60w





OL97978TE
Casbah Teal
H510 D300
E27 60w





OL97978WH
Casbah White
H510 D300
E27 60w





OL97983
Alita
H620 Shade D355
E27 60w





OL97986
Galla
H680 Shade D430
E27 60w





OL96943
Fenfang
H720 Shade 410x280
E27 60w








All of the fittings on this page are energy saver and LED ready.

designer ceramic table LAMPS




OL96960
Yu
H700 Shade D440
E27 60w







OL96951
Liling
H670 Shade 385x385
E27 60w





OL96962
Gezi
H610 Shade 430x240
E27 60w




OL96970
Biyu
H670 Shade D410
E27 60w





OL96972
Shanhu
H890 Shade D460
E27 60w





OL96967
Meigui
H610 Shade 420x420
E27 60w





OL96968
Tong
H650 Shade D410
E27 60w





OL96965
Hulu
H690 Shade D420
E27 60w





OL96966
Tia
H780 Shade 380x380
E27 60w





OL96961
Xing
H620 Shade 460x330
E27 60w





designer table LAMPS



All of the fittings on this page are energy saver and LED ready.

OL97976AS
Dorne Antique Silver
H710 D350
E27 60w

OL97976BK
Dorne Antique Black
H710 D350
E27 60w

OL97984
Devana
H720 Shade D400
E27 60w

OL97973AS
Donati
H680 Shade D400
E27 60w

OL98820
Pompeii
H550 D360
E27 60w

OL98823
Holm
H540 D330
E27 60w

OL98822
Pozzi
H600 D350
E27 60w

OL93111TK
Cone Lamp Base only
H125 D100
E27 42w

Shown with vintage filament globe.

OL97981PU
Brae Base
H345 BD130
shown with
OL91833
Purple shade
T150 B175 H275
Complete Height 585

OL97981BK
Brae Base
H345 BD130
shown with
OL91828
Black shade
T150 B175 H275
Complete Height 585

OL97981RD
Brae Base
H345 BD130
shown with
OL91830
Red shade
T150 B175 H275
Complete Height 585

OL97981CO
Brae Base
H345 BD130
shown with
OL91831
Coffee shade
T150 B175 H275
Complete Height 585



All of the fittings on this page are energy saver and LED ready.

traditional Chinese ceramic table LAMPS



OL96940

Daoming

H640 Shade 350x350

E27 60w



OL96931

Qing

H630 Shade D410

E27 60w



OL96937

Lifan

H710 Shade D430

E27 60w



OL96942

Hua

H655 Shade D350

E27 60w



OL96958

Mingyu

H510 Shade 310x230

E27 60w



OL96935

Daiyu

H640 Shade D410

E27 60w



OL96953

Yanyu

H630 Shade D400

E27 60w



OL96952

Yanmei

H870 Shade D540

E27 60w



OL96964

Longwei

H690 Shade D440

E27 60w



OL96936

Wenling

H590 Shade 330x330

E27 60w



OL96938

Shan

H600 Shade 300x300

E27 60w



OL96963

Jade Buddha

H750 Shade 400x400

E27 60w



table LAMPS



All of the fittings on this page are energy saver and LED ready.



OL98825

Chev table lamp base

D110 H160

E27 40w



OL98825

Chev base

shown with

OL91761

5" Green Shantung Shade

T125 B125 H250



OL98824

Neba 1 lamp base

D95 H130

E27 40w



OL98824 Shown with vintage style globe. (available separately)



OL95903SIL

Mocha Woodcut

H540 D355

E27 60w



OL95903BR

Mocha Woodcut

H540 D355

E27 60w



OL98821

Neba 2 lamp base

D110 H145

E27 40w



OL98821 Shown with vintage style globe. (available separately)



OL95962SIL

Tabac

H550 D355

E27 60w



OL95962BR

Tabac

H550 D355

E27 60w



OL95991BR

Terra Small

H400 D300

E27 60w



OL95995BR

Terra Large

H570 D360

E27 60w





All of the fittings on this page are energy saver and LED ready.

designer table LAMPS



OL98831
Savona
H640 Shade D330
E27 60w





OL98832
Umbria
H570-690 Shade D330
E27 60w

Height adjustable





OL98833
Tyros
H780 Shade 380x200
E27 60w





OL98834
Argos
H730 Shade D380
E27 60w





OL98835
Pablo
H645 Shade D420
E27 60w





OL98836
Sedona
H650 Shade 380x250
E27 60w





OL98837
Azure
H650 Shade D380
E27 60w





OL98838
Ivar
H760 Shade D450
E27 60w





OL98839
Pilos
H720 Shade D370
E27 60w





OL98840
Pavia
H750 Shade D380
E27 60w





OL98841
Attica
H730 Shade D430
E27 60w





OL98842
Pippi
H530 Shade D350
E27 60w




ceramic table LAMPS



All of the fittings on this page are energy saver and LED ready.



OL95916BZ

Era Bronze
H355 W220x160
E27 60w



OL95916SIL

Era Silver
H355 W220x160
E27 60w



OL95981WH

Sax
H575 W330 D230
E27 60w



OL95981BK

Sax
H575 W330 D230
E27 60w



OL95917CO

Liano Copper
H440 W320x210
E27 60w



OL95917BK

Liano Black
H440 W320x210
E27 60w



OL95914WH

Lacerta
H490 W300 D200
E27 60w



OL95914BK

Lacerta
H490 W300 D200
E27 60w



OL95918CP

Eclipse Champagne
H420 W300x190
E27 60w



OL95918CO

Eclipse Copper
H420 W300x190
E27 60w





All of the fittings on this page are energy saver and LED ready.

designer table LAMPS



Wooden neck

OL93151BK
Micky Black
H510 SD300 BD200
E27 42w





OL93151BL
Micky Blue
H510 SD300 BD200
E27 42w





OL93151GN
Micky Teal
H510 SD300 BD200
E27 42w





OL93151PK
Micky Pink
H510 SD300 BD200
E27 42w





OL93151WH
Micky White
H510 SD300 BD200
E27 42w





OL93171BK
Corda Black + Copper
H500 D200
E27 42w





OL93171WH
Corda White + Brass
H500 D200
E27 42w





OL93601BK
Nolita Black
H420 SD250
E27 42w





Wooden neck

OL93121BK
Pod Black
H460 D200
E27 42w





OL93121CO
Pod Copper
H460 D200
E27 42w





OL93121WH
Pod White
H460 D200
E27 42w





↑ gold inside

OL93601CO
Nolita Copper
H420 SD250
E27 42w




LAMP bases



All of the fittings on this page are energy saver and LED ready.



OL91238BCH

Spoke 35 Brushed Chrome

H350 D160
E27 60w



OL91238BK

Spoke 35 Black

H350 D160
E27 60w



OL91238CH

Spoke 35 Chrome

H350 D160
E27 60w



OL91238WH

Spoke 35 White

H350 D160
E27 60w



OL91297CH

Alta Chrome base

shown with

OL91735

Black linen shade

T225 B275 H225



OL91297BK

Alta Black

H370 D190
E27 60w



OL91297CH

Alta Chrome

H370 D190
E27 60w



OL91297WH

Alta White

H370 D190
E27 60w



OL91298CH

Milo base

shown with

OL91821

Lucille black laser cut shade

T300 B300 H225



OL91298BK

Milo Black

H240 D250
E27 60w



OL91298CH

Milo Chrome

H240 D250
E27 60w



OL91298WH

Milo White

H240 D250
E27 60w





All of the fittings on this page are energy saver and LED ready.

LAMP base & shade combinations

-  **OL91733**
White linen
 -  **OL91735**
Black linen
 -  **OL91736**
Pohuta Red
 -  **OL91734**
Fawn linen
 -  **OL91737**
White shantung
 -  **OL91823**
Wanaka Blue
 -  **OL91825**
Bonfire Orange
 -  **OL91775**
Bronze chintz
 -  **OL91777**
Seafoam chintz
 -  **OL91776**
Plum chintz
 -  **OL91855**
Teal Blue
 -  **OL91826**
Ayers Rock
 -  **OL91854**
Sundial Yellow
- Tapered shades
T225 B275 H225
(9-11-9")
E27 60w



OL91238CH
Spoke 35 base
shown with
OL91735
Black linen shade
T225 B275 H225



OL91238WH
Spoke 35 base
shown with
OL91823
Wanaka Blue shade
T225 B275 H225



OL91238BK
Spoke 35 base
shown with
OL91733
White linen shade
T225 B275 H225



OL91297BK
Alta Black base
shown with
OL91737
White shantung shade
T225 B275 H225



OL91297CH
Alta Chrome base
shown with
OL91777
Seafoam chintz shade
T225 B275 H225



OL91297WH
Alta White base
shown with
OL91825
Bonfire Orange shade
T225 B275 H225



OL91238CH
Spoke 35 base
shown with
OL91776
Plum chintz shade
T225 B275 H225



OL91238WH
Spoke 35 base
shown with
OL91855
Teal Blue shade
T225 B275 H225



OL91238BK
Spoke 35 base
shown with
OL91854
Sundial Yellow shade
T225 B275 H225

LAMP bases



All of the fittings on this page are energy saver and LED ready.



OL93457
Arko Crystal
H405 L180 W100
E27 60w





OL93459
Malen Crystal
H470 W140x140
E27 60w





OL93466CH
Crofton Crystal Chrome
H450 D150
E27 60w





OL93466AB
Crofton Crystal Antique
H450 D150
E27 60w





OL93454
Arko 109 Crystal
H390 W145x145
E27 60w





OL93453
Arko 144 Crystal
H385 W140x140
E27 60w





OL93453
Arko 144 base
shown with
OL91863
Pearl shantung shade
T300 B300 H225



OL93465CH
Roxy Crystal
Floor Lamp
Polished Chrome
H1350 D250
E27 60w





OL99463AB
Clara Antique Brass
H370 D180
E27 60w





OL99463BC
Clara Brushed Chrome
H370 D180
E27 60w





OL99463GM
Clara Gunmetal
H370 D180
E27 60w






All of the fittings on this page are energy saver and LED ready.

LAMP base & shade combinations



OL91297CH

Alta Chrome base

shown with

**SH-12-12-9
F WH/BK**

Flock shade

T300 B300 H225



OL99463BC

Clara base

shown with

SH-12-12-9 PR

Pohu Red shade

T300 B300 H225



OL93453

Arko 144 base

shown with

OL91753

Off White
Jaquard shade

T300 B300 H225



OL99732BR

Ketu 400 base

shown with

SH-12-12-9 K CK

Chocolate shade

T300 B300 H225



OL97951WN

Barton base

shown with

OL91847

White Shantung shade

T250 B300 H200



OL99722WG

Moja 460 base

shown with

OL91838

Purple cotton shade

T300 B300 H225



OL91238CH

Spoke 35 base

shown with

OL91735

Black Linen
shade

T225 B275 H225



Add a touch of
"Bling" to your table
lamp with the Bling
(OL2586CH).

OL2586CH

Shade "Bling"

H125 D200

E27 60w



OL91238CH

shown with

OL91735

Black Linen
shade

and with Bling

OL2586CH



OL91238CH

shown with

OL91736

Pohu Red
shade

and with Bling

OL2586CH

LAMP bases



All of the fittings on this page are energy saver and LED ready.



OL97941BC

Ralph 1 Base
H380 W140x140
B22 60w



OL97942BC

Ralph 2 Base
H390 D140
B22 60w



OL97943BC

Ralph 3 Base
H380 D140
B22 60w



OL97944BC

Ralph 4 Base
H410 W140x140
B22 60w



OL97945BC

Ralph 5 Base
H425 D140
B22 60w




OL99251BC

Parti Base
H300 D160
E27 60w



OL91233CH

Spoke 50
Chrome
H500 D160
E27 60w



OL91233BCH

Spoke 50
Brushed Chrome
H500 D160
E27 60w



Alix base has
a cord-line
switch.

OL91135BC

Alix base only
Brushed Chrome
H25 D130
E27 60w



OL91135BC + OL91827

Alix Brushed Chrome base
with OL91827 shade



OL91135BC + OL91702

Alix Brushed Chrome base
with OL91702 shade



OL91135BC + OL91705

Alix Brushed Chrome base
with OL91705 shade




All of the fittings on this page are energy saver and LED ready.

LAMP base & shade combinations

Rosalie 27

The ROSALIE 27 OL97962WH is a perfect match with these 3D shades. T130 B200 H180



3D SHADES with Adjustable harp - B22 Shade Ring

- A SH-5-8-7 BFLY
- B SH-5-8-7 HEART
- C SH-5-8-7 FLOWER
- D SH-5-8-7 DOT
- E SH-5-8-7 BLSTAR
- F SH-5-8-7 WHSTAR



OLA16/SHADE

Many of our shades have an E27 shade ring. The use of our "shade adapter ring" (OLA16/SHADE) will allow these shades to be fitted on a smaller B22 lamp holder. Ask your distributor about this useful adapter.

12x12x9 shades




12x12x9 (300/300/225) shades are suited to many of our bases. Shown here is the ALTA OL91297CH with the 12" shade OL91856 (Black + White Chevron). Other suitable bases and shades are shown below, all with an E27 shade ring.



OL91753



OL91756



OL91757



SH-12-12-9 F WH/BK



OL91857



SH-12-12-9 PR



SH-12-12-9 K WH



OL91856

LAMP bases



All of the fittings on this page are energy saver and LED ready.



OL99731BR

Ketu 300
H340 D110
E27 60w



OL99732BR

Ketu 400
H430 D135
E27 60w



OL99721WG

Moja 370
H340 D110
E27 60w



OL99722WG

Moja 460
H430 D135
E27 60w



OL93281NAT

Stabb Tripod Base
H400 D250
E27 60w



OL93511

Malmo Base
H450 W300
E27 60w



OL97951WN

Barton base
H360 D110
E27 60w



OL97995

Galileo Lime Wash Base
H760-1380 D270-430
E27 60w



OL97962WH

Rosalie 27 Base
H270 D120
B22 60w



OL97964WH

Rosalie 46 Base
H460 D160
B22 60w



OL97951WH

Barton base
H360 D110
E27 60w





All of the fittings on this page are energy saver and LED ready.

scandustrial LAMP bases





Shown with A-CAR-ST5825E27 vintage style globe. (available separately)

OL93131BB
Lane Base Brushed Brass
H500 BD150
E27 42w





OL93131BK
Lane Base Black
H500 BD150
E27 42w


OL93131CO
Lane Base Copper finish
H500 BD150
E27 42w






OL93131WH
Lane Base White
H500 BD150
E27 42w








OL91311BB
Fino Base Brushed Brass
H390 BD150
E27 42w







OL91311BK
Fino Base Black
H390 BD150
E27 42w

OL91311CO
Fino Base Copper finish
H390 BD150
E27 42w


OL91311WH
Fino Base White
H390 BD150
E27 42w





SL98795AC
Franklin Antique Copper
H290 D205
E27 42w

Clear glass





SL98795AB
Franklin Antique Brass
H290 D205
E27 42w

Clear glass






OL93102AM
Erica 2 Table Lamp
H285 D120
E27 25w



Amber glass





OL93101AM
Erica 1 Table Lamp
H280 D170
E27 25w

Amber glass

touch LAMPS



These lamps feature a three stage touch dimmer.

OL99452AB
Nikki Touch
H400 Shade D230
B22 60w

3 Stage Touch Dimmer

OL99452BC
Nikki Touch
H400 Shade D230
B22 60w

3 Stage Touch Dimmer

OL99455AB
Tracey Touch
H405 D290
E14 42w

3 Stage Touch Dimmer

OL99455BC
Tracey Touch
H405 D290
E14 42w

3 Stage Touch Dimmer

LF9201AB
Lotti Touch
H270 D140
E14 42w

LF9201GM
Lotti Touch
H270 D140
E14 42w

LF9201BC
Lotti Touch
H270 D140
E14 42w

3 Stage Touch Dimmer

LF9205AB
Lola Touch
H345 D160
E14 42w

LF9205GM
Lola Touch
H345 D160
E14 42w

LF9205BCH
Lola Touch
H345 D160
E14 42w

3 Stage Touch Dimmer

OL99454AB
Zoe Touch
H410 Shade D280
B22 42w

3 Stage Touch Dimmer

OL99454BC
Zoe Touch
H410 Shade D280
B22 42w

3 Stage Touch Dimmer

OL99457BL
Tizz Touch Blue
H380 D160
E14 40w

OL99457PK
Tizz Touch Pink
H380 D160
E14 40w

OL99457WH
Tizz Touch White
H380 D160
E14 40w

3 Stage Touch Dimmer



These lamps feature a three stage touch dimmer.



These lamps feature an ON/OFF touch switch, making them suitable for use with energy saving lamps.

touch LAMPS



OL99458BP
Bankers Touch Brass
H400 W270
B22 60w







OL99458CH
Bankers Touch Chrome
H400 W270
B22 60w







OL99458AB
Bankers Touch Antique
H400 W270
B22 60w







AB Antique Brass
BC Brushed Chrome
WH White

OL99466
Lancet Touch base only
H250 D100
B22 40w










OL93123BK
Brazz Touch Black
H470 D150
E27 42w



OL93123CO
Brazz Touch Copper
H470 D150
E27 42w



OL93123WH
Brazz Touch White
H470 D150
E27 42w






OL99480BC
Pepe Touch Round
H300 D105
E14 40w






OL93125BK
Pod Touch Black
H460 D200
E27 42w






OL93125CO
Pod Touch Copper
H460 D200
E27 42w






OL93125WH
Pod Touch White
H460 D200
E27 42w







OL99481BC
Pepe Touch Square
H300 W110x110
E14 40w







floor LAMP bases






All of the fittings on this page are energy saver and LED ready.




OL99771BT
Classic Baltic
H1385 D300
B22 60w




OL99771WN
Classic Walnut
H1385 D300
B22 60w





OL99775BT
Jacobean Baltic
H1395 D300
B22 60w



OL99775WN
Jacobean Walnut
H1395 D300
B22 60w




OL91232BK
Spoke
Floor Lamp
Black
H1450 D250
E27 60w



OL91232WH
Spoke
Floor Lamp
White
H1450 D250
E27 60w



OL91232BC
Spoke
Floor Lamp
Brushed Chrome
H1450 D250
E27 60w



OL91232CH
Spoke
Floor Lamp
Polished Chrome
H1450 D250
E27 60w





All of the fittings on this page are energy saver and LED ready.

LAMP base & shade combinations

Traditional Combinations



SE-10-20-16 WH



OL91730



SE-10-20-16 SS




OL91729

CLASSIC OL99771BT timber floor lamp with SE-10-20-16WH scalloped Empire shade.

Other suitable floor lamps can be found on page 22.

These scalloped Empire shades have an E27 shade ring and a B22 adapter ring. These shades are fully lined. T250 B510 H400



OL98775WH

Abbey Shade

Abbey shade has a gimbal harp. It can be used as a table lamp shade or a pendant / DIY shade.



OL98775SIL

Abbey Shade

T225 B275 H300
E27 60w



OL98775BK

Abbey Shade

Abbey organza ribbon shade complete with crystal.

*Shade
T225 B275 H300*



OL98775BK on the SPOKE OL91238CH base.



Traditional Empire Shades



These handmade Empire shades are fully lined, and a suitable match to a traditional table lamp base.



OL91749

5-13-10 White Shantung
T130 B330 H250
E27 60w



OL91750

5-13-10 Gold Jacquard
E27 60w



OL91751

7-18-12 White Shantung
T180 B460 H310
E27 60w



OL91752

7-18-12 Gold Jacquard
E27 60w

table & floor LAMPS



All of the fittings on this page are energy saver and LED ready.

Galileo table lamp adjusts in height from 430mm to 610mm.



OL97991

Galileo Base

H430-610 D190-260

E27 60w



OL97991+SH-12-12-9 LN

Galileo Base + White Linen Shade

Shade T300 B300 H225

(Base & shade available separately)

OL97934WN

Habitat Table Lamp Base

H480 Base 225x180

E27 60w



OL97934WN+OL91845

Habitat Base + Shantung Shade

Shade 400x180 H250

(Base & shade available separately)



OL97993

Galileo Base

H760-1380 D270-430

E27 60w



OL97993+OL91806

Galileo Base + Black Linen Shade

Shade T400 B400 H350

(Base & shade available separately)

OL97936WN

Habitat Floor Lamp Base

H1420 Base 350x240

E27 60w



OL97936WN+OL91846

Habitat Base + Shantung Shade

Shade 500x250 H250

(Base & shade available separately)



All of the fittings on this page are energy saver and LED ready.

table & floor LAMPS



OL93281NAT

Stabb Tripod Base

H400 D250

E27 60w



OL93281NAT+OL91806

Stabb Base + Black linen Shade

Shade T400 B400 H350

(Base & shade available separately)




OL93511

Malmo Base

H450 W300

E27 60w



OL93511+OL91806

Malmo Base + Black linen Shade

Shade T400 B400 H350

(Base & shade available separately)



OL93283NAT

Stabb Floor Lamp Base

H1400 D380

E27 60w



OL93283NAT+OL91864

Stabb Base + Pearl Shade

Shade T550 B550 H300

(Base & shade available separately)




OL93513

Malmo Floor Lamp Base

H1130 W400

E27 60w



OL93513+OL91865

Malmo Base + Shantung Shade

Shade T550 B550 H300

(Base & shade available separately)

table & floor LAMPS



All of the fittings on this page are energy saver and LED ready.



OL90700AB

Swingley Floor Lamp
Antique brass base
complete with shade.

H1400 W350
B22 60w



OL90700PB

Swingley Floor Lamp
Polished brass base
complete with shade.

H1400 W350
B22 60w



OL90700CH

Swingley Floor Lamp
Chrome plated base
complete with shade.

H1400 W350
B22 60w



OL94107SC

De De Table

H550 D100
E27 60w



OL99441BP

Bankers Lamp Brass Plate

H400 W270
B22 60w



OL99441AB

Bankers Lamp Antique

H400 W270
B22 60w





All of the fittings on this page are energy saver and LED ready.

industrial LAMP bases



Bradway "pipe" table lamp shown with A-CAR-ST5825E27 vintage style bulb.





OL94405BK
Bradway Lamp
H400 BD420
E27 60w



OL94401BK
Dayton Base
H350 D270
E27 60w




OL94401BK
Dayton Base
shown with
OL91823
Wanaka Blue shade
T225 B275 H225



Oil Rubbed Bronze finish (RB)

SL98515RB
Marion Base
H1500 BD270
E27 60w



SL98515RB
Marion Base
shown with
OL91880
Off White Shantung shade
T335 B425 H265



↑ same inside

Oil Rubbed Bronze finish (RB)

Boston floor lamp shown with A-CAR-G9525E27 vintage style bulb.

SL98513RB
Boston Floor Lamp
H1600 P600 BD270
E27 42w



table & floor LAMPS



All of the fittings on this page are energy saver and LED ready.



OL97811BK

Sojo Table

H360 W120 x 120

E27 60w




OL93401BR

Bali Wicker

H460 W200x200

B22 60w



OL97813BK

Sojo Floor

H1060 W210 x 210

E27 60w



OL93403BR

Bali Wicker

H1130 W255x255

B22 60w x 2



OL96735BR

Pekan Bamboo

H1610 D360

E27 60w



SL91205CH

Mantra

H2300 BD350


E14 40w x 5







All of the fittings on this page are energy saver and LED ready.



task LAMPS




SL98572BC
Vespa twin
Brushed Chrome
BD250 H1500
SD160
E27 60w x 2

SL98572BK
Vespa twin
Matt Black
BD250 H1500
SD160
E27 60w x 2

SL98572CH
Vespa twin
Chrome
BD250 H1500
SD160
E27 60w x 2




SL98572WH
Vespa twin
White
BD250 H1500
SD160
E27 60w x 2




The Vespa features individually switched heads. (Heads L260 D160)




OL91206GM
Retro Gunmetal
H1400 BD300 SD150
E27 60w x 2





OL91206CH
Retro Chrome
H1400 BD300 SD150
E27 60w x 2





OL91206BK
Retro Matt Black
H1400 BD300 SD150
E27 60w x 2





OL91206BC
Retro Brushed Chrome
H1400 BD300 SD150
E27 60w x 2




task LAMPS



The fittings on this page are either energy efficient or energy saver and LED ready.



SL98521CH

Bianca Floor
Chrome
H1600 P500 BD280
Shade D250
E27 60w



SL98521GM

Bianca Floor
Gunmetal
H1600 P500 BD280
Shade D250
E27 60w



Cord line
switch



OL91203CH

Bobo Chrome
H1400 BD300 SD150
E14 40w x 2



OL91203GM

Bobo Gunmetal
H1400 BD300 SD150
E14 40w x 2



SL92764BC

Siri Touch Lamp
H500 BD160 P190
GU10 35W



3 Stage
Touch
Dimmer

✓Included



SL91201BK

Dome Floor Lamp
H1700 P950 BD320
Shade D300
E27 60w



SL91201CH

Dome Floor Lamp
H1700 P950 BD320
Shade D300
E27 60w



SL92764GM

Siri Touch Lamp
H500 BD160 P190
GU10 35W



3 Stage
Touch
Dimmer

✓Included

LED





The Daxam features individually switched heads.


SL98592AB
Daxam LED
Antique Brass
H1590 BD250
2 x LED 6w (included)



LED

SL98592BC
Daxam LED
Brushed Chrome
H1590 BD250
2 x LED 6w (included)



LED



SL98592BK
Daxam LED
Matt Black
H1590 BD250
2 x LED 6w (included)



LED



SL98592WH
Daxam LED
White
H1590 BD250
2 x LED 6w (included)



LED



OL91415BC
Alena LED
Brushed Chrome
H1800 BD260
Uplighter - 20W
Task Lamp - 4W

colour temperature
4000K

colour rendition
>Ra80

LED



OL91415BK
Alena LED
Black
H1800 BD260
Uplighter - 20W
Task Lamp - 4W

colour temperature
4000K

colour rendition
>Ra80

LED



OL91415GM
Alena LED
Gunmetal
H1800 BD260
Uplighter - 20W
Task Lamp - 4W

colour temperature
4000K

colour rendition
>Ra80

LED




The Alena features individually switched and dimmed uplighter and task lamp.

OL91415GP
Alena LED
Graphite
H1800 BD260
Uplighter - 20W
Task Lamp - 4W

colour temperature
4000K

colour rendition
>Ra80

OL92611BK
 Freddo LED
 H460 P350
 14W LED

5 Stage Touch Dimmer

colour temperature 5500K
 colour rendition >Ra80



OL92611WH
 Freddo LED
 H460 P350
 14W LED

5 Stage Touch Dimmer

colour temperature 5500K
 colour rendition >Ra80



SL98651CH
 Elly Desk Lamp
 H330 P260 BD160
 LED 5w Integral

switch on the base

colour temperature 4000K
 colour rendition >Ra80



SL98711SIL
 Techno Desk Lamp
 H600 (base) W210
 LED 6w Integral

3 Stage Touch Dimmer

colour temperature 6500K
 colour rendition >Ra80



The Nex is supplied with a replaceable 6W LED lamp.

On / Off Touch Switch

SL98751BC
 Nex LED Touch
 H370 P230 BD110
 6W LED (included)

colour temperature 5000K
 colour rendition >Ra83



The Nex is supplied with a replaceable 6W LED lamp.

On / Off Touch Switch

SL98751GM
 Nex LED Touch
 H370 P230 BD110
 6W LED (included)

colour temperature 5000K
 colour rendition >Ra83



The Carmen lamp is supplied complete with a fabric shade and has a switched lampholder.


Convenient switch

SL98585BK
 Carmen Mother + Child
 H1630 SD350 BD250

Main Light B22/60W
 Task Light GU10 6W LED (included)

colour temperature 5000K
 colour rendition >Ra83

Included



Convenient switch

The Lente lens magnifies 3 times.

The lamp is supplied with both a weighted desk base and desk clamp.

SL98721WH
 Lente LED Magnifier
 H650 P500
 6w LED


colour temperature 4000K








The fittings on this page are either energy efficient or energy saver and LED ready.




task LAMPS






SL92941BK
Lift Desk Lamp
H800 Base 150 x 150
E27 42w

SL92941GN
Lift Desk Lamp
H800 Base 150 x 150
E27 42w







SL92941OR
Lift Desk Lamp
H800 Base 150 x 150
E27 42w

SL92941RB
Lift Desk Lamp
H800 Base 150 x 150
E27 42w

Oil Rubbed Bronze finish



SL92941TE
Lift Desk Lamp
H800 Base 150 x 150
E27 42w







SL92941WH
Lift Desk Lamp
H800 Base 150 x 150
E27 42w





SL92941YE
Lift Desk Lamp
H800 Base 150 x 150
E27 42w

The Lift reproduction vintage desk lamps are energy saver and LED ready.

LED



SL98784BK
Ludo LED Black
H400 P300 BD130
5W LED (included)




LED



SL98784WH
Ludo LED White
H400 P300 BD130
5W LED (included)





LED





SL98784BL
Ludo LED Blue
H400 P300 BD130
5W LED (included)




LED



SL98784PK
Ludo LED Pink
H400 P300 BD130
5W LED (included)

LED



SL98785BK
Chad LED Black
H400 BD140
5W LED (included)




LED



SL98785WH
Chad LED White
H400 BD140
5W LED (included)





The Ludo and Chad task lamps are supplied with a replacable GU10 5W LED lamp.



colour temperature 5000K

colour rendition >Ra80

task LAMPS



All of the fittings on this page are energy saver and LED ready.




SL98788BK
Steam Desk Lamp
H600 P500
E27 42w







SL98788WH
Steam Desk Lamp
H600 P500
E27 42w





SL98791BK
Lom Desk Lamp
H460 BD180
E14 40w


SL98791WH
Lom Desk Lamp
H460 BD180
E14 40w







SL98789BK
Steam Floor Lamp
H1500 P750
E27 42w







The Steam lamps feature a cloth covered cord.

SL98789WH
Steam Floor Lamp
H1500 P750
E27 42w






The Lom floor lamp features individually switched heads & a natural timber body.

SL98792BK
Lom Floor Lamp
H1650 BD300
E14 40w x2






The Lom lamps feature a cloth covered cord.

SL98792WH
Lom Floor Lamp
H1650 BD300
E14 40w x2






All of the fittings on this page are energy saver and LED ready.

task LAMPS

Oslo
Copper finish

Perno
Oil Rubbed
Bronze
finish

↑ white
inside

The Perno features a hand formed wooden arm.

SL98781BK
Perno Table Lamp
Black
H530 P420 SD150
E27 60w

SL98786CO
Ari Table Lamp
Copper/Black
H530 BD180
E27 25w

SL98541CH
Oslo Table Lamp
Chrome
H660 P510 SD150
E27 60w

SL98781WH
Perno Table Lamp
White
H530 P420 SD150
E27 60w

The Ari features switch on the head.
(Table Lamp Head L180 D120
Floor Lamp Head L220 D150)

SL98787CO
Ari Floor Lamp
Copper/Black
H1600 BD250
E27 40w

SL98541CO
Oslo Table Lamp
Copper finish
H660 P510 SD150
E27 60w

SL98781ORB
Perno Table Lamp
Oil Rubbed Bronze
H530 P420 SD150
E27 60w

SL98787CO
Ari Floor Lamp
Copper/Black
H1600 BD250
E27 40w

task LAMPS





All of the fittings on this page are energy saver and/or LED ready.

SL98401WH
Trax Desk Lamp
H400 BD160
E27 60w

switch on the base




SL98401BK
Trax Desk Lamp
H400 BD160
E27 60w



SL98401PU
Trax Desk Lamp
H400 BD160
E27 60w




SL98401GN
Trax Desk Lamp
H400 BD160
E27 60w






SL98401RD
Trax Desk Lamp
H400 BD160
E27 60w

SL98401BL
Trax Desk Lamp
H400 BD160
E27 60w




SL98401PK
Trax Desk Lamp
H400 BD160
E27 60w



SL98401YE
Trax Desk Lamp
H400 BD160
E27 60w






SL98401GM
Trax Desk Lamp
H400 BD160
E27 60w




SL98401AB
Trax Desk Lamp
H400 BD160
E27 60w

SL98401BC
Trax Desk Lamp
H400 BD160
E27 60w

SL98401OR
Trax Desk Lamp
H400 BD160
E27 60w




SL92998WH
Scoot Desk Lamp
D125 H360
GU10 ER 28w

✓Included





SL92998GM
Scoot Desk Lamp
D125 H360
GU10 ER 28w


✓Included





SL92998BK
Scoot Desk Lamp
D125 H360
GU10 ER 28w

✓Included





SL92998BC
Scoot Desk Lamp
D125 H360
GU10 ER 28w

✓Included








All of the fittings on this page are energy saver and LED ready.

task LAMPS



SL98771RB
Jazz Desk Lamp
H600 P400 BD200
E27 60w





SL98771BC
Jazz Desk Lamp
H600 P400 BD200
E27 60w






SL98431AB
Scope Clamp Lamp
L500 SD60
GU10 LED 7w





SL98431BC
Scope Clamp Lamp
L500 SD60
GU10 LED 7w


SL98771BK
Jazz Desk Lamp
H600 P400 BD200
E27 60w


SL98771GN
Jazz Desk Lamp
H600 P400 BD200
E27 60w




SL98771OR
Jazz Desk Lamp
H600 P400 BD200
E27 60w

SL98431BK
Scope Clamp Lamp
L500 SD60
GU10 LED 7w




OL92961BK
Forma Desk Lamp
H840 P400 BD210
E27 60w




OL92961SIL
Forma Desk Lamp
H840 P400 BD210
E27 60w




OL92961WH
Forma Desk Lamp
H840 P400 BD210
E27 60w





SL98431WH
Scope Clamp Lamp
L500 SD60
GU10 LED 7w






OL92965BK
Forma Wall Light
D110 P250-600
E27 60w





OL92965WH
Forma Wall Light
D110 P250-600
E27 60w

Forma switch is on the head.

INDUSTRIAL VINTAGE mix & match



All of the fittings on this page are energy saver and LED ready.



OL2250CL
Toledo Clear Glass Shade
D350 H190
E27 opening (gallery included)




OL2250MO
Toledo Matt Opal Glass Shade
D350 H190
E27 opening (gallery included)




OL2252/30CL
Holo.30 Clear Glass Shade
D300 H140
E27 opening






OL2255/15CL
Maison.15 Clear Glass Shade
D150 H120
E27 opening




OL2255/15BL
Maison.15 Blue Glass Shade
D150 H120
E27 opening




OL2255/15AM
Maison.15 Amber Glass Shade
D150 H120
E27 opening



Toledo, Maison and Holo.30 glass shades shown on Albany cord suspensions.



OL2298/38CO
Slater.38 Shade
D380 H160
E27 opening

↑ white inside




OL2298/38RB
Slater.38 Shade
D380 H160
E27 opening

↑ same inside




OL2298/38FB
Slater.38 Shade
D380 H160
E27 opening

↑ same inside





OL2298/38WH
Slater.38 Shade
D380 H160
E27 opening

↑ white inside





OL2297/46BK
Lowell.46 Shade
D460 H150
E27 opening

↑ white inside

OL2297/30BK
Lowell.30 Shade
D300 H100
E27 opening

↑ white inside




OL2293/30BK
Ohio.30 Shade
D310 H165
E27 opening

↑ black inside




OL2293/30WH
Ohio.30 Shade
D310 H165
E27 opening

↑ white inside





All of the fittings on this page are energy saver and LED ready.

INDUSTRIAL VINTAGE mix & match

Albany cord and chain suspensions feature cloth covered cords.



OL69321AB
Albany Cord Ant Brass

OL69321BK
Albany Cord Black

OL69321CH
Albany Cord Chrome



OL69321CO
Albany Cord Ant Copper

OL69321WH
Albany Cord White



Cloth covered cord.

Shown with vintage filament lamp.



OL69361BK
Bradway Suspension
W130 H200 S1800
E27 60w

OL69321AB
Albany Cord Ant Brass
S1800 D100
E27 60w



Albany rod suspension has 3 sections allowing assembly length from 450 to 1350mm.

The canopy is tilt adjustable for raked ceilings.

OL69325BK
Albany Rod Suspension
H450-1350 D110
E27 60w



Shown with vintage & LED filament lamps.



SL65011BK
Rope Suspension
L1220 D125
E27 40w



Albany cord and chain suspensions feature cloth covered cords.

OL69322AB
Albany Chain Ant Brass
S1700 D110
E27 60w



OL69322AB
Albany Chain Ant Brass

OL69322BK
Albany Chain Black

OL69321CH
Albany Chain Chrome



Bradway suspension with Toledo glass.



OL2299/18BK
Cage.18
D150 H180
E27 opening



OL2299/32BK
Cage.32
D90 H320
E27 opening



OL2299/14BK
Cage.14
D145 H180
E27 opening



Cage shades shown on Albany cord suspensions.

INDUSTRIAL VINTAGE mix & match



All of the fittings on this page are energy saver and LED ready.



Yard.35 & Slater.38 shades shown on Albany suspensions.



OL2295/35BK
Yard.35 Shade
D350 H260
E27 opening

↑ white inside




OL2295/35PA
Yard.35 Shade
D350 H260
E27 opening

↑ white inside




OL2295/35WH
Yard.35 Shade
D350 H260
E27 opening

↑ white inside




Brazz.28 & Brazz.15 shades shown on Albany suspensions.



OL2295/35RD
Yard.35 Shade
D350 H260
E27 opening

↑ white inside




OL2295/35CH
Yard.35 Shade
D350 H260
E27 opening

↑ white inside




OL2295/35CO
Yard.35 Shade
D350 H260
E27 opening

↑ white inside




OL2295/47BK
Yard.47 Shade
D470 H360
E27 opening

↑ white inside





OL2295/47PA
Yard.47 Shade
D470 H360
E27 opening

↑ white inside





OL2295/47WH
Yard.47 Shade
D470 H360
E27 opening


↑ white inside


OL2291/15BK
Brazz.15 Mesh Shade
D150 H250
E27 opening




OL2291/28BK
Brazz.28 Mesh Shade
D280 H430
E27 opening

OL2291/36BK
Brazz.36 Mesh Shade
D360 H190
E27 opening





All of the fittings on this page are energy saver and LED ready.

INDUSTRIAL VINTAGE mix & match



OL69321BK
Albany Cord Black
S1800 D100
E27 60w

Shown with vintage filament globe.

with **OL2291/36BK**
Brazz.36 Mesh Shade
D360 H190



OL69321BK
Albany Cord Black
S1800 D100
E27 60w



OL2280CO
Retro Shade
H195 D150

OL2298/38CO
Slater.38 Shade
D380 H160

OL2295/35CO
Yard.35 Shade
D350 H260




OL69361BK
Bradway Suspension
W130 H200 S1800
E27 60w

with **OL2295/35RD**
Yard.35 Shade
D350 H260



SL65011BK
Rope Suspension
L1220 D125
E27 40w

with **OL2295/35BK**
Yard.35 Shade
D350 H260



OL69321AB
Albany Cord Ant. Brass
S1800 D100
E27 60w

with **OL2298/38RB**
Slater.38 Shade
D380 H160



OL69256BK
Parti Pan 3 Light

with 3 x **OL69321BK**
Albany Cord Black

with assorted **OL2255**
Maison.15 Glass Shades



OL69321BK
Albany Cord Black
S1800 D100
E27 60w

with **OL2299/14BK**
Cage.14
D145 H180



INDUSTRIAL VINTAGE mix & match



All of the fittings on this page are energy saver and LED ready.



PEG DIY cord sets (B22)

- OL2010/30BC** L300
- OL2010/30BK** L300
- OL2010/30WH** L300
- OL2010/50BC** L500
- OL2010/50BK** L500
- OL2010/50WH** L500
- OL2010/100BC** L1000
- OL2010/100BK** L1000
- OL2010/100WH** L1000


OL2270/27WH

Victoriana 11 Shade
D270 H100
B22 opening



OL2270/27AL

Victoriana 11 Shade
D270 H100
B22 opening



OL2270/34WH

Victoriana 14 Shade
D340 H130
B22 opening


↑ white inside



OL2270/34AL

Victoriana 14 Shade
D340 H130
B22 opening

↑ same inside



Many shades come with the European E27 lampholder size shade ring. The accessory "shade ring reducer" is available to reduce the size down to suit a B22 - Bayonet lampholder.



OLA16/SHADE
Adapter Ring
E27 > B22

OL2290WH

Warehouse Shade
D400 H200
E27 opening

↑ white inside



OL2290BK

Warehouse Shade
D400 H200
E27 opening

↑ white inside



OL2280BK
Retro Shade
H195 D150
E27 opening

↑ white inside



OL2280WH
Retro Shade
H195 D150
E27 opening

↑ white inside



OL2280RD
Retro Shade
H195 D150
E27 opening

↑ white inside



OL2280TE
Retro Shade
H195 D150
E27 opening

↑ white inside



OL2280BC
Retro Shade
H195 D150
E27 opening

↑ white inside



OL2280GM
Retro Shade
H195 D150
E27 opening

↑ white inside



OL2280CH
Retro Shade
H195 D150
E27 opening

↑ white inside



OL2280CO
Retro Shade
H195 D150
E27 opening

↑ white inside





All of the fittings on this page are energy saver and LED ready.

INDUSTRIAL VINTAGE pendants

OL65441WH

Idaho Pendant

D420 H305 S1800

E27 60w



↑ white inside



Cloth covered cord

Shown with vintage filament lamp.

Cloth covered cord

OL65467RB

Baltimore Pendant

D360 H450 S1800

E27 60w

↑ same inside



OL65421RB

Capple Pendant

D350 H350 S1800

E27 60w



↑ same inside



Black + white checked cloth covered cord

Oil Rubbed Bronze finish



↑ white inside

OL69265/19BK

Bay.19 Pendant

D190 H250 S950

E27 60w



OL69265/28BK

Bay.28 Pendant

D280 H370 S950

E27 60w



OL65401BK

Cottage Pendant

D370 H475 S1800

E27 60w



↑ white inside



OL65401CH

Cottage Pendant

D370 H475 S1800

E27 60w



↑ white inside



OL65401RD

Cottage Pendant

D370 H475 S1800

E27 60w



↑ white inside



Chrome chain & handles

OL65401BR

Cottage Pendant

D370 H475 S1800

E27 60w



↑ white inside



INDUSTRIAL VINTAGE



All of the fittings on this page are energy saver and LED ready.

Complete pendant.



SL64730WH

Forge.300 Pendant
D300 H160 S1200
E27 60w



SL64730BK

Forge.300 Pendant
D300 H160 S1200
E27 60w



SL64730OR

Forge.300 Pendant
D300 H160 S1200
E27 60w



Complete pendant.



SL64743WH

Forge.430 Pendant
D430 H220 S1200
E27 60w




SL64743BK

Forge.430 Pendant
D430 H220 S1200
E27 60w



SL64801

Agar 1lt Pendant
D120 H220 S1800
E27 40w



SL64805

Agar 5lt Pendant
D260 H220 S1800
E27 40w x 5



The canopy is tilt adjustable.

SL64901BK

Eaton.17 Pendant
H340 180x180
E27 60w



The canopy is tilt adjustable.

SL64902BK

Eaton.30 Pendant
H400 300x300
E27 60w




SL64903BK

Eaton.70 Pendant
H350 700x300
E27 60w x 3



Eaton rod suspensions supplied in 130 + 230mm lengths.



SL64906BK


Eaton Wall Light
H250 W170 P140
E27 42w



Shown with vintage filament globe.

SL64904BK

Eaton.100 Pendant
H350 1010x300
E27 42w x 4





All of the fittings on this page are energy saver and LED ready.

INDUSTRIAL VINTAGE



OL69373BK
Boulton Wall Bracket
P270 D110
E27 60w




OL69373BK
Boulton Wall Bracket
With OL2255/15BL
Maison.15 Blue Glass
E27 60w
(See mix & match options on Page 000)



Rubbed Bronze finish.


OL69375RB
Derwent Wall Light
H320 D220 P255
E27 60w





OL69375BK
Derwent Wall Light
H320 D220 P255
E27 60w




OL69377BK
Roxbury Adjustable Wall Bracket
P600 H400 SD190
E27 60w

SL64531BK
Geo 1lt Pendant
D400 H500 S2000
E27 60w




SL64534BK
Geo 4lt Pendant
D600 H700 S2000
E27 60w x 4




Cloth covered cord

OL63251BK
Chester.18 Pendant
H320 D180 S1800
E27 60w




Cloth covered cord

OL63252BK
Chester.36 Pendant
H200 D360 S1800
E27 60w




OL68883BK
Southall 3lt Pendant
H480 D300 S700
E14 40w x 3



INDUSTRIAL VINTAGE pendants



All of the fittings on this page are energy saver and LED ready.

Shown with vintage filament lamp.



OL63114CL

Hartford #14 Pendant

D280 H220

E27 40w



OL63116CL

Hartford #16 Pendant

D130 H350

E27 40w



OL63117CL

Hartford #17 Pendant

D170 H290

E27 40w



OL63121CL

Hartford #21 Pendant

D240 H230

E27 40w



OL63114SM

Hartford #14 Pendant

D280 H220

E27 40w



OL63116SM

Hartford #16 Pendant

D130 H350

E27 40w



OL63117SM

Hartford #17 Pendant

D170 H290

E27 40w



OL63121SM

Hartford #21 Pendant

D240 H230

E27 40w



Clear glass



OL69451BK

Flint Pendant

D200 H310 S1500

E27 60w

↑ same inside



Clear glass



OL69451BZ

Flint Pendant

D200 H310 S1500

E27 60w

↑ same inside



Cloth covered cord



OL69271BK

Work Pendant

D170 H235 S1800

E27 60w



Cloth covered cord



OL69271BC

Work Pendant

D170 H235 S1800

E27 60w





All of the fittings on this page are energy saver and LED ready.

INDUSTRIAL VINTAGE pendants



Black cloth covered cord + clear glass.

OL69267/19AC
Sherborne.19 Pendant
D190 H280 S1200
E27 40w




Black cloth covered cord + clear glass.

OL69267/25AC
Sherborne.25 Pendant
D250 H290 S1200
E27 40w




OL63301CL
Mason Jar Pendant
H230 D120 S1100
E27 42w




OL63301GN
Mason Jar Pendant
H230 D120 S1100
E27 42w




Black cloth covered cord.

OL63501CL
Decant.1 Pendant
D140 H250 S1800
E27 60w




Black cloth covered cord.

OL63503CL
Decant.3 Pendant
D130 H240 S1800
E27 60w




Black cloth covered cord.

OL63504CL
Decant.4 Pendant
100x100 H250 S1800
E27 60w





OL62255/27CL
Maison.27 Pendant
D270 H120 S1500
E27 60w




OL62255/27BL
Maison.27 Pendant
D270 H120 S1500
E27 60w




OL62255/27AM
Maison.27 Pendant
D270 H120 S1500
E27 60w




SL64801
Agar 1lt Pendant
D120 H220 S1800
E27 40w



VINTAGE filament lamps



A-CAR-12525B22
SPIRAL FILAMENT
G125/25W B22



A-CAR-12525E27
SPIRAL FILAMENT
G125/25W E27



A-CAR-A1925B22
FILAMENT LAMP
A19/25W B22



A-CAR-A1925E27
FILAMENT LAMP
A19/25W E27



A-CAR-C3525E14
CANDLE FILAMENT LAMP
C35/25W E14



A-CAR-ST3825E14
FILAMENT LAMP
ST38/25W E14



A-CAR-ST5825B22
SQUIRREL CAGE FILAMENT
ST58/25W B22



A-CAR-ST5825E27
SQUIRREL CAGE FILAMENT
ST58/25W E27



A-CAR-T3025E27
FILAMENT LAMP
T30/25W E27



A-CAR-T4525E27
FILAMENT LAMP
T45/25W E27





All of the fittings on this page are energy saver and LED ready.

INDUSTRIAL VINTAGE pendants

OL65790AR

Columbus 5lt Pendant
(650mm Diameter)

D650 S1500

E14 40w x 5



OL65789AR

Columbus 5lt Pendant
(460mm Diameter)

D460 S1800

E14 40w x 5



OL65791AR

Columbus "Bling" 5lt Pendant
(650mm Diameter)

D650 S1500

E14 40w x 5



OL68871BK

Esdale 1lt Pendant

H370 D190 S700

E27 60w



OL68873BK

Esdale 3lt Pendant

H390 D300 S650

E14 40w x 3



OL68821AW

Istanbul Pendant

H420 D270 S1800

B22 60w



OL68821AR

Istanbul Pendant

H420 D270 S1800

B22 60w



OL68852WH

Gabby Pendant

H440 D450 S700

B22 60w



Shown with G125 globe (not included)



OL68852BK

Gabby Pendant

H440 D450 S700

B22 60w



Shown with G125 globe (not included)



single PENDANTS + accessories



All of the fittings on this page are energy saver and LED ready.

OL69281BK

Pop Suspension

L2000 D115

E27 60w



Black cloth covered cord.



POP suspensions shown here with vintage filament G125 globe. A-CAR-12525E27

OL69281CH


Pop Suspension

L2000 D115

E27 60w



Clear cord.



OL69281CO

Pop.2 Suspension

L2000 D115

E27 60w



Black cloth covered cord.



OL69281RD


Pop Suspension

L2000 D115

E27 60w



Red cloth covered cord.



OL69281WH

Pop Suspension

L2000 D115

E27 60w



White cloth covered cord.



POP suspensions shown here with vintage filament G125 globe. A-CAR-12525E27

OL69256BC

Parti Pan
3 Light accessory
Brushed Chrome

D255 H25



OL69256BK

Parti Pan
3 Light accessory
Black

D255 H25



OL69256BR

Parti Pan
3 Light accessory
Brown finish

D255 H25



OL69256WH

Parti Pan
3 Light accessory
White

D255 H25



The Parti Pan can be used to suspend multiple single pendants.

OL69258WH

Parti Rail
3 Light accessory
White

L1050 H25 W55



OL69258BK


Parti Rail
Black

The Parti Rail can be used to suspend multiple single pendants.




All of the fittings on this page are energy saver and LED ready.

multi-drop PENDANTS + accessories



OL69351BK
Philly 10lt Pendant
Cords S1800
E27 40w x 10




OL69351WH
Philly 10lt Pendant
Cords S1800
E27 40w x 10




The Philly is a 10 light “swag” style pendant, allowing you to fix each light individually to create a unique fitting.
Shown here with assorted vintage filament globes.

The Pop.6 dropper pendant can be used with globes, as shown or shades.

The drops can be arranged in a spiral or simply let to hang, the choice is yours.

Shown here with G95 vintage filament globes.



Black cloth covered cords.

OL69286BK
Pop 6lt Pendant
S1800 D120
E27 60w x 6



White cloth covered cords.

OL69286WH
Pop 6lt Pendant
S1800 D120
E27 60w x 6



PENDANTS



All of the fittings on this page are energy saver and LED ready.

OL67402AL
 Kit 02
 H250 D205 S2000
 E27 60w

↑ white inside
 Clear cord.

OL67405AL
 Kit 05
 H355 D150 S2000
 E27 60w

↑ white inside
 Clear cord.

OL67421BK
 Plato Pendant
 H360 D200 S1800
 E27 60w

↑ gold inside

OL67421WH
 Plato Pendant
 H360 D200 S1800
 E27 60w

↑ gold inside

OL67452BR
 Chino 2
 H170 D360 S1800
 E27 60w

↑ gold inside
 Clear cord.

OL67453BR
 Chino 3
 H280 D230 S1800
 E27 60w

↑ gold inside
 Clear cord.

OL67451BR
 Chino 1
 H400 D190 S1800
 E27 60w

↑ gold inside
 Clear cord.

Bronze hand painted finish with gold interior

OL67453BK
 Chino 3
 H280 D230 S1800
 E27 60w

↑ white inside
 Clear cord.

OL67453WH
 Chino 3
 H280 D230 S1800
 E27 60w

↑ white inside
 Clear cord.




All of the fittings on this page are energy saver and LED ready.

rustic PENDANTS

OL64621BR

Boite Pendant
D400 H175
E27 20w (CFL) x 2



Matt opal acrylic diffuser.

Layers of corrugated cardboard.

Black cloth covered cord. Timber features.



OL64722

Panto.1 Pendant
H170 D120 S1800
E27 15w



Grey cloth covered cord.

Shown with an LED filament globe (not included)



OL64721

Chunk Pendant
D80 H150 S1800
E27 60w



OL64623BR

Pleo.25 Pendant
D250 H280 S1600
E27 42w



OL64624BR

Pleo.35 Pendant
D350 H420 S1600
E27 42w



Black cloth covered cord. Timber features.



OL64723

Panto.2 Pendant
H270 D130 S1800
E27 20w



Black cloth covered cord. Timber features.



OL64724

Panto.3 Pendant
H300 D210 S1800
E27 20w



OL64626BR

Mono.26 Pendant
D260 H240 S1600
E27 42w



OL64627BR

Mono.40 Pendant
D400 H340 S1600
E27 42w



Black cloth covered cord.




OL64726

Cimo.10 Pendant
H200 D100 S1800
E27 25w



Black cloth covered cord.



OL64727

Cimo.20 Pendant
H190 D205 S1800
E27 25w



timber PENDANTS



All of the fittings on this page are energy saver and LED ready.

OL64734NAT

Nest.36 Pendant
D330 H400 S1800
E27 60w



Black cloth covered cord



Plywood in natural finish.

OL64602NAT

Nord XL 900
H900 D570 S1500
E27 40w x 3



Plywood in natural finish.

OL64736NAT

Nest.60 Pendant
D500 H300 S1800
E27 60w



Black cloth covered cord



Plywood in natural finish.

OL64603NAT

Sven.450
D350 H450 S2000
E27 40w



Red cloth covered cord



Plywood in natural finish.



Vintage filament globes are a great choice for these fittings.

OL64601NAT

Nord.450
D250 H450 S2000
E27 40w



Red cloth covered cord



Plywood in natural finish.



All of the fittings on this page are energy saver and LED ready.

timber PENDANTS

OL64712NAT

Acorn.25
H250 D250 S1800
E27 60w



Black cloth covered cord

Plywood in natural finish.



OL64714NAT

Acorn.40
H400 D350 S1800
E27 60w



Black cloth covered cord

Plywood in natural finish.



OL64715NAT

Acorn.50
H500 D450 S1800
E27 60w



Black cloth covered cord

Plywood in natural finish.



OL64719NAT

Bud Pendant
D125 S1800
E27 60w



Black cloth covered cord



Shown with LED filament globes (not included)

OL64741NAT

Trap II Pendant
W360 H360 S1600
E27 60w



Black cloth covered cord



Shown with vintage filament globes (not included)


PENDANTS



All of the fittings on this page are energy saver and LED ready.


OL67751BK

James Pendant
350x350 H370 S1600
E27 60w



OL67751CO

James Pendant
350x350 H370 S1600
E27 60w



Shown with
vintage
filament globe
(not included)



OL67761BK

Lenox Pendant
D380 H390 S1800
E27 60w



OL67761CO

Lenox Pendant
D380 H390 S1800
E27 60w



Shown with
G80 LED globe
(not included)



OL67731SB

Fili.26 Pendant
H500 D250 S1800
E14 40w



OL67732SB

Fili.35 Pendant
H680 D350 S1800
E27 60w



Shown with
vintage filament
globes
(not included)





All of the fittings on this page are either LED or energy saver and LED ready.


PENDANTS

LED

OL60168WH
Curva LED Pendant
D225 H130 S1200
8w | 4000K | 790lm

colour temperature 4000K
colour rendition >Ra85

↑ white inside



LED

OL60168BK
Curva LED Pendant
D225 H130 S1200
8w | 4000K | 790lm

colour temperature 4000K
colour rendition >Ra85

↑ black inside



Black cloth covered cord.

OL63716CO
Perno.16
D160 H280 S1800
E27 60w

↑ white inside



Black cloth covered cord.

OL63730CO
Perno.30
D300 H470 S1500
E27 60w

↑ white inside



Clear cord.

OL67431BK
Orbis.36 Pendant
D360 H160 S1800
E27 60w

↑ black inside



Clear cord.

OL67431WH
Orbis.36 Pendant
D360 H160 S1800
E27 60w

↑ white inside



Clear cord.

OL63716BC
Perno.16
D160 H280 S1800
E27 60w

↑ white inside



Clear cord.

OL63730BC
Perno.30
D300 H470 S1500
E27 60w

↑ white inside



Black cloth covered cord.

OL64822BK
Malt.22 Pendant
D220 H420 S1800
E27 60w

↑ white inside



White cloth covered cord.

OL64822WH
Malt.22 Pendant
D220 H420 S1800
E27 60w

↑ white inside



Black cloth covered cord.

OL64848BK
Malt.48 Pendant
D480 H350 S1800
E27 60w

↑ white inside



White cloth covered cord.

OL64848WH
Malt.48 Pendant
D480 H350 S1800
E27 60w

↑ white inside



designer PENDANTS



All of the fittings on this page are energy saver and LED ready.

SL64406AB
Chelsea 6lt Pendant
H540 W850 S1500
E27 42w x 6

Shown with G95 vintage filament globe (not included)

Each arm on the Chelsea is adjustable.

Chelsea shown with G95 vintage filament globe (not included)

SL64406BK
Chelsea 6lt Pendant
H540 W850 S1500
E27 42w x 6

Shown with G95 vintage filament globe (not included)

SL64425BB
Newton Pendant
D250 S1500
E27 42w

Clear glass

Brushed brass, black cloth cov. cord with clear glass.

Shown with vintage filament globe (not included)

SL64430BB
Newton Pendant
D300 S1500
E27 42w

Clear glass

SL64440BB
Newton Pendant
D400 S1500
E27 42w

Clear glass



SL64425BK
Newton Pendant
D250 S1500
E27 42w

Clear glass

Satin black, black cloth cov. cord with clear glass.

Shown with vintage filament globe (not included)

SL64430BK
Newton Pendant
D300 S1500
E27 42w

Clear glass

SL64440BK
Newton Pendant
D400 S1500
E27 42w

Clear glass

Shown with vintage filament globes (not included)



All of the fittings on this page are energy saver and LED ready.

designer PENDANTS

SL64680/6BK


Padua 6lt Pendant

W1700 (max) S1200
Glass D150

E27 42w x 6



Each joint in the Padua pendant is adjustable at installation.




Clear glass

SL64680/6SB

Padua 6lt Pendant

W1700 (max) S1200
Glass D150

E27 42w x 6



Clear glass

SL64412/4BK

Lunar 4lt Pendant

D800 H400-1260

E27 42w x 6



Satin black with smoke glass balls




SL64413/5BK

Sinus 5lt Pendant

W1200 D360 S1500

E27 42w x 5



Sinus pendant can be suspended vertically or horizontally.

Smoke Glasses 3 x D150 + 2 x D180


PENDANTS



All of the fittings on this page are energy saver and LED ready.

OL64130WH

Phase 30
D300 S2000
E27 60w



The Phase sphere is acrylic, has a white canopy and cord.

OL64140WH

Phase 40
D400 S2000
E27 75w



OL64150WH

Phase 50
D500 S2000
E27 75w



OL67393WH

Chic 33
D330 S1800
E27 60w



Clear cord.

Made from polypropylene.

OL67394WH

Chic 43
D430 S1800
E27 60w



Clear cord.

OL69256WH

Parti Pan
3 Light accessory
White
D255 H25



The Parti Pan can be used to suspend multiple single pendants.

OL64512WH

Moreton 25
D250 H300
E27 60w



Clear cord.

OL67376WH

Niche 62
D620 H310 S1800
E27 40w



Clear cord.

OL67384WH

Ziggy
D430 S1800
E27 40w



Clear cord.

LED



Stainless steel construction. Replaceable LED modules.

OL60392/55

Spatial.55 LED Pendant

D550 S2000

4200K | >Ra80

colour temperature
4200K

colour rendition
>Ra80



LED



OL60392/75

Spatial.75 LED Pendant

D750 S2000


4200K | >Ra80

colour temperature
4200K

colour rendition
>Ra80



LED



Stainless steel construction with crystal.

OL60298/55CH

Oxy.600 LED Pendant

D600 S1500

21w | 4000K

colour temperature
4000K

colour rendition
>Ra80



OL60298/45CH


Oxy.500 LED Pendant

D500 S1500

19w | 4000K

colour temperature
4000K

colour rendition
>Ra80



LED



OL67284/1WH

Latte LED Pendant

H150 D150 S1800

9.5w | 365lm

colour temperature
4200K



LED



OL60151CH

Luzen LED Pendant

D100 H100 S1600

5w | 4000K

colour temperature
4000K

colour rendition
>Ra80




glass PENDANTS



All of the fittings on this page are energy saver and LED ready.

OL69217/1BC
Zest Wall
H250 P150
E27 60w




OL69207/3BC
Zest 3lt
D450 H250 Rod 880
E27 60w x 3





OL69207/5BC
Zest 5lt
D460 H250 Rod 880
E27 60w x 5



Zest can be shortened down to a close to ceiling if required



OL63984BC
Astrid Mini
H240 D90 S1800
E14 40w

Clear outer glass, opal matt inner glass.

OL63981BC
Astrid
H350 D120 S1800
E27 60w




Clear outer glass, opal matt inner glass.

OL63293CH
Cybelle
H290 D315 S1800
E27 60w




OL63221SM
Espel.35
D350 H200 S1500
E27 60w




Reflective smoke glass.




OL69291/17CL
Holbeck.17 Pendant
H420 D170 S1800
E27 60w





OL69291/19CL
Holbeck.19 Pendant
H440 D200 S1800
E27 60w

OL69291/30CL
Holbeck.30 Pendant
H300 D300 S1800
E27 60w




Clear cord + clear glass.



All of the fittings on this page are energy saver and LED ready.

glass PENDANTS

OL60521WH
 Meri White
 H410 D110 S1800
 E27 40w




OL60561WH
 Cleo White
 H305 D140 S1800
 E27 40w




OL60525WH
 Meri 500 White
 H500 D140 S1800
 E27 40w




OL60521SIL
 Meri Silver
 H410 D110 S1800
 E27 40w




OL60561SIL
 Cleo Silver
 H305 D140 S1800
 E27 40w




OL60525SIL
 Meri 500 Silver
 H500 D140 S1800
 E27 40w




OL60521RD
 Meri Red
 H410 D110 S1800
 E27 40w





Meri Red shown lit


OL60561RD
 Cleo Red
 H305 D140 S1800
 E27 40w




Cleo Red shown un-lit



OL60541WH
 Silind
 H745 D170 S1800
 E27 40w



Meri, Cleo & Silind glasses are hand made and have a hand brushed painted finish.

classic PENDANTS



All of the fittings on this page are energy saver and LED ready.

OL68783WH

Vicky 35
H300 D350 S750
B22 60w



OL68784WH

Vicky 45
H300 D450 S750
B22 100w



OL68781WH

Vicky Wall Light
H205 W185 P120
B22 40w



OL68783BK

Vicky 35
H300 D350 S750
B22 60w



OL68784BK

Vicky 45
H300 D450 S750
B22 100w



OL68781BK

Vicky Wall Light
H205 W185 P120
B22 40w



OL68772/4WH

Dianna Organza
H430 D500 S700
B22 60w x 4



OL68772/4BK

Dianna Organza
H430 D500 S700
B22 60w x 4





All of the fittings on this page are energy saver and LED ready.

classic PENDANTS

OL68999/6CH

Diaz 6lt
H500 D700 S1800
E14 40w x 6



OL68999/12CH

Diaz 12lt
H600 D820 S1800
E14 40w x 12



OL68999/8CH

Diaz 8lt
H500 D820 S1800
E14 40w x 8



OL68710/1CL

Marie Therese
H180 W100 P240
B22 40w



OL68710/3CL

Marie Therese 3
H380 D470 S750
B22 40w x 3



OL68711/8CL

Marie Therese 8
H410 D640 S750
B22 40w x 8



OL68710/5CL

Marie Therese 5
H380 D470 S750
B22 40w x 5



Candle Drip Cover (B22)
Perfect for renovating
chandeliers!

OLA16/01

classic PENDANTS



All of the fittings on this page are energy saver and LED ready.

OL65709BZ
 Gaston 9lt
 H830 D800
 E27 60w x 9




OL65705BZ
 Gaston 5lt
 H700 D675
 E27 60w x 5




The Gaston suite has a painted bronze finish.

OL65701BZ
 Gaston Wall
 W145 P260
 E27 60w




OL65733BZ
 Gaston 3lt CTC
 H360 D460
 E27 60w x 3




OL65751BZ
 Gaston 1lt
 H330 D305
 E27 60w




OL65763BZ
 Gaston 3lt
 H590 D460
 E27 60w x 3




LED



Fancy Round LED globes
 Contact sales for avail. models

LED



Plain Candle LED globes
 Contact sales for avail. models

ER



Fancy Round ER globes
 Contact sales for avail. models

ER



Plain Candle ER globes
 Contact sales for avail. models



All of the fittings on this page are energy saver and LED ready.

classic PENDANTS

OL65309BN

Bedford 9lt Pendant

H850 D850 S1800

E27 60w x 9



OL65305BN

Bedford 5lt Pendant

H700 D650 S1500

E27 60w x 5



The Bedford suite has a painted antique bronze finish.

OL65301BN

Bedford Wall Light

H270 P250

E27 60w



OL65303BN

Bedford 3lt Pendant

H650 D520 S1500

E27 60w x 3



mix & match SHADE PENDANTS



All of the fittings on this page are energy saver and LED ready.

OL91731

Belini White Linen Shade

T460 B560 H460

E27 60w

shown with

OL69251BC

Parti Rod BCH

L1100 D115

E27 60w

Belini also available in fawn linen OL91732



SH-24-24-9 K CK/WH

Chocolate Paper Knit Shade

T610 B610 H230

E27 60w



SH-24-24-9 K WH/WH

White Lattice Shade

T610 B610 H230

E27 60w



These shades have a parchment bottom diffuser and are shown on the PARTI ROD suspension OL69251BC

OL69253CH

Parti Suspension

L1800 D115

E27 60w

OL69253BC

Parti Suspension

L1800 D115

E27 60w

OL69253WH

Parti Suspension

L1800 D115

E27 60w

OL69253BK

Parti Suspension

L1800 D115

E27 60w

OL69251BC

Parti Rod Suspension

L1100 D115

E27 60w

OL69242BC

Drop Suspension

L1800 D115

B22 60w



The PARTI suspensions have an E27 lampholder and are designed for use with most shades with an E27 shade ring.



The DROP suspension has a B22 lampholder and is designed for use with most shades with a B22 shade ring.



All of the fittings on this page are energy saver and LED ready.

mix & match SHADE PENDANTS

OL91852

Teal Blue Shade
T510 B510 H300
E27 60w



OL91851

Ayers Rock Shade
T510 B510 H300
E27 60w



OL91853


Black + White
Chevron Shade
T510 B510 H300
E27 60w



These 16" shades are shown on the PARTI suspension OL69253BC

OL69253BC

Parti Suspension
L1800 D115
E27 60w




OL69243BC

Shade 3 Light suspension
BD125 D170 H650 S1350
B22 60w x 3

This 3 light shade suspension is designed to allow the lamp shade to be changed without the need for re-wiring. Ideally suited to a shade 12" (300mm) diameter or greater.



Shown here with a 16" Linen shade T400 B400 H250



OLA16/SHADE

Many of our shades have an E27 shade ring. The use of our "shade adapter ring" (OLA16/SHADE) will allow these shades to be fitted on a smaller B22 lamp holder. Ask your distributor about this useful adapter.

We stock a large range of replacement lampholders and spare parts - contact your distributor for the latest list of parts and accessories.



OL69255BC

Parti Tres Suspension
W1200 S1800
E27 60w x 3

shown with 12x12x9 shades

OL91856

Black + White Chevron Shades
T300 B300 H230



Clear cord.

Parti Tres will accommodate 3 shades up to 16" (400mm) in diameter. Shown here with 12" (300mm) shades

OL69251BC

Parti Rod with
OL91857
Yellow + White
Chevron Shade
T300 B300 H230
E27 60w



OL69251BC

Parti Rod with
OL91756
Cow
flock print
T300 B300 H230
E27 60w



These 12" shades are shown on the PARTI ROD suspension OL69251BC

OL2704/30CK
 Lumi 30 shade
 H170 D300
 E27 40w

Shown here on PARTI brushed chrome suspension OL69253BC

OL2704/60CK
 Lumi 60 shade
 H280 D590
 E27 40w

OL2704/45CK
 Lumi 45 shade
 H220 D450
 E27 40w

Shown here on PARTI brushed chrome suspension OL69253BC

OL2592WH
 Kita DIY
 H230 D215
 B22 60w

OL2592BR
 Kita DIY
 H230 D215
 B22 60w

INSTALL YOURSELF
NO ELECTRICIAN REQUIRED

OL2730/20NAT
 Lombok 20 Shade
 H210 D205
 E27 60w

Strips of split cane.
 Shown here on PARTI brushed chrome suspension OL69253BC

OL2730/40NAT
 Lombok 40 Shade
 H210 D410
 E27 60w

Shown here on PARTI brushed chrome suspension OL69253BC

OL2593WH
 Kono 25 DIY
 D250
 B22 60w

OL2593BR
 Kono 25 DIY
 D250
 B22 60w

INSTALL YOURSELF
NO ELECTRICIAN REQUIRED

Kono is made from woven string with a brown painted finish.

OL64230BR Kono 30 pendant D300 S1800 B22 60w	OL64236BR Kono 36 pendant D360 S1800 B22 60w	OL64245BR Kono 45 pendant D450 S1800 B22 60w	OL64260BR Kono 60 pendant D600 S1800 B22 60w
--	--	--	--

OL64280WH
Kono 80 pendant
D800 S1800
B22 60w

OL64280BR
Kono 80 pendant
D800 S1800
B22 60w

Kono is made from woven string with a white painted finish.

OL64230WH Kono 30 pendant D300 S1800 B22 60w	OL64236WH Kono 36 pendant D360 S1800 B22 60w	OL64245WH Kono 45 pendant D450 S1800 B22 60w	OL64260WH Kono 60 pendant D600 S1800 B22 60w
--	--	--	--

earth SHADES

The majority of the Earth **Shades** are shown on PARTI cord suspensions OL69253BC - sold separately.




OL67802
Marakesh Cocoa shade
D500 H230
E27 60w




OL67801
Marakesh Beech shade
D500 H230
E27 60w

Shown here on PARTI cord suspension OL69253BC




OL2552
Taho Cocoa shade
D385 H230
E27 60w




OL2633BK
Cooper 30 Shade
H340 D300
E27 60w

Woven string shade




OL2634BK
Cooper 45 Shade
H490 D450
E27 60w




OL2551
Taho Beech shade
D385 H230
E27 60w




OL2633WH
Cooper 30 Shade
H340 D300
E27 60w




OL2634WH
Cooper 45 Shade
H490 D450
E27 60w




OL69253CH Chrome + clear cord
OL69253BC Br. Chrome + clear
OL69253WH White + white cord
OL69253BK Black + black cord

All suspensions E27 60w
Parti is 1800mm long / ceiling canopy 115mm dia.



OL2714/35BR


Butan 35 Shade
D350 H300
E27 60w



Shown here on PARTI Black suspension OL69253BK

OL2715/50BR

Butan 50 Shade
D500 H300
E27 60w



Shown here on PARTI Black suspension OL69253BK

OL64301/72BR

Baja 72 pendant
H720 D250 S1800
E27 40w



Wicker cane with cotton inner shade

OL64303/36BR

Satori 36 pendant
D360 H290
E27 40w



Split cane strips formed into a ball with a central cone, diffusing the light. Dark stained natural cane.

OL64303/50BR

Satori 50 pendant
D510 H430
E27 40w



OL64303/72BR

Satori 72 pendant
D720 H600
E27 40w



Satori 72 has a strainer wire suspension.



OL64303/36WH

Satori 36 pendant
D360 H290
E27 40w



Split cane strips formed into a ball with a central cone, diffusing the light. White painted finish.

OL64303/50WH

Satori 50 pendant
D510 H430
E27 40w



OL64303/72WH

Satori 72 pendant
D720 H600
E27 40w



Satori 72 has a strainer wire suspension.



Spanish GLASS

<p>140 145 55</p>	<p>101</p>	<p>102</p>	<p>120 130 55</p>	<p>201</p>	
<p>130 150 55</p>	<p>300</p>	<p>301</p>	<p>150 125 55</p>	<p>401</p>	
<p>55 120 125</p>	<p>500</p>	<p>501</p>	<p>502</p>	<p>175 130 148</p>	<p>NAP-00</p>
<p>55 115 125</p>	<p>831</p>	<p>140 145 50</p>	<p>901</p>	<p><i>Hand finished glassware from Spain. Patterns and finish may vary slightly from shipment to shipment.</i></p> <p><i>Dimensions are approximate, as small variations occur in handmade glassware.</i></p>	
<p>140 140 55</p>	<p>1400</p>	<p>1401</p>	<p>160 160 70</p>	<p>1600</p>	<p>1607</p>

OL50610BC
 Stata Bracket
 H180 W125 P100
 E27 60w
 (with switch)

OL50800BP
 Picture Brass
 L350 P190
 B22 40w x 2

OL50800AB
 Picture Antique Brass
 L350 P190
 B22 40w x 2

OL50800CH
 Picture Chrome
 L350 P190
 B22 40w x 2



All of the fittings on this page are energy saver and LED ready.

WALL LIGHTS



OL69375RB

Derwent Wall Light
(rubbed bronze)

H320 D220 P255
E27 60w



OL69375BK

Derwent Wall Light

H320 D220 P255
E27 60w



OL69373BK

Boulton Wall Bracket

P270 D110
E27 60w



OL65701BZ

Gaston Wall Bracket

W145 H310 P260
E27 60w



Supplied with
soft-pleat shade.

OL50700AB

Swingley Antique

H280 W245 P345
B22 60w



Supplied with
soft-pleat shade.

OL50700PB

Swingley Brass

H280 W245 P345
B22 60w



OL68710/1CL

Marie Therese


H180 W100 P240
B22 40w



OL65301BN

Bedford Wall Light - (ant. brown)

H270 P250 W150
E27 60w



OL69377BK

Roxbury Wall Bracket

P600 H400 SD190
E27 60w



SL64906BK

Eaton Wall Light

H250 W170 P140
E27 42w



OL68781WH

Vicky Wall Bracket

H205 W185 P120
B22 40w



OL68781BK

Vicky Wall Bracket

H205 W185 P120
B22 40w



WALL LIGHTS



All of the fittings on this page are energy saver and LED ready.

OL41340BCH

Remo Wall
W300 H150 P100
E27 60w



OL41340GD

Remo Wall
W300 H150 P100
E27 60w




OL41340WH

Remo Wall
W300 H150 P100
E27 60w



OL44331CH

Claw Wall
W300 H150 P100
E27 60w



OL52451BC

Odyssey
H260 W175 P110
E27 60w



OL53929

New York Downtown
H360 W190 P80
E14 40w x 2



OL53512

Lia Wall Light
W300 H140 P95
E14 40w



OL52501BC

Axio
H240 W210 P105
E14 40w



OL59407

Elba
H230 W280 P110
E27 60w



OL57107CH

Duo
H180 (210) W210
E14 40w



OL69217/1BC

Zest Wall
H250 P150
E27 60w






All of the fittings on this page are energy saver and LED ready.

Luca

- OL51891** Luca 1lt L295 W80 P85 E14 40w
- OL51892** Luca 2lt L405 W80 P85 E14 40w x 2
- OL51893** Luca 3lt L570 W80 P85 E14 40w x 3




OL59079CH
Nova
H290 W125 P110
E27 60w



Yoshi


- OL51823CH** Yoshi 500 L500 W110 P110 E27 60w x 2
- OL51822CH** Yoshi 455 L450 W90 P95 E27 60w x 2
- OL51821CH** Yoshi 365 L370 W70 P90 E14 40w x 2




OL60927BC
Square 2
H355 W110 P140
E27 60w x 2



Slate.LED



Slate.LED - top & bottom LED can be wired to be switched independently or together.

OL60785/600WH	Slate.LED 30w White	L600 H85 P55	4000K >Ra80
OL60785/900WH	Slate.LED 45w White	L900 H85 P55	4000K >Ra80
OL60785/1200WH	Slate.LED 58w White	L1200 H85 P55	4000K >Ra80




Mode.LED




Mode.LED - wall mounted adjustable fitting, with switch.




OL60753/600SIL	Mode.LED 8w Silver	L630 H30 P110	4000K >Ra83 650lm
OL60753/600WH	Mode.LED 8w White	L630 H30 P110	4000K >Ra83 650lm
OL60753/900SIL	Mode.LED 11w Silver	L930 H30 P110	4000K >Ra83 970lm
OL60753/900WH	Mode.LED 11w White	L930 H30 P110	4000K >Ra83 970lm
OL60753/1200SIL	Mode.LED 15w Silver	L1220 H30 P110	4000K >Ra83 1300lm
OL60753/1200WH	Mode.LED 15w White	L1220 H30 P110	4000K >Ra83 1300lm



Solus.LED



Solus.LED - features a frosted glass opening surrounded by mirror.





SL58064WH	Solus.60 LED IP44	L640 H100 P45	14w 4000K >Ra80 650lm
SL58124WH	Solus.120 LED IP44	L1200 H100 P45	24w 4000K >Ra80 1550lm



Dash.LED

Chrome metalware with frosted acrylic face panel.



colour temperature
4000K

colour rendition
>Ra83



UA51894/60CH	Dash LED 600 CHROME	L680 P80 H30	4000K >Ra83 850lm
UA51894/90CH	Dash LED 900 CHROME	L980 P80 H30	4000K >Ra83 1050lm

Lineum.LED

Opal acrylic diffuser with chrome end caps.



colour temperature
4500K

colour rendition
>Ra82



OL51064CH	Lineum.60 LED 14w	L610 W75 P75	4500K >Ra82 >1000lm
OL51094CH	Lineum.90 LED 26w	L910 W75 P75	4500K >Ra82 >1950lm

Gebo.LED

Acrylic panel backlit with LED.



colour temperature
4000K

colour rendition
>Ra80



OL54508CH	Gebo.40 LED 9w	L395 H40 P110	4000K >Ra80 700lm
OL54516CH	Gebo.60 LED 17w	L590 H40 P110	4000K >Ra80 1550lm
OL54524CH	Gebo.90 LED 24w	L855 H50 P110	4000K >Ra80 1830lm
OL54532CH	Gebo.120 LED 32w	L1150 H50 P110	4000K >Ra80 2175lm

Beam.LED



colour temperature 4000K
 colour rendition >Ra82

OL60751/600WH	Beam.60 LED 15w	L625 W80 P70	4000K >Ra83 >825lm
OL60751/900WH	Beam.90 LED 22w	L925 W80 P70	4000K >Ra83 >1240lm
OL60751/1200WH	Beam.120 LED 29w	L1215 W80 P70	4000K >Ra83 >1650lm

Wave.LED



colour temperature 4000K
 colour rendition >Ra83

OL60755/1200SIL	Wave.120 LED 29w	L1200 W135 P35	4000K >Ra83 >1650lm
OL60755/1200WH	Wave.120 LED 29w	L1200 W135 P35	4000K >Ra83 >1650lm



UA52393WH
 Osprey LED Wall Light
 W180 H70 P100
 8w | 560lm

colour temperature 3000K
 colour rendition >Ra80



UA52391WH
 Cuboid LED Wall Light
 W100 H60 P100
 6.5w | 420lm

colour temperature 3000K
 colour rendition >Ra80



UA52503/40SS
 Imagio.40 LED Wall Light
 L400 P215
 4.8w | 3000K

Polished
 Stainless
 Steel

UA52503/60SS
 Imagio.60 LED Wall Light
 L600 P215
 6w | 3000K


colour temperature 3000K
 colour rendition >Ra80

Tasis




OL60414/60	Tasis.60	L600 W75 P40	18w 1200lm
OL60414/90	Tasis.90	L900 W75 P40	28w 1700lm
OL60414/120	Tasis.120	L1200 W75 P40	40w 2400lm
OL60414/150	Tasis.150	L1500 W75 P40	50w 3100lm

Tasis has hidden mounting clips.



Halo.LED



OL60610/55	Halo.55	L575 W25 P30	10w 850lm
OL60610/85	Halo.85	L870 W25 P30	14w 1050lm
OL60610/115	Halo.115	L1175 W25 P30	18w 1450lm
OL60611WH	Halo Plug & Cord	L1000	
OL60612WH	Halo Con-cable	L500	

Each Halo fitting is supplied with mounting clips and a close fit joiner.




Multiple Halo fittings can easily be joined together.




OL60611WH
Halo Plug & Cord




OL60612WH
Halo Connector cable




The Halo fittings have clear ends designed to minimise shadow when they are close joined.




Baton.LED



LF8450/120	Baton.LED 120	L1190 W75 P50	36w 4000K >Ra80 2880lm
-------------------	---------------	---------------	------------------------------






Lucca

OL60747/1500WH Lucca Pendant L1480 W20 S1400 33w | 4420lm

Textured matt white finish.
Clear wire suspension.
Built-in dimmable driver.

colour temperature **3000K** colour rendition **>Ra80**




Prato

OL60749/1500WH Prato Pendant L1480 W60 S1400 33w | 4420lm

Textured matt white finish.
Clear wire suspension.
Built-in dimmable driver.

colour temperature **3000K** colour rendition **>Ra80**



Ricco

Available as a pendant and rise & fall.
Built-in dimmable driver.

OL60811BC Ricco Pendant L1050 W65 S1750 24w | 1400lm
OL60815BC Ricco Rise & Fall L1050 W65 S2000 24w | 1400lm

colour temperature **3000K** colour rendition **>Ra80**





Sliver

OL60741/1200SIL Sliver Pendant L1210 W65 S1500 28.8w | 1700lm

colour temperature **4000K** colour rendition **>Ra82**

Slate.LED



Slate.LED extruded aluminium LED fitting in matt white with opal diffuser, supplied with 2m suspension wires and cable.

The Slate.LED can be wired to allow top and bottom LED to be lit independantly or together.

OL60780/1200BK	Slate.LED 58w Pendant	L1200 H85 W35 S2000	4000K >Ra80
OL60780/1200WH	Slate.LED 58w Pendant	L1200 H85 W35 S2000	4000K >Ra80





Vana.LED



Vana.LED extruded aluminium LED fitting with opal diffuser, available as a surface mounted fitting in 3 lengths.

Vana.LED can be converted to a suspended fitting using the Suspension Kit OL60775WH (available separately).

OL60774/900WH	Vana.LED 900 White	L930 W110 P40	4000K >Ra80 1900lm
OL60774/1200BK	Vana.LED 1200 Black	L1230 W110 P40	4000K >Ra80 3900lm
OL60774/1200WH	Vana.LED 1200 White	L1230 W110 P40	4000K >Ra80 3900lm
OL60774/1500WH	Vana.LED 1500 White	L1530 W110 P40	4000K >Ra80 5100lm
OL60775WH	Suspension Kit Chrome Wires, White cable+canopy	S2000 D100	



T5 energy saving CEILING LIGHTS



Puno

LF8310/214SIL	Puno 2x14W	L645 W110 P40	T5 14w x 2
LF8310/214WH	Puno 2x14W	L645 W110 P40	T5 14w x 2
LF8310/228SIL	Puno 2x28W	L1250 W110 P40	T5 28w x 2
LF8310/228WH	Puno 2x28W	L1250 W110 P40	T5 28w x 2


Supplied with 4000K tubes. 



Baton T5

LF8350/214WH	Baton 2x14W	L590 W75 P50	T5 14w x 2
LF8350/228WH	Baton 2x28W	L1190 W75 P50	T5 28w x 2
LF8350/235WH	Baton 2x35W	L1490 W75 P50	T5 35w x 2

Supplied with 4000K tubes. 



allumē T5 Linear fluorescent tubes

A-T5L-8/830	T5 8w LINEAR TUBE 2700k
A-T5L-8/840	T5 8w LINEAR TUBE 4000k
A-T5L-13/830	T5 13w LINEAR TUBE 2700k
A-T5L-13/840	T5 13w LINEAR TUBE 4000k
A-T5L-14/840	T5 14w LINEAR TUBE 4000k
A-T5L-21/830	T5 21w LINEAR TUBE 2700k
A-T5L-21/840	T5 21w LINEAR TUBE 4000k
A-T5L-28/830	T5 28w LINEAR TUBE 2700k
A-T5L-28/840	T5 28w LINEAR TUBE 4000k
A-T5L-35/840	T5 35w LINEAR TUBE 4000k



Visit www.allumelighting.com.au for more information about our range of globes.

LED



OL49612WH

Nelo Round 13w LED
D170 H40
13w SMD LED
3500K / CRI>80
815 lm



colour temperature
3500K

colour rendition
>Ra80

LED




OL49618WH

Nelo Round 20w LED
D225 H40
20w SMD LED
3500K / CRI>80
1080 lumen



colour temperature
3500K

colour rendition
>Ra80



Nelo.LED has an aluminium trim and a matt opal acrylic diffuser.

LED



OL49212

Uno 13w LED
D295 P90
13w SMD LED
4000K / CRI>80
700lm



colour temperature
4000K

colour rendition
>Ra80

LED



OL49224

Uno 24w LED
D390 P110
24w SMD LED
4000K / CRI>80
1300lm



colour temperature
4000K

colour rendition
>Ra80



Uno.LED has a twist lock matt opal acrylic diffuser.

LED



OL49812AL

Aura.30 12w LED
D295 H85
12w LED
4000K / CRI >80
750lm

IP44



colour temperature
4000K

colour rendition
>Ra80

LED



OL49824AL

Aura.36 24w LED
D355 H95
24w LED
4000K / CRI >80
1200lm

IP44



colour temperature
4000K

colour rendition
>Ra80



Aura.LED has a brushed aluminium trim and matt opal acrylic diffuser.

LED CEILING LIGHTS

LED

LED



OL49112WH
Luton 14w LED
D260 H95
12w Epistar LED
4000K / CRI >82
650lm

colour temperature
4000K

colour rendition
>Ra82

LED



OL49118WH
Luton 20w LED
D325 H100
18w Epistar LED
4000K / CRI >82
950lm

colour temperature
4000K

colour rendition
>Ra82



Luton.LED has a matt white trim and twist lock matt opal acrylic diffuser.

LED



OL49412
Vello.35 LED
D335 P80
13w Epistar LED
4000K / CRI >84
700lm

colour temperature
4000K

colour rendition
>Ra84

LED



OL49424
Vello.45 LED
D435 P90
26w Epistar LED
4000K / CRI >84
1300lm

colour temperature
4000K

colour rendition
>Ra84



Vello.LED has a clear acrylic trim, silver surround and a matt opal acrylic diffuser.

LED



OL48624WH
Kore.20 LED
D200 P50
15w Epistar LED
4000K / CRI >80
1100lm

IP44

colour temperature
4000K

colour rendition
>Ra80

LED



OL48634WH
Kore.30 LED
D300 P40
25w Epistar LED
4000K / CRI >80
1950lm

IP44

colour temperature
4000K

colour rendition
>Ra80



Kore.LED has a matt white polycarbonate trim and matt opal diffuser.



fluorescent energy saving CEILING LIGHTS



LF8822

Uno T5 22w Opal Matt
D295 P90
T5 22w 2GX13



Uno T5 has a twist-lock diffuser.



OL48409/22SIL

Vello 22 Square
W335x335 P85
T5 22w G10q



OL48410/22SIL

Vello 22
D335 P80
T5 22w G10q



LF8840

Uno T5 40w Opal Matt
D390 P110
T5 40w 2GX13



OL48409/40SIL

Vello 40 Square
W430x430 P95
T5 40w 2GX13



OL48410/40SIL

Vello 40
D435 P90
T5 40w 2GX13



OL43635/22SN

Volute 22w
D300 P100
T5 22w 2GX13



SG70391WH

Econ White
D300 P95
PL 9w x 2



SG70391BS*

Econ Brushed Steel
D300 P95
PL 9w x 2



** SG70391BS - Brushed Steel trim may not be suited to all outdoor applications, check with your stockist.*



OL43645/40SN

Volute 40w
D400 P100
T5 40w 2GX13



allumē




T5 Circular fluorescent tubes


A-T5C/G10Q-22/840 T5 22w CIRCULAR TUBE
4000K [G10q] D184mm

A-T5C-22/840 T5 22w CIRCULAR TUBE
4000K [2GX13] D225mm

A-T5C-40/840 T5 40w CIRCULAR TUBE
4000K [2GX13] D299mm



G10q
4 pins on one side



2GX13
4 pins 2 on each side

CEILING LIGHTS



All of the fittings on this page are energy saver and LED ready.



OL48431WH
Vera Twin
D360 P90
E27 23w CFL x 2






OL40381BC
Minka 1lt
W330x330 P80
E27 60w




OL43630SN
Volute 1lt
D300 P100
E27 100w




OL47407SC
Clipper Satin Chrome
D230 P90
B22 60w




OL40382BC
Minka 2lt
W420x420 P80
E27 60w x 2




OL43640SN
Volute 2lt
D400 P100
E27 60w x 2




OL47400WH
Clipper White
D230 P90
B22 60w



The allume *elamp* is available to suit most ceiling lights.

elamp

allumē




OL43512SC
Luma 1lt
D300 P90
E27 60w




OL47100WH
Button Ceiling Light
D250 P85
E27 75w



The allume *A-LED-74 Series* lamps are available to suit most ceiling light fittings.



allumē




OL43516SC
Luma 2lt
D400 P100
E27 60w x 2





All of the fittings on this page are energy saver and LED ready.

CEILING LIGHT suites



OL41040BCH

Remo 1lt Brushed Chrome



Brushed Chrome

OL41040WH

Remo 1lt White



White

OL41040GD

Remo 1lt Brass Plate



Brass Plate

D300 P110

E27 60w



OL41140BCH

Remo 2lt Brushed Chrome



Brushed Chrome

OL41140WH

Remo 2lt White



White

OL41140GD

Remo 2lt Brass Plate



Brass Plate

D400 P150

E27 60w x 2



OL41340BCH

Remo Wall Light Brushed Chrome

W300 H150 P100

E27 60w



OL41340WH

Remo Wall Light White

W300 H150 P100

E27 60w



Remo has an alabaster look glass available with brushed chrome, white or gold finished clips.



Claw has an opal matt glass with chrome "claw" clips.



OL413040GD

Remo Wall Light Brass Plate

W300 H150 P100

E27 60w



OL44031CH

Claw 1lt

D300 P95

E27 60w



OL44131CH

Claw 2lt

D400 P110

E27 60w x 2



OL44331CH

Claw 1lt Wall Light

W300 H150 P100

E27 60w




DO-IT-YOUR-SELF




All of the fittings on this page are energy saver and LED ready.




OL2100/15WH
Jetball 15cm
D150

OL2100/20WH
Jetball 20cm
D200




OL2100/15BCH
Jetball 15cm
D150




OL2100/20BCH
Jetball 20cm
D200




OL2100/15BP
Jetball 15cm
D150




OL2100/20BP
Jetball 20cm
D200




OL2130/15BCH
Alabaster 15cm
D150




OL2130/20BCH
Alabaster 20cm
D200




OL2100/15CH
Jetball 15cm
D150




OL2100/20CH
Jetball 20cm
D200




OL2101/15B
Boston Frost 15cm
D150

Spanish glass




OL2101/20B
Boston Frost 20cm
D200

Spanish glass




OL2401/16B
Bell Frost 16cm
D160

Spanish glass




OL2401/20B
Bell Frost 20cm
D200

Spanish glass




OL2301/16B
Marseilles 16cm
D160

Spanish glass




OL2301/20B
Marseilles 20cm
D200

Spanish glass





All of the fittings on this page are energy saver and LED ready.

DO-IT-YOUR-SELF



OL2210/15
Phil Small
H150 D150



OL2210/22
Phil Large
H210 D230




OL2270/27WH
Victoriana 11 Shade
H100 D270
B22 opening



OL2270/34WH
Victoriana 14 Shade
H130 D340
B22 opening

↑ white inside



OL2270/27AL
Victoriana 11 Shade
H100 D270
B22 opening



OL2270/34AL
Victoriana 14 Shade
H130 D340
B22 opening

↑ same inside



OL2220SC
Tim Bell
H170 D165



OL2404SW
Bell
H200 D160



OL2230WH
Zoa WH
D360



OL2230SC
Zoa SC
D360



OL2240
Vamp AB+BC
H160 D290
(Includes antique brass & brushed chrome metalware)



OL2243
Pana AB+BC
H150 D310
(Includes antique brass & brushed chrome metalware)





All of the fittings on this page are energy saver and LED ready.




OL2567CH
Bling DIY
H220 D190




OL2566CH
Astoria DIY
H170 D190




OL2570CH
Asti DIY
H210 D175




OL2583CL
Abelle Clear DIY
H260 D205




OL2582CH
Missy DIY
H230 D210




OL2575CH
Star DIY
H170 D200




OL2576CH
Opera DIY
H160 D185
40w Max




OL2568CH
Sarba DIY
H215 D155




OL98775BK
Abbey Shade
T225 B275 H300 (+ Crystals)
E27 / B22 60w






OL98775SIL
Abbey Shade
T225 B275 H300 (+ Crystals)
E27 / B22 60w






OL98775WH
Abbey Shade
T225 B275 H300 (+ Crystals)
E27 / B22 60w





Abbey shade has a gimbal harp. It can be used as a table lamp shade or a pendant / DIY shade.





All of the fittings on this page are energy saver and LED ready.

DO-IT-YOUR-SELF



OL2562AL
Mara DIY
H130 D300



OL2563AL
Parra DIY
H265 D180



OL2561AL
Luka DIY
H170 D230



Many shades come with the European E27 lampholder size shade ring. The accessory "shade ring reducer" is available to reduce the size down to suit a B22 - Bayonet lampholder.



OLA16/SHADE
Adapter Ring
E27 > B22




OL2265BK
Vicky DIY
H200 D250



OL2265WH
Vicky DIY
H200 D250



OL2265CO
Vicky DIY
H200 D250



OL2590NAT
Congo DIY
H260 D205



OL2588CH
Ramsey Chrome DIY
H225 D185



OL2588AB
Ramsey Antique DIY
H225 D185



OL2280BK
Retro Shade
H195 D150
E27 opening



The Retro series shades are a popular DIY shade. (See page 42 of this catalogue for the full colour range)

The Retro shades come with the European E27 lampholder size opening. The accessory OLA16/SHADE is available to reduce the size down to suit a B22 - Bayonet lampholder.



OL2592BR
Kita DIY
H230 D215



OL2592WH
Kita DIY
H230 D215



OL2593BR
Kono 25 DIY
D250




OL2593WH
Kono 25 DIY
D250



DO-IT-YOUR-SELF



All of the fittings on this page are energy saver and LED ready.



OL91768

10" Cotton Drum
Dusky Pink

H200 D250

B22 60w



OL91770

10" Shantung Drum
Pale Blue

H200 D250

B22 60w



OL91769

10" Shantung Drum
Pale Green

H200 D250

B22 60w



OL91774

3D Optic Drum
Pink Heart

H200 D225

B22 60w



OL91773

3D Optic Drum
Blue + White Star

H200 D225

B22 60w



OL91772

3D Optic Drum
White + Blue Star

H200 D225

B22 60w



OL91771

3D Optic Drum
Butterfly

H200 D225

B22 60w




OL91816

Half Shade Wall Light
White Linen

H175 W250 P125

B22 25w



Installation of DIY wall shade (viewed from above)




OL91815

Half Shade Wall Light
Silver

H175 W250 P125

B22 25w



Installation of DIY wall shade (viewed from above)




OL91818

Half Shade Wall Light
Fawn Linen

H175 W250 P125

B22 25w



Installation of DIY wall shade (viewed from above)




OL91817

Half Shade Wall Light
Black Linen

H175 W250 P125

B22 25w




Installation of DIY wall shade (viewed from above)



All of the fittings on this page are energy saver and LED ready.




PEG DIY cord sets

- OL2010/30BC L300
- OL2010/30BK L300
- OL2010/30WH L300
- OL2010/50BC L500
- OL2010/50BK L500
- OL2010/50WH L500
- OL2010/100BC L1000
- OL2010/100BK L1000
- OL2010/100WH L1000 



OL2572WH
Karella White DIY
H180 D230 



OL2572BK
Karella Black DIY
H180 D230 




OL2572BG
Karella Beige DIY
H180 D230 



OL2571CR
Starre Laser Cut DIY
H180 D190 



MD8100WH
Kensington DIY
H200 D150 



MD8200WH
Kensington DIY
H280 D240 



MD8100PK
Kensington DIY
H200 D150 



MD8200PK
Kensington DIY
H280 D240 



MD8100BK
Kensington DIY
H200 D150 




MD8200BK
Kensington DIY
H280 D240 





MD8100TE
Kensington DIY
H200 D150 




MD8200TE
Kensington DIY
H280 D240 



MD8100SIL
Kensington DIY
H200 D150 



MD8200SIL
Kensington DIY
H280 D240 


R80 SPOTLIGHTS & DOWNLIGHTS



All of the fittings on this page are energy saver and LED ready.

Profile R80

- LF500/1WH** Profile 1lt White D80 P175
- LF500/2WH** Profile 2lt White L360 W40 P175
- LF500/3WH** Profile 3lt White L550 W40 P175
- LF500/1S WH** Profile with Switch D80 P175




R80 - 60w



switch on the back plate

Profile R80

- LF500/1BCH** Profile 1lt Bch D80 P175
- LF500/2BCH** Profile 2lt Bch L360 W40 P175
- LF500/3BCH** Profile 3lt Bch L550 W40 P175



R80 - 60w




LF4100WH
Eyeball
D175 C135
R80 E27 100w




LF4100BCH
Eyeball
D175 C135
R80 E27 100w




LF4325WH
Project
D125 C85
R80 E27 100w




LF4325BCH
Project
D125 C85
R80 E27 100w



LED

10 WATT




Retrofit LED R80 style lamp available. A-LED-771024

Light Output 800 lumen
Energy Used 10 watts
Efficacy 80 lm/w
Beam Width 180°

allumē



colour temperature 4000K
colour rendition >Ra80



Retrofit CFL R80 style lamp available. A-CFL-5115250

colour temperature 5000K




LF4500WH
100w Darklighter
D135 C95 R100
E27 100w






Most of the fittings on this page are retroft GU10 LED ready.

240v TRACK SPOTLIGHTS

Trak - 240v



240v



- LF5300/1000BK** Trak Black 1M L1000 W40 P20
- LF5300/1000SIL** Trak Silver 1M L1000 W40 P20
- LF5300/1000WH** Trak White 1M L1000 W40 P20
- LF5300/2000BK** Trak Black 2M L2000 W40 P20
- LF5300/2000SIL** Trak Silver 2M L2000 W40 P20
- LF5300/2000WH** Trak White 2M L2000 W40 P20


TRAK track is available in black, white or silver finish.
240 volt track and lights sold separately.
Single circuit (3 wire) track supplied with live and dead end.
Inline track joiners are available to join multiple Traks.

LED

Fass LED



UA59107/4000WH
Fass Track Mounted LED Spotlight
L120 W35 P150
7watt COB LED | 4000K | 450lm



Trak Joiner



- LF5301BK** Inline (straight) Trak joiner
- LF5301SIL** Inline (straight) Trak joiner
- LF5301WH** Inline (straight) Trak joiner

Zap


LF5352BK
L75 D50 P125
GU10 35w
28w ER Lamp
included



LF5352SIL



LF5352WH




Zero


LF5355BK
L80 D60 P135
GU10 35w
28w ER Lamp
included



LF5355SIL



LF5355WH



Zip

OL58573WH
P150 D50
Rated GU10 35w
(lamp not included)



Baril

OL58615WH
P145 D60
Rated GU10 35w
(lamp not included)



Zip

OL58573BC
P150 D50
Rated GU10 35w
(lamp not included)



Baril


OL58615BK
P145 D60
Rated GU10 35w
(lamp not included)






All of the fittings on this page are retrofit GU10 LED ready.

- OL58570/1BC** Zip 1lt L100 HD60 P145 Rated GU10 35W
- OL58571/2BC** Zip 2lt L300 HD60 P160
- OL58571/3BC** Zip 3lt L500 HD60 P160
- OL58571/4BC** Zip 4lt L700 HD60 P160



Zip GU10 LED READY


ZIP is supplied without lamp, allowing the selection of an appropriate GU10 lamp.




Shown with halogen GU10



Shown with LED GU10



- OL58570/1WH** Zip 1lt L100 HD60 P145 Rated GU10 35W
- OL58571/2WH** Zip 2lt L300 HD60 P160
- OL58571/3WH** Zip 3lt L500 HD60 P160
- OL58571/4WH** Zip 4lt L700 HD60 P160




Zip GU10 LED READY

ZIP is supplied without lamp, allowing the selection of an appropriate GU10 lamp.



Gloss White finish with chrome hi-lights.

ZIP face trim is removable allowing for easier lamp replacement.



LED READY

OL58576BC
Zip DIY Wall Light
H280 W70 P180
Rated GU10 35W
(DIY model with 1200mm flex, plug & inline switch)

INSTALL YOURSELF
NO ELECTRICIAN REQUIRED

LED READY

OL58576WH
Zip DIY Wall Light
H280 W70 P180
Rated GU10 35W
(DIY model with 1200mm flex, plug & inline switch)

INSTALL YOURSELF
NO ELECTRICIAN REQUIRED

LED READY

OL58579BC
Zip Wall Light
H280 W70 P180
Rated GU10 35W
(hardwired model with switch on backplate)

switch on the back plate

LED READY

OL58579WH
Zip Wall Light
H280 W70 P180
Rated GU10 35W
(hardwired model with switch on backplate)

switch on the back plate



All of the fittings on this page are retrofit GU10 LED ready.

LED READY energy saving SPOTLIGHTS

- OL58770/1RB** Norton 1lt BD80 HD65 P180 Rated GU10 35W
- OL58771/2RB** Norton 2lt L310 HD65 P180
- OL58771/3RB** Norton 3lt L510 HD65 P180

Oil Rubbed Bronze finish

Norton GU10 LED READY

Norton is supplied without lamp, allowing the selection of an appropriate GU10 lamp.



Head Dia. 65



Norton shown with GU10 lamp.



- OL58610/1WH** Baril 1lt BD80 HD60 P145 Rated GU10 35W
- OL58611/2WH** Baril 2lt L300 HD60 P160
- OL58611/3WH** Baril 3lt L500 HD60 P160
- OL58611/4WH** Baril 4lt L700 HD60 P160
- OL58613/1WH** Baril 1lt (with switch) BD80 HD60 P145

Baril GU10 LED READY

Baril is supplied without lamp, allowing the selection of an appropriate GU10 lamp.



Baril with switch.



switch on the back plate



Matt White finish

- OL58610/1BK** Baril 1lt BD80 HD60 P145 Rated GU10 35W
- OL58611/2BK** Baril 2lt L300 HD60 P160
- OL58611/3BK** Baril 3lt L500 HD60 P160
- OL58613/1BK** Baril 1lt (with switch) BD80 HD60 P145

Baril GU10 LED READY

Baril is supplied without lamp, allowing the selection of an appropriate GU10 lamp.



Baril with switch.



switch on the back plate

Baril shown with GU10 lamp.



A-LED-66075 series avail. in black

Matt Black finish



LED READY energy saving SPOTLIGHTS



Most of the fittings on this page are retrofit GU10 LED ready.

sg



The engineers at SG have designed an excellent LED ready GU10 spotlight - the Zoom.

Designed to accept GU10 LED retrofit lamps of varying lengths. The hood on the Zoom can be extended to cover the lamp or act as a baffle.


Available in a single or three light spot as well as a track mounted model.

sg



SG75051BS

Zoom LED ready spotlight
BD100 P170
Designed for GU10 LED
(lamp not included)




0.5m GU10

sg



SG75056BS

Zoom 3lt LED ready spotlight
BD300 P180
Designed for GU10 LED
(lamp not included)




0.5m GU10

sg



SG75051WH

Zoom LED ready spotlight
BD100 P170
Designed for GU10 LED
(lamp not included)




0.5m GU10

sg



SG75056WH


Zoom 3lt LED ready spotlight
BD300 P180
Designed for GU10 LED
(lamp not included)



0.5m GU10

LED

Flexi LED



switch on the back plate

UA50913BA

Flexi Wall Mounted LED Reading Lamp
(features a fully flexible goose-neck arm)
H130 W85 P200
3watt HIGHPOWER LED
(with switch)



0.5m

sg




SG75052WH

Zoom LED ready spotlight
L400 BW40 P170

SG75053WH

Zoom LED ready spotlight
L580 BW40 P170

Designed for GU10 LED
(lamp not included)




0.5m GU10



All of the fittings on this page are retrofit GU10 LED ready.

LED READY energy saving SPOTLIGHTS

- OL58810/1BZ** Yarra 1lt BD100 HD55 P140 Rated GU10 35W
- OL58811/2BZ** Yarra 2lt L300 HD55 P170
- OL58811/3BZ** Yarra 3lt L500 HD55 P170
- OL58811/4BZ** Yarra 4lt L700 HD55 P170



Yarra GU10 LED READY

Yarra is supplied without lamp, allowing the selection of an appropriate GU10 lamp.




Yarra shown with GU10 lamp.



Bronze finish



- OL58810/1WH** Yarra 1lt BD100 HD55 P140 Rated GU10 35W
- OL58811/2WH** Yarra 2lt L300 HD55 P170
- OL58811/3WH** Yarra 3lt L500 HD55 P170
- OL58811/4WH** Yarra 4lt L700 HD55 P170



Yarra GU10 LED READY

Yarra is supplied without lamp, allowing the selection of an appropriate GU10 lamp.



Yarra shown with GU10 lamp.



Matt White finish



LED



5 WATT



A-LED-620553045
LED GU10 retrofit lamp
5w | 45° | Ra80 | 380lm

colour temperature
3000K

A-LED-620555045
LED GU10 retrofit lamp
5w | 45° | Ra80 | 420lm

colour temperature
5000K



Not Suitable for Dimming

LED



7 WATT



A-LED-640753060
LED GU10 retrofit lamp
7w | 60° | Ra82 | 500lm

colour temperature
3000K

A-LED-640755060
LED GU10 retrofit lamp
7w | 60° | Ra82 | 550lm

colour temperature
5000K



Not Suitable for Dimming

LED



7 WATT



A-LED-660753060
LED GU10 retrofit lamp
7w | 60° | Ra82 | 500lm

colour temperature
3000K

A-LED-660755060
LED GU10 retrofit lamp
7w | 60° | Ra82 | 550lm

colour temperature
5000K



Not Suitable for Dimming

LED



7 WATT



A-LED-650753040
LED GU10 retrofit lamp
7w | 40° | Ra80 | 500lm

colour temperature
3000K

A-LED-650755040
LED GU10 retrofit lamp
7w | 40° | Ra80 | 550lm

colour temperature
5000K



LED Dimmer Friendly

240v energy saving DOWNLIGHTS



All of the fittings on this page are energy saver and LED ready.



LF4583WH
Vida 100
D100 C80
E27 CFL 15w
or E27 40w





LF4583BCH
Vida 100
D100 C80
E27 CFL 15w
or E27 40w





LF4593WH
Vida 120
D120 C100
E27 CFL 20w
or E27 60w





LF4593BCH
Vida 120
D120 C100
E27 CFL 20w
or E27 60w





LF4597WH
Vida 140
D145 C120
E27 CFL 23w
or E27 60w





LF4597BCH
Vida 140
D145 C120
E27 CFL 23w
or E27 60w




The allume *elamp* is available to suit all CFL down lights.



The allume *A-LED-74 Series* lamps are available to suit most 240v down lights.



allumē




LF4234WH
Litek 140
D140 C120
E27 CFL 20w
or E27 60w





LF4234BCH
Litek 140
D140 C120
E27 CFL 20w
or E27 60w





LF3325WH/5000
Eos 15 Nuevo
D125 C85
R80 15w 5000K (Includes lamp)







colour temperature 5000K




LF4236WH
Litek 195
D198 C170
E27 CFL 20w x 2
or E27 60w x 2






LF4236BCH
Litek 195
D198 C170
E27 CFL 20w x 2
or E27 60w x 2






The LITEK and VIDA downlights may or may not be dimmable.



This is dependant upon the selection of either a dimmable LED lamp / compact fluorescent lamp or one that cannot be dimmed.

LED



13
WATT

LF3513WH

Neutron LED Downlight

D108 C90

LED 13w | 120° | 850lm
(Dimmable Remote Driver)



colour temperature	colour rendition	3 YEAR Guarantee	90
3000K	>Ra80		

LED



13
WATT

LF3513SS

Neutron LED Downlight

D108 C90

LED 13w | 120° | 850lm
(Dimmable Remote Driver)



colour temperature	colour rendition	3 YEAR Guarantee	90
3000K	>Ra80		

LED



10
WATT

UA4823WH

Saturn.10 LED Downlight

D115 C95

LED 10w | >85° | 560lm
(Dimmable Remote Driver)



colour temperature	colour rendition	3 YEAR Guarantee	95
3000K	>Ra81		

LED



14
WATT

UA4833WH

Saturn.14 LED Downlight

D145 C120

LED 14w | >85° | 830lm
(Dimmable Remote Driver)



colour temperature	colour rendition	3 YEAR Guarantee	120
3000K	>Ra81		

LED



13
WATT

LF3515WH

Neutron LED Downlight

D108 C90

LED 13w | 120° | 875lm
(Dimmable Remote Driver)



colour temperature	colour rendition	3 YEAR Guarantee	90
5000K	>Ra80		

LED



13
WATT

LF3515SS

Neutron LED Downlight

D108 C90

LED 13w | 120° | 875lm
(Dimmable Remote Driver)



colour temperature	colour rendition	3 YEAR Guarantee	90
5000K	>Ra80		

LED



10
WATT

UA4824WH

Saturn.10 LED Downlight

D115 C95

LED 10w | >85° | 570lm
(Dimmable Remote Driver)



colour temperature	colour rendition	3 YEAR Guarantee	95
4000K	>Ra81		

LED



14
WATT

UA4834WH

Saturn.14 LED Downlight

D145 C120

LED 14w | >85° | 850lm
(Dimmable Remote Driver)



colour temperature	colour rendition	3 YEAR Guarantee	120
4000K	>Ra81		

LED energy saving DOWNLIGHTS

LED

LED



10 WATT
IP44

LF3613WH
Proton LED Downlight
D120 C90
LED 10w | 120° | 850lm
(Dimmable Integral Driver)

CA
80°C ABUTTED ONLY

colour temperature 3000K | colour rendition >Ra82 | **3 YEAR Guarantee** | 90

LED



950 LUMEN
10 WATT
IP44

LF3614WH
Proton LED Downlight
D120 C90
LED 10w | 120° | 950lm
(Dimmable Integral Driver)

CA
80°C ABUTTED ONLY

colour temperature 4000K | colour rendition >Ra82 | **3 YEAR Guarantee** | 90

LED




950 LUMEN
10 WATT
IP44

LF3615WH
Proton LED Downlight
D120 C90
LED 10w | 120° | 950lm
(Dimmable Integral Driver)

CA
80°C ABUTTED ONLY

colour temperature 5000K | colour rendition >Ra82 | **3 YEAR Guarantee** | 90



-  The Proton series are dimmer friendly.
-  The Proton series are all supplied with a fitted flex & plug.
- IP44** The Proton series are IP44 rated.
- CA**
80°C ABUTTED ONLY The Proton series are CA80 rated.

LED



10 WATT
IP44

LF3610WH
Pluto.10 LED Downlight
D115 C90
LED 10w | 120°
(Dimmable Integral Driver)

3000K | 625lm
4000K | 725lm
6000K | 650lm

The PLUTO LED recessed downlight features CTS (Colour Temperature Switching) - allowing the installer to select the colour temperature between Warm White (3000K), Cool White (4000K) and Daylight (6000K).

One fitting with three colour temperatures.



CA
80°C ABUTTED ONLY

90

colour rendition >Ra80

3 YEAR Guarantee



3000K 4000K 6000K

LED



UA4694BK



UA4694WH
Entas LED Surface Mounted Downlight
D75 H115
LED 9w | 120° | 630lm
(Integral Driver)

IP44

colour temperature 4000K | colour rendition >Ra80 | **3 YEAR Guarantee**



LED



6 WATT

LF3713WH
Venus LED Downlight
D110 C85
LED 6w | 120° | 250lm
(Integral Driver)

IP44

colour temperature	colour rendition	3 YEAR Guarantee	
3000K	>Ra81		85

LED



8 WATT

LF3723WH
Venus LED Downlight
D120 C105
LED 8w | 120° | 375lm
(Dimmable Integral Driver)

IP44

colour temperature	colour rendition	3 YEAR Guarantee	
3000K	>Ra81		105

LED




10 WATT

LF3733WH
Venus LED Downlight
D140 C125
LED 10w | 120° | 575lm
(Dimmable Integral Driver)

IP44

colour temperature	colour rendition	3 YEAR Guarantee	
3000K	>Ra81		125



LED



6 WATT

LF3714WH
Venus LED Downlight
D110 C85
LED 6w | 120° | 300lm
(Integral Driver)

IP44

colour temperature	colour rendition	3 YEAR Guarantee	
4000K	>Ra81		85

LED



8 WATT

LF3724WH
Venus LED Downlight
D120 C105
LED 8w | 120° | 495lm
(Dimmable Integral Driver)

IP44

colour temperature	colour rendition	3 YEAR Guarantee	
4000K	>Ra81		105

LED



10 WATT

LF3734WH
Venus LED Downlight
D140 C125
LED 10w | 120° | 695lm
(Dimmable Integral Driver)

IP44

colour temperature	colour rendition	3 YEAR Guarantee	
4000K	>Ra81		125



LED



20 WATT

LF3743WH
Venus LED Downlight
D190 C165
LED 20w | 120° | 1250lm
(Dimmable Remote Driver)

IP44

colour temperature	colour rendition	3 YEAR Guarantee	
3000K	>Ra81		165

LED



20 WATT

LF3744WH
Venus LED Downlight
D190 C165
LED 20w | 120° | 1300lm
(Dimmable Remote Driver)

IP44

colour temperature	colour rendition	3 YEAR Guarantee	
4000K	>Ra81		165

The Venus 20 fitting is only 50mm deep.

LED energy saving DOWNLIGHTS

LED

LED



13
WATT

UA4704WH

Theta IP44 White Kit

D110 C92

LED 10w | 38° | 850lm
(Driver included)



colour temperature 4000K	colour rendition >Ra80	3 YEAR Guarantee	 92
------------------------------------	-------------------------------------	-------------------------------	---------------

LED



13
WATT

UA4714WH

Gamma Tilt Adj. White Kit

D110 C92

LED 10w | 38° | 850lm
(Driver included)



colour temperature 4000K	colour rendition >Ra80	3 YEAR Guarantee	 92
------------------------------------	-------------------------------------	-------------------------------	---------------

LED



10
WATT

UA4662WH

Rock 3000K White Kit

D95 C85 R70

LED SHARP 7.5w | 60° | 650lm
(Dimmable driver included)



colour temperature 3000K	colour rendition >Ra82	3 YEAR Guarantee	 85
------------------------------------	-------------------------------------	-------------------------------	---------------

LED



12
WATT

UA4663WH

Rock 4000K White Kit

D95 C85 R70

LED SHARP 9w | 60° | 800lm
(Dimmable driver included)



colour temperature 4000K	colour rendition >Ra82	3 YEAR Guarantee	 85
------------------------------------	-------------------------------------	-------------------------------	---------------

LED

Theta & Gamma are supplied with a 350mA standard (non-dimmable) driver. An upgrade to a DIMMABLE driver is available at an extra cost. Ask your stockist for details.



LED-CC350-12

350mA 12w constant current driver



LED

Dimmable 350mA LED Driver suitable for use with Theta & Gamma.



LED-CC350-12DIM

350mA 12w Dimmable constant current driver



LED



OLA17/130

Converter plate to suit Rock LED downlights.

D130

Allows the Rock to be fitted to an opening up to 120mm.



OLA17/140

Converter plate to suit Theta & Gamma
D140

Allows the Theta & Gamma to be fitted to an opening up to 120mm.



OLA17/185

Converter kit to suit Chip adjustable fitting LF3820 / LF3824

D185 suits cutout 95-160



7 WATT

LF3804/3000WH
Chip 7w Fixed
D80 C65
colour temperature 3000K

LF3804/5000WH
Chip 7w Fixed
colour temperature 5000K

7 WATT

LF3824/3000WH
Chip 7w Adjustable
D105 C85
colour temperature 3000K

LF3824/5000WH
Chip 7w Adjustable
colour temperature 5000K

LF3800WH
CHIP GU10 LED Ready fitting
D80 C65
Rated GU10 35w
65
LED READY

LF3820WH
CHIP GU10 LED Ready fitting
D105 C85
Rated GU10 35w
85
LED READY

7 WATT

LF3804/3000BC
Chip 7w Fixed
D80 C65
colour temperature 3000K

LF3804/5000BC
Chip 7w Fixed
colour temperature 5000K

7 WATT

LF3824/3000BC
Chip 7w Adjustable
D105 C85
colour temperature 3000K

LF3824/5000BC
Chip 7w Adjustable
colour temperature 5000K

LF3800BC
CHIP GU10 LED Ready fitting
D80 C65
Rated GU10 35w
65
LED READY

LF3820BC
CHIP GU10 LED Ready fitting
D105 C85
Rated GU10 35w
85
LED READY

The Chip LED Ready fittings are supplied without lamp, allowing you to choose a suitable GU10 LED lamp for your application.

5 WATT

A-LED-620553045
LED GU10 retrofit lamp
5w | 45° | Ra80 | 380lm
colour temperature 3000K

A-LED-620555045
LED GU10 retrofit lamp
5w | 45° | Ra80 | 420lm
colour temperature 5000K



The Chip 7w Kits (LF3804 & LF3824) are supplied with a 7w LED GU10 lamp.

5 WATT

A-LED-670553045
LED GU10 retrofit lamp
5w | 45° | Ra80 | 250lm
colour temperature 3000K

A-LED-670555045
LED GU10 retrofit lamp
5w | 45° | Ra80 | 300lm
colour temperature 5000K

7 WATT

A-LED-640753060
LED GU10 retrofit lamp
7w | 60° | Ra82 | 500lm
colour temperature 3000K

A-LED-640755060
LED GU10 retrofit lamp
7w | 60° | Ra82 | 550lm
colour temperature 5000K

7 WATT

A-LED-650753040
LED GU10 retrofit lamp
7w | 40° | Ra80 | 500lm
colour temperature 3000K

A-LED-650755040
LED GU10 retrofit lamp
7w | 40° | Ra80 | 550lm
colour temperature 5000K

LED energy saving RECESSED



LED



UA4250/3000WH

Dias 90 LED - 3000K

90x90 C75x75 R40

9 LEDs - max 1.1w

(Integrated Driver)



LED



UA4250/3000BCH

Dias 90 LED - 3000K

90x90 C75x75 R40

9 LEDs - max 1.1w

(Integrated Driver)



LED



UA4250/3000SIL

Dias 90 LED - 3000K


90x90 C75x75 R40

9 LEDs - max 1.1w

(Integrated Driver)



LED



UA4313SS

Bing LED

70x70 C63x63 R60

9 LEDs - max 1.1w

3000K IP54

(Integrated Driver)



IP54



LED



UA4250/6000WH

Dias 90 LED - 6000k

90x90 C75x75 R40

9 LEDs - max 1.1w

(Integrated Driver)



LED



UA4250/6000BCH

Dias 90 LED - 6000k

90x90 C75x75 R40

9 LEDs - max 1.1w

(Integrated Driver)



LED



UA4250/6000SIL

Dias 90 LED - 6000k

90x90 C75x75 R40

9 LEDs - max 1.1w

(Integrated Driver)



LED



UA4301SS

Slot LED

110x45 C100x33 R60

12 LEDs - max 1.3w

3000K IP54

(Integrated Driver)



IP54



LED



UA35230BLUE

Sparkle 3m Blue

L3000 W8 P3

LED 60/m | IP65 | 4.8w/m

(Requires CV driver)



IP65



LED-CV12V-12W

12v / 12w constant voltage driver



UA35215/4000

Sparkle 1.5m 4000K clear

L1500 W8 P3

LED 60/m | IP65 | 4.8w/m

(Requires CV driver)



IP65



UA35230/4000

Sparkle 3m 4000K clear

L3000 W8 P3

LED 60/m | IP65 | 4.8w/m

(Requires CV driver)



IP65

Sparkle LED strip requires a Constant Voltage (CV) driver. We recommend the use of the 12w driver for 1.5m lengths of Sparkle and the 20w driver for 3m lengths.




LED-Q4-12V-20W

12v / 20w constant voltage driver



Sparkle LED strip is supplied with a lead-in cable for ease of installation. Sparkle has a 3M adhesive tape backing for mounting. Sparkle can be shortened to suit application.



OLA18/32/1500

Aluminium Channel to suit Sparkle LED strip. Includes Cover & Clips. L1500 W32 P7

LED

LED energy saving RECESSED

LED



UA4261/3000SIL

Linea 90 LED - 3000K

W90 H90 C75x75 R70

LED 1w x 1(350mA)

(Includes Driver)



colour temperature
3000K

colour rendition
>Ra80

3 YEAR Guarantee

75x75

LED



UA4261/6000SIL

Linea 90 LED - 6000K

W90 H90 C75x75 R70

LED 1w x 1(350mA)

(Includes Driver)



colour temperature
6000K

colour rendition
>Ra80

3 YEAR Guarantee

75x75

LED



UA4262SIL

Linea 170 LED - 6000k

H170 W80 C155x70 R70

LED 1w x 2(350mA)

(Includes Driver)



colour temperature
6000K

colour rendition
>Ra80

3 YEAR Guarantee

155x70

LED



UA4240/3000WH

Peko LED - 3000K

W80 H80 C66x73 R70

LED 3w Sharp (350mA) |130lm

(Requires 350mA CC Driver)



colour temperature
3000K

colour rendition
>Ra84

3 YEAR Guarantee

66x73

LED



UA4240/4000WH

Peko LED - 4000K

W80 H80 C66x73 R70

LED 3w Sharp (350mA) |140lm

(Requires 350mA CC Driver)



colour temperature
4000K

colour rendition
>Ra84

3 YEAR Guarantee

66x73

LED



Peko is only 26mm deep.



PEKO fitting only - requires 350mA constant current driver - supplied separately. Up to 3 Peko fittings can be attached in series to one 10w driver.

LED-CC350-10

350mA 10w constant current driver



LED



UA4510SIL

Magro Silver

D70 C60

LED 2w | 82lm

(Requires 12V CV Driver)



colour temperature
3000K

colour rendition
>Ra80

3 YEAR Guarantee

60

LED



UA4510WH

Magro White

D70 C60

LED 2w | 82lm

(Requires 12V CV Driver)



colour temperature
3000K

colour rendition
>Ra80

3 YEAR Guarantee

60

LED



Magro recessed cabinet light is only 10mm deep.



Magro recessed cabinet light requires a 12volt 12watt constant voltage driver. Up to 6 Magro fittings can be attached in parallel to one 12w driver.

LED-CV12V-12W

12volt 12w constant voltage driver



12volt Recessed DOWNLIGHTS + ACCESSORIES



All of the fittings on this page are LED ready.



LF4800WH
Fixed
D80 C65
MR16 12v 50w






LF4800BCH
Fixed
D80 C65
MR16 12v 50w






LF4820WH
Adjustable
D103 C85
MR16 12v 50w






LF4820BCH
Adjustable
D103 C85
MR16 12v 50w






TX-ST60FP
Star-60va F&P
L107 W40 H25




OLA01/210A
GU10 Conversion Kit

The GU10 conversion accessory [OLA01/210A] is available to convert most MR16 halogen downlights to 240v, giving even more LED options.



SG70197WH
Jupiter White
D95 C84
MR16 50w Rated






SG70156WH
Tellus White
W95x95 C84
MR16 50w Rated






TX-ST60
Star-60va
L107 W40 H25




TX-ST105
Star-105va
L130 W40 H30




TX-TG40
Tiger - 0-40va
L105 W40 H30
LED ready transformer





TX-TG80
Tiger - 0-80va
L105 W40 H30
LED ready transformer




There are heat "cans" or "cages" for our recessed downlights. The symbols above signify which can is suited for a particular downlight.





LF475CAN Heat Can D70 H105
LF480CAN Heat Can D65 H100
LF482CAN Heat Can D80 H105






A-LVLH/300
12v Lampholder 30cm



A-LVLH/1000
12v Lampholder 100cm



OLA17/185
Converter kit to suit
Chip adjustable fitting
D185 suits cutout 95-160





All of the fittings on this page are energy saver and LED ready.

OUTDOOR



OL7282BK

Cheeta Black

H280 W225 P90

E27 60w

IP44



OL7282SS

Cheeta Stainless

H280 W225 P90

E27 60w

IP44



Recessed "brick lights" are designed to be recessed into brick, block or concrete walls.

IP54



OL7819SS

Brick Light 316SS

H100 W230

Recess 75

E27 60w



UA7311GP

Sierra Wall

H170 W85 P115

E27 13w CFL

IP44



OL7293BK

Cheeta Sensor Black

H280 W225 P90

E27 60w

IP44




OL7293SS

Cheeta Sensor Stainless

H280 W225 P90

E27 60w

IP44



The PIR (passive infrared sensor) installed on the Cheeta Sensor model is designed to operate the fitting when movement is detected.

The sensor operates when the ambient light level is below 30 lux, so only at night.

The sensor has a duration timer, the light remains on for approx. 90 seconds duration.

The sensor settings are factory set and not adjustable.

This fitting has a manual override for the sensor.



OL7235SS

Guardian Waves

H280 W225 P90

E27 60w

IP44



OL7231SS

Guardian Dashes

H280 W225 P90

E27 60w

IP44



OL7233SS

Guardian Lines

H280 W225 P90

E27 60w

IP44



Stainless Steel

Stainless Steel enjoys a strong and enduring reputation for long term appearance and structural integrity.

But like all materials, stainless steel may become stained or discoloured over time, impairing the overall look.

All exterior fittings should be washed regularly to remove contaminants. Using a mild detergent with warm water helps to achieve the best results.

Stainless Steel "revivers" are available and can be used to maintain the finish.



IP44

OL7774/1SS
 Zeta single adjustable
 BD100 P195
 GU10 35w

IP44

OL7774/3SS
 Zeta triple adjustable
 W60 L450 P190
 GU10 35w x 3

IP44

OL7775/1SS
 Zeta single wall washer
 D75 H115 P80
 GU10 35w

IP44

OL7775/2SS
 Zeta up/down wall washer
 D75 H200 P80
 GU10 35w x 2

IP44

OL7774/2SS
 Zeta double adjustable
 W60 L300 P190
 GU10 35w x 2


IP44

OL7247SS
 Tresco stainless wall light
 H260 D190 P200
 GU10 35w

IP44

OL7248SS
 Tresco stainless path light
 H590 D190
 GU10 35w

Designed for OUTDOOR use with GU10 Lamps. (Lamp/s not included)



ZETA & TRESKO series

These stainless fittings are supplied without lamps, giving you the option of using either GU10 Halogen or LED.

Stainless Steel

Stainless Steel enjoys a strong and enduring reputation for long term appearance and structural integrity.

But like all materials, stainless steel may become stained or discoloured over time, impairing the overall look.

All exterior fittings should be washed regularly to remove contaminants. Using a mild detergent with warm water helps to achieve the best results.

Stainless Steel "revivers" are available and can be used to maintain the finish.



All of the fittings on this page are LED ready.

OUTDOOR



OL7718BC

Comma up/down wall washer

D80 H150 P120

GU10 35w x 2



OL7717BC

Comma single wall washer

D80 H120 P120

GU10 35w



OL7711BC

Comma single adjustable

D80 H155 P200

GU10 35w



The nickel plated copper & brass used in the Comma BC gives long life, similar to traditional chrome plated tap ware.



OL7718CO

Comma up/down wall washer

D80 H150 P120

GU10 35w x 2



OL7717CO

Comma single wall washer

D80 H120 P120

GU10 35w



OL7711CO

Comma single adjustable

D80 H155 P200

GU10 35w



OL7712CO

Comma twin adjustable

D120 P195

GU10 35w x 2



OL7741SS

Brava Stainless

H135 W115 P110

GU10 35w



OL7741CO


Brava Copper

H135 W115 P110

GU10 35w



Copper & Brass



Raw materials like copper and brass develop a natural patina over time, and will add to the appeal of a natural setting.

The Oriel Lighting outdoor range are reasonably priced, medium duty products, designed for domestic applications.

The brass, copper, stainless steel and aluminium used in the construction of these fittings is of high quality.



OL7742SS

Java Stainless

H175 W115 P90

G9 40w



OUTDOOR



All of the fittings on this page are energy saver and LED ready.



OL7503BKOP
Olympus Pillar Mount
H400 D300
E27 60w

IP44




OL7500BKOP
Olympus Wall
H440 W300 P330
E27 60w

IP44



60mm Fitter

See Page 118 for post options



OL7506BKOP
Olympus Post Top
H320 D300
E27 60w

IP44




OL7873BK
Apollo Pillar Mount
H435 D320
E27 60w

IP44




OL7870BK
Apollo Wall
H415 W320 P440
E27 60w

IP44



60mm Fitter

See Page 118 for post options



OL7876BK
Apollo Post Top
H362 D320
E27 60w

IP44




OL7253BK
Tokyo Pillar Mount
H320 D230
E27 60w

IP44




OL7250BK
Tokyo Wall
H225 W240 P135
E27 60w

IP44



60mm Fitter

See Page 118 for post options



OL7256BK
Tokyo Post Top
H300 D230
E27 60w

IP44




SG70410BK
Java Mini
H440 W160 P280
E27 60w

IP44




SG70410WH
Java Mini
H440 W160 P280
E27 60w

IP44




SG70420BK
Ibiza
H515 W230 P320
E27 60w

IP44



Ibiza can be converted from upward facing to downward facing prior to installation.





All of the fittings on this page are energy saver and LED ready.

traditional OUTDOOR



OL7880CO

Alley Copper finish

H340 D295 P370

E27 42w

Clear glass

IP44



OL7880BK

Alley Black

H340 D295 P370

E27 42w

Clear glass

IP44



SL64908BK

Oakland 1 Light

H250 W180 P150

E27 25w

Clear glass

IP44



SL64909BK

Oakland 2 Light

H300 W280 P150

2 x E27 25w

Clear glass

IP44



OL7860BK

Cosmo Black

H400 W270 P330

E27 60w

Opal diffuser

IP44



OL7850GP

Domo Graphite

H360 W185 P290

E27 60w

Clear glass

IP44



OL7850BK

Domo Black

H360 W185 P290

E27 60w

Clear glass

IP44



OL7850WH

Domo White

H360 W185 P290

E27 60w

Clear glass

IP44




OL7663WH

Highgate DIY

H170 D280

B22 60w



OL7663PR

Highgate DIY

H170 D280

B22 60w



OL7663GN

Highgate DIY

H170 D280

B22 60w



OL7663BK

Highgate DIY

H170 D280

B22 60w





All of the fittings on this page are energy saver and LED ready.



OL7322BK

Newark (upward facing)

H520 W230 P300

E27 60w

IP44



OL7321BK

Newark (downward facing)

H520 W230 P300

E27 60w

IP44



SL 64909BK

Oakland 2 Light

See Page 115



OL7326BK

Newark 1lt Post

H2250 D250

E27 60w

IP44



OL7669BK

Highgate Post

H2250 D200

E27 60w

IP44



(Complete with post)

(Complete with post)



All of the fittings on this page are energy saver and LED ready.

traditional OUTDOOR



OL7661BK

Highgate Down
H330 W170 P190
E27 60w

IP44



OL7661GN

Highgate Down
H330 W170 P190
E27 60w

IP44



OL7661PR

Highgate Down
H330 W170 P190
E27 60w

IP44




OL7664BK

Highgate Sensor
H400 W140 P210
E27 42w

IP44



Highgate Sensor model, sensor configuration.



Duration Time approximately 10 seconds to 10 minutes
Lux Control Level Night / Day adjustable

The motion sensor can be adjusted to turn the fitting on day and night or night only. The time the light remains on can also be adjusted from approx. 10 seconds to 10 minutes.



OL7662BK

Highgate Up
H380 W170 P200
E27 60w

IP44



OL7662GN

Highgate Up
H380 W170 P200
E27 60w

IP44



OL7662PR

Highgate Up
H380 W170 P200
E27 60w

IP44



OL7270BK

Fenchurch
H360 W180 P110
E27 60w

IP44



OL7270GN

Fenchurch
H360 W180 P110
E27 60w

IP44



OL7270BG

Fenchurch
H360 W180 P110
E27 60w

IP44



OL7270WH

Fenchurch
H360 W180 P110
E27 60w

IP44





All of the fittings on this page are energy saver and LED ready.

Galactic

IP44	LED READY	OL7010/50OP	OL7010/40OP	OL7010/35OP	OL7010/30OP	OL7010/25OP	OL7010/20OP
		Galactic 50cm	Galactic 40cm	Galactic 35cm	Galactic 30cm	Galactic 25cm	Galactic 20cm
		E27 100w	E27 100w	E27 100w	E27 100w	E27 60w	E27 40w

IP44
LED READY

OL7021BK
Galactic Pillar Mount
BD120 H120
shown with **OL7010/20OP**

IP44
LED READY

OL7021BK
Galactic Pillar Mount
BD120 H120
shown with **OL7010/25OP**

IP44
LED READY

OL7021BK
Galactic Pillar Mount
BD120 H120
shown with **OL7010/30OP**

IP44
LED READY

OL7025BK
Galactic Wall Arm
W100x100 P235
shown with **OL7010/20OP**

IP44
LED READY

OL7025BK
Galactic Wall Arm
W100x100 P235
shown with **OL7010/25OP**

IP44
LED READY

OL7025BK
Galactic Wall Arm
W100x100 P235
shown with **OL7010/30OP**

OL7051/1000BK
Plumb Post 1M with base flange
H1000 BD220
Post Dia. 60mm

OL7051/1800BK
Plumb Post 1.8m with base flange
H1800 BD220
Post Dia. 60mm

60mm Diameter

Plumb posts are aluminium and have an outside diameter of 60mm.

OL7050/2400BK
Plumb Post 2.4M
H2400 PD60
Post Dia. 60mm

IP44
LED READY

OL7119BK
Cortez Pillar
W300x300 H275
E27 60w

IP44
LED READY

OL7119SIL
Cortez Pillar
W300x300 H275
E27 60w



The fittings on this page are either energy saver or energy saver and LED ready.

OUTDOOR bollard lights

OL7141BK
Oki Bollard
H650 W150x90
E27 60w

IP44  Oki is oval.



OL7255BK
Tokyo Bollard
H970 D230
Post Dia. 120
E27 100w

IP44 



UA7335GP
Regent Bollard
H750 D260
E27 13w

IP44    




UA7315GP
Sierra Bollard
H500 85x85
E27 13w

IP44    



OL7156BK
Velika with flange
H1000 BD170
Post Dia. 120
E27 60w

IP44  

Velika with flange, for surface mounting.


UA7370GP
Terzo Bollard
H650 D120
E27 20w CFL

IP44    




OL7155BK
Velika buriable Bollard
H1200 D150
Post Dia. 120
E27 60w

IP44  

Velika buriable model

sg

SG70710BK
Arco Black
H980 D160
PLC 18w

 **IP55** 



sg

SG70710GP
Arco Graphite
H980 D160
PLC 18w

 **IP55** 



LED energy saving OUTDOOR

LED

LED



UA7411BK
Vargo Square LED Wall Light
160x160 P95
6W | 200lumen | 4000K **IP54**

LED



UA7411GP
Vargo Square LED Wall Light
160x160 P95
6W | 200lumen | 4000K **IP54**

LED



UA7410BK
Vargo Round LED Wall Light
D160 P90
6W | 200lumen | 4000K **IP54**

LED



UA7410GP
Vargo Round LED Wall Light
D160 P90
6W | 200lumen | 4000K **IP54**

LED



UA7814/60
Ebo.LED.60
L600 W120 D110 **IP66**
11w | 1100lumen | 4000K

UA7814/120
Ebo.LED.120
L1160 W120 D110 **IP66**
50w | 4600lumen | 4000K

LED



LF7551BK
Kombi LED Bulkhead
195x110 P75
700lumen | 4000K **IP54**

LED



LF7551WH
Kombi LED Bulkhead
195x110 P75
700lumen | 4000K **IP54**



Kombi features an all polycarbonate construction with hidden fixings

LED



OL7241SS
Astro Wall - Stainless
H170 W75 P120
12 x LEDs (1.2w) **IP44**

LED



OL7246SS
Astro Bollard SS
H600 Post D75
Base flange D150
12 x LEDs (1.2w)
Integral Driver **IP44**

LED



UA7325GP
Monaco Bollard
H600 W60x70 P150
Base Flange 95x85
LED 6w HP
Integral Driver **IP54**

LED



UA7801BK

Duro.20
H290 W200 P95
7w | 525lm

IP66

colour temperature
4000K



LED



UA7801GY

Duro.20
H290 W200 P95
7w | 525lm

IP66

colour temperature
4000K



LED



UA7802BK

Duro.30S
H290 W290 P90
14w | 1075lm

IP66

colour temperature
4000K



LED



UA7802GY

Duro.30S
H290 W290 P90
14w | 1075lm

IP66

colour temperature
4000K



LED



UA7804BK

Duro.30R
D300 P95
14w | 1075lm

IP66

colour temperature
4000K



LED



UA7804GY

Duro.30R
D300 P95
14w | 1075lm

IP66

colour temperature
4000K



The Duro series are polycarbonate and have hidden fixings.

These LED fittings are 240v and have integrated drivers.



All of the fittings on this page are energy saver and LED ready.



OL7970WH
Galaxy Plain Small
W210 H145 P100
E27 60w

IP54




OL7970SIL
Galaxy Plain Small
W210 H145 P100
E27 60w

IP54




OL7970BK
Galaxy Plain Small
W210 H145 P100
E27 60w

IP54



Outdoor Lighting

All exterior fittings should be washed regularly to remove contaminants. Using a mild detergent with warm water helps to achieve the best results.

These are reasonably priced, medium duty products. Your lighting advisor will guide you as to their suitability for your application. They are not recommended for seaside or high traffic commercial applications.

Wall or pillar mounted fittings generally require the application of silicon by the installing contractor to minimise the ingress of water.



OL7971WH
Galaxy Guard Small
W210 H145 P100
E27 60w

IP54




OL7971SIL
Galaxy Guard Small
W210 H145 P100
E27 60w

IP54




OL7971BK
Galaxy Guard Small
W210 H145 P100
E27 60w

IP54





OL7973WH
Galaxy Eyelid Small
W210 H145 P100
E27 60w

IP54




OL7973SIL
Galaxy Eyelid Small
W210 H145 P100
E27 60w

IP54




OL7973BK
Galaxy Eyelid Small
W210 H145 P100
E27 60w

IP54




Most outdoor fittings are ideally suited for use with an energy saving lamp.

Being outdoor, and often running for long periods of time, an energy saving lamp is a good choice for these lights.


Whether it is LED or a compact fluorescent lamp (CFL) will depend on the fitting and personal choice.

Choosing an energy saving lamp will make a substantial difference to your energy costs.




LF7951BK
Osmo Poly bunker with glass lense
L200 W120
E27 40w

IP54




LF7951WH
Osmo Poly bunker with glass lense
L200 W120
E27 40w

IP54



The allume *elamp* is available to suit most outdoor lights.

elamp
allumē



The allume *A-LED-74 Series* lamps are available to suit most outdoor fittings.



allumē





All of the fittings on this page are energy saver and LED ready.

OUTDOOR



OL7816WH
Visor Bulkhead
L290 H110 P130
E27 60w

IP54





OL7816BK
Visor Bulkhead
L290 H110 P130
E27 60w

IP54





OL7816GP
Visor Bulkhead
L290 H110 P130
E27 60w

IP54





OL7980BK
Cylinder Plain
L270 W170 P130
E27 100w

IP54





OL7982BK
Cylinder Louvred
H270 W170 P130
E27 100w

IP54





OL7981BK
Cylinder Guard
L270 W170 P130
E27 100w

IP54





OL7983BK
Cylinder Eyelid
L270 W170 P130
E27 100w

IP54






OL7960GP
Cheval
W220 H155 P125
E27 60w

IP54





OL7960BK
Cheval
W220 H155 P125
E27 60w

IP54





OL7960WH
Cheval
W220 H155 P125
E27 60w

IP54



OUTDOOR



All of the fittings on this page are energy saver and LED ready.



OL7995BK
Quatro Eyelid
W220x220 P110
E27 40w

IP54





OL7995WH
Quatro Eyelid
W220x220 P110
E27 40w

IP54





OL7995GP
Quatro Eyelid
W220x220 P110
E27 40w

IP54





OL7993BK
Quatro Plain
W220x220 P110
E27 40w

IP54





OL7993WH
Quatro Plain
W220x220 P110
E27 40w

IP54





OL7993GP
Quatro Plain
W220x220 P110
E27 40w

IP54





OL7994BK
Quatro Cross
W220x220 P110
E27 40w

IP54





OL7994WH
Quatro Cross
W220x220 P110
E27 40w

IP54





OL7994GP
Quatro Cross
W220x220 P110
E27 40w

IP54





All of the fittings on this page are energy saver and LED ready.

OUTDOOR



OL7902BK
Tonato Eyelid
D300 P90
E27 60w x 2

IP54

LED READY



OL7902GP
Tonato Eyelid
D300 P90
E27 60w x 2

IP54

LED READY



OL7902WH
Tonato Eyelid
D300 P90
E27 60w x 2

IP54

LED READY




OL7901BK
Tonato Plain
D300 P90
E27 60w x 2

IP54

LED READY



OL7901GP
Tonato Plain
D300 P90
E27 60w x 2

IP54

LED READY



OL7901WH
Tonato Plain
D300 P90
E27 60w x 2

IP54

LED READY





OL7991BK
Deck Guard
L270 H135 P120
E27 60w

IP54

LED READY



OL7991WH
Deck Guard
L270 H135 P120
E27 60w

IP54

LED READY




OL7990BK
Deck Plain
L270 H135 P120
E27 60w

IP54

LED READY



OL7990WH
Deck Plain
L270 H135 P120
E27 60w

IP54

LED READY



The fittings on this page are energy saver and LED ready.

sg



SG70521BK **IP65**
Senza Mini Black
H240 W150 P95
E27 40w



sg



SG70521WH **IP65**
Senza Mini White
H240 W150 P95
E27 40w



sg



SG70521GP **IP65**
Senza Mini Graphite
H240 W150 P95
E27 40w



sg



SG70521SIL **IP65**
Senza Mini Silver
H240 W150 P95
E27 40w



sg



SG70522BK **IP65**
Trio Mini Black
H240 W150 P100
E27 40w



sg



SG70522WH **IP65**
Trio Mini White
H240 W150 P100
E27 40w



sg



SG70522GP **IP65**
Trio Mini Graphite
H240 W150 P100
E27 40w



sg



SG70522SIL **IP65**
Trio Mini Silver
H240 W150 P100
E27 40w



sg



SG70523BK **IP65**
Ludo Mini Black
H240 W150 P100
E27 40w



sg



SG70523WH **IP65**
Ludo Mini White
H240 W150 P100
E27 40w



sg



SG70523GP **IP65**
Ludo Mini Graphite
H240 W150 P100
E27 40w



sg



SG70523SIL **IP65**
Ludo Mini Silver
H240 W150 P100
E27 40w





The fittings on this page are energy saver and LED ready.



sg

SG70520BK **IP65**

Trio Black

H320 W185 P95

E27 60w




sg

SG70520WH **IP65**

Trio White

H320 W185 P95

E27 60w




sg

SG70520GP **IP65**

Trio Graphite

H320 W185 P95

E27 60w




sg

SG70520SIL **IP65**

Trio Silver

H320 W185 P95

E27 60w




sg

SG70560BK **IP65**

Largo Black

W240x240 P120

E27 75w




sg

SG70560WH **IP65**

Largo White

W240x240 P120

E27 75w




sg

SG70560GP **IP65**

Largo Graphite

W240x240 P120

E27 75w




sg

SG70560SIL **IP65**

Largo Silver

W240x240 P120

E27 75w




sg

Merging form and function, the SG luminaires are constructed and manufactured of high quality materials with a meticulous attention to detail.

SG70560GZ **IP65**

Largo Galvanised*

W240x240 P120

E27 75w



*Galvanised steel front on an aluminium housing with a translucent "Vaseline" finish polycarbonate lens



sg

SG70585BK **IP65**

Bassi Black

W240x240 P80

E27 60w x 2




sg

SG70585GP **IP65**

Bassi Graphite

W240x240 P80

E27 60w x 2





The fittings on this page are energy saver and LED ready.

sg

SG70570BK
Primo Black
D270 P110
E27 60w

IP65

LED READY

sg

SG70570WH
Primo White
D270 P110
E27 60w

IP65

LED READY

sg

SG70570GP
Primo Graphite
D270 P110
E27 60w

IP65

LED READY



sg

SG70550BK
Solo Black
D270 P130
E27 60w

IP65

LED READY

sg

SG70550WH
Solo White
D270 P130
E27 60w

IP65

LED READY

sg

SG70550GP
Solo Graphite
D270 P130
E27 60w

IP65

LED READY



sg

SG70540BK
Tanto Black
D270 P130
E27 60w

IP65

LED READY

sg

SG70540WH
Tanto White
D270 P130
E27 60w

IP65

LED READY

sg

SG70540GP
Tanto Graphite
D270 P130
E27 60w

IP65

LED READY





The fittings on this page are energy saver and LED ready.

OUTDOOR by SG



SG71201BK **IP65**
Kube GU10 Black
H90 W80 P115
GU10 35w




SG71201WH **IP65**
Kube GU10 White
H90 W80 P115
GU10 35w




SG71201GP **IP65**
Kube GU10 Graphite
H90 W80 P115
GU10 35w



Kube and Metro fittings are GU10, and supplied without lamps.

You can choose from a wide range of retrofit LED GU10 lamps or use halogen lamps. See page 139 for more LED GU10 options.



A-LED-620553045 colour temperature **3000K**
LED GU10 retrofit lamp
5w | 45° | Ra80 | 380lm

A-LED-620555045 colour temperature **5000K**
LED GU10 retrofit lamp
5w | 45° | Ra80 | 420lm



SG71202BK **IP65**
Kube GU10 Twin Black
H180 W80 P115
GU10 35w x 2




SG71202WH **IP65**
Kube GU10 Twin White
H180 W80 P115
GU10 35w x 2




SG71202GP **IP65**
Kube GU10 Twin Graphite
H180 W80 P115
GU10 35w x 2




A-LED-640753060 colour temperature **3000K**
LED GU10 retrofit lamp
7w | 60° | Ra82 | 500lm

A-LED-640755060 colour temperature **5000K**
LED GU10 retrofit lamp
7w | 60° | Ra82 | 550lm

Not Suitable for Dimming



SG71301BK **IP65**
Metro GU10 Black
H120 W90 P150
GU10 35w




SG71302BK **IP65**
Metro GU10 Twin Black
H235 W90 P150
GU10 35w x 2




SG71301GP **IP65**
Metro GU10 Graphite
H120 W90 P150
GU10 35w




SG71302GP **IP65**
Metro GU10 Twin Graphite
H235 W90 P150
GU10 35w x 2



LW7421BK
 Sarus LED Sensor Flood
 H155 W185 P140
 2 x 3w Samsung LED (480lm) **IP44**




LW7440BK
 Ugo LED Flood
 H220 W190 P190
 20w Samsung LED (1600lm) **IP44**



LW7381WH
 Sensor Flood Par38
 W95 P230
 Shown with PAR38 LED
 A-LED-7815240 avail. separately. **IP44**





LW7381BK
 Sensor Flood Par38
 W95 P230
 Shown with PAR38 LED
 A-LED-7815240 avail. separately. **IP44**





LW7421WH
 Sarus LED Sensor Flood
 H155 W185 P140
 2 x 3w Samsung LED (480lm) **IP44**




LW7441BK
 Ugo LED Sensor Flood
 H220 W190 P190
 20w Samsung LED (1600lm) **IP44**




Wall mounted

LW7801BK
 Motion Sensor Wall
 H95 W65 P105 **IP44**

LW7801SIL
 Motion Sensor Wall
 H95 W65 P105 **IP44**

LW7801WH
 Motion Sensor Wall
 H95 W65 P105 **IP44**





LW7451BK
 Curo LED Flood
 H210 W90 P60-130
 Samsung LED (650lm) **IP54**



LW7452BK
 Curo LED Flood
 H210 W210 P60-130
 2 x Samsung LED (1300lm) **IP54**



Wall or under-eave mounted

LW7802BK
 Motion Sensor
 H85 W85 P100 **IP44**

LW7802WH
 Motion Sensor
 H85 W85 P100 **IP44**






LW7803WH
 Recessed Sensor
 D80 P20 C65 **IP20**




LW7803
 3m mounting height



Detection Area
 360° detection angle to ceiling
 Max radius 5m (mounted at 3m Ht)


Maximum Load
 1000w max Incandescent
 300w max Fluorescent / LED

Duration Time
 approx. 5 seconds to 5 minutes

Lux Control Level
 2-2000 lux adjustable

Lightwatch PIR sensor unit basic configuration.

LW7802
 2.5m mounting height





Maximum Load
 1000w max Incandescent
 300w max Fluorescent / LED

Duration Time
 approximately 5 seconds to 5 minutes

Lux Control Level
 2-2000 lux adjustable

detection area 180°

LW7401BK
Foco LED Flood
W115 H150 P100
10w LED (700lm)
IP65



LW7401WH
Foco LED Flood
W115 H150 P100
10w LED (700lm)
IP65



LW7402BK
Foco LED Flood
W180 H170 P110
20w LED (1400lm)
IP65



LW7403BK
Foco LED Flood
W225 H210 P125
30w LED (1400lm)
IP65



LW7411BK
Foco LED Sensor Flood
W115 H210 P110
10w LED (700lm)
Manual Override Function
IP44



LW7411WH
Foco LED Sensor Flood
W115 H210 P110
10w LED (700lm)
Manual Override Function
IP44



LW7513/4000
30w High Output LED Floodlight
H220 W180
30w LED | 4000K | 2670lm
IP65



LW7515/4000
50w High Output LED Floodlight
H290 W210
50w LED | 4000K | 4200lm
IP65



For the latest Lightwatch information visit the Lightwatch web site: www.lightwatch.com.au



LW7122WH
Cadet 2 LED Twin Spot
W280 P160
2 x 5w Epistar LED (450lm)
IP44




LW7122SIL
Cadet 2 LED Twin Spot
W280 P160
2 x 5w Epistar LED (450lm)
IP44



LW7122BK
Cadet 2 LED Twin Spot
W280 P160
2 x 5w Epistar LED (450lm)
IP44



Cadet & Foco PIR sensor light basic configuration.



2.5m mounting height
2m 6m 12m
detection area 180°
Duration Time approximately 5 seconds to 5 minutes
Lux Control Level 2-2000 lux adjustable

LW7132WH
Cadet 2 LED Sensor
W280 P160
2 x 5w Epistar LED (450lm)
Manual Override Function
IP44



LW7132SIL
Cadet 2 LED Sensor
W280 P160
2 x 5w Epistar LED (450lm)
Manual Override Function
IP44



LW7132BK
Cadet 2 LED Sensor
W280 P160
2 x 5w Epistar LED (450lm)
Manual Override Function
IP44




12v GARDEN LIGHTING




All of the fittings on this page are LED ready.




Lightscaping
The art of outdoor lighting



OL7753BRS
Luna Brass
D100 P50
JC G4 20w


IP44

 **✓Included**



OL7753SS
Luna Stainless
D100 P50
JC G4 20w


IP44

 **✓Included**



OL7753BK
Luna Black
D100 P50
JC G4 20w


IP44

 **✓Included**



OL7753SIL
Luna Silver
D100 P50
JC G4 20w


IP44

 **✓Included**



OL7754BK
Mica Black
H80 W90 P60
JC G4 20w


IP44

 **✓Included**



OL7754AL
Mica Aluminium
H80 W90 P60
JC G4 20w


IP44

 **✓Included**

-  solid brass
-  solid copper
-  stainless steel
-  polished aluminium



Copper is a perfect choice for garden lighting. Copper is long lasting and ages beautifully as it develops its natural, protective patina.



OL7743CO
Kove Copper
H130 W115 P115
MR16 35w


IP44

 **✓Included**



OL7757CO
Rocco Plain
D95 C55
MR16 20w


IP44

 **✓Included**



OL7758CO
Rocco Hooded
D95 P50 C55
MR16 20w


IP44

 **✓Included**



OL7756CO
Rocco Square
W90x90 C55
MR16 20w


IP44

 **✓Included**



OL7761GY
Rock Light Grey
H125 W140
MR16 20w


IP54

 **✓Included**



OL7757SS
Rocco Plain
D95 C55
MR16 20w


IP44

 **✓Included**



OL7758SS
Rocco Hooded
D95 P50 C55
MR16 20w


IP44

 **✓Included**



OL7756SS
Rocco Square
W90x90 C55
MR16 20w


IP44

 **✓Included**



OL7722SS
Pond Light Stainless
H115 D100
MR16 20w


IP67

 **✓Included**



OL7727BK
Garden Flood
H400 W145
(Inc Spike 170)
JC G6.35 50w

IP54
✓Included




OL7149BK
Thax Surface Mount
D75 P150
MR16 20w

IP54
✓Included



OL7149SIL
Thax Surface Mount
D75 P150
MR16 20w

IP54
✓Included



OL7766SS
Guide 12V Bollard
H670 D50
(Inc Spike 170)
MR11 10w

IP44



OL7148GN
Thax Spike
H390 D75 P120
(Inc Spike 170)
MR16 20w

IP54
✓Included



OL7148BK
Thax Spike
H390 D75 P120
(Inc Spike 170)
MR16 20w

IP54
✓Included



OL7148SIL
Thax Spike
H390 D75 P120
(Inc Spike 170)
MR16 20w

IP54
✓Included



OL7762SS
Accent Spike
H250 D60 L95
(Inc Spike 150)
MR16 20w

IP44



OL7762BK
Accent Spike
H250 D60 L95
(Inc Spike 150)
MR16 20w


IP44

The LIGHTSCAPING range are reasonably priced, medium duty products, designed for domestic applications.

The brass, copper, stainless steel and aluminium used in the construction of these fittings is of high quality.

The powder coated aluminium alloy fittings are the most cost effective solution offering excellent value for money.

LIGHTSCAPING pond lights are designed for use in domestic freshwater garden ponds, and not in treated, salt or chlorinated water.



OL7767SS
Lance 12V Bollard
H670 D35
(Inc Spike 170)
JC G4 10w

IP44

12v GARDEN LIGHTING



All of the fittings on this page are LED ready.



Lightscaping
the art of outdoor lighting



OL7731BK
Shinto
H490 D210
(Inc Spike 170)
JC G4 20w

IP44
✓Included



OL7719BK
Pavillion
H500 D150
(Inc Spike 170)
JC G4 20w

IP44
✓Included



OL7733BK
Navigator Black
H690 D160
(Inc Spike 170)
JC 50w

IP44
✓Included



OL7737CO
Goya 160 Copper
H620 D160
(Inc Spike 170)
JC 20w

IP44
✓Included

LED



3 WATT

A-LED-610383030
LED MR11 retrofit lamp
3w | 30° | Ra80 | 220lm

colour temperature **3000K**

MR11

A-LED-610384030
LED MR11 retrofit lamp
3w | 30° | Ra80 | 240lm

colour temperature **4000K**

12V AC/DC Not Suitable for Dimming

LED



6 WATT

A-LED-690693045
LED MR16 retrofit lamp
6w | 45° | Ra80 | 450lm

colour temperature **3000K**


MR16

A-LED-690695045
LED MR16 retrofit lamp
6w | 45° | Ra80 | 470lm

colour temperature **5000K**

12V AC/DC Not Suitable for Dimming

LED



A-LED-9101.5835
G4 1.5w 12V AC/DC

colour temperature **3000K**



A-LED-9102830
G4 2w 12V AC/DC

colour temperature **3500K**

12 volt bi-pin LED lamps are available from allume.

These are suitable for use with most fittings using a JC12v lamp.

Ask your stockist for globe and transformer compatibility details.

Lightscaping
the art of outdoor lighting

For the latest DIY garden lighting information, installation ideas and tips, visit the Lightscaping web site: www.lightscaping.com.au




OL7703/METRE
Garden Cable (by the metre)

OL7702/15
15m Garden Cable pack

OL7702/30
30m Garden Cable pack



OL7700/60 **IP44**
60va 12V AC
Garden Lighting Transformer



OL7700/150 **IP44**
150va 12V AC
Garden Lighting Transformer



OLA16/314
Gel Connector 12V AC/DC
Used to connect 12V lights
(2 required per light connection)



All of the fittings on this page are energy saver and LED ready.

lights + accessories for CEILING FANS




OL47507SC
Fan Oyster
Satin Chrome / Matt Opal
D230 P90 BD205
B22 100w




OL47500WH
Fan Oyster
White / Gloss Opal
D230 P90 BD205
B22 100w




OL47530SC
Fan Oyster
Satin Chrome / Alabaster
D230 P90 BD205
B22 100w




OL47530AB
Fan Oyster
Ant. Brass / Alabaster
D230 P90 bBD205
B22 100w




OL58148/3WH
Hopper Fan Light
D230 P160 BD80
GU10 50w x 3



✓Included



OL58148/3BC
Hopper Fan Light
D230 P160 BD80
GU10 50w x 3



✓Included



OL58148/3BK
Hopper Fan Light
D230 P160 BD80
GU10 50w x 3



✓Included



OL58058/3BC
Atlantis Fan Light
D230 P160 BD80
GU10 50w x 3



✓Included



F30/201-RG
Replacement Glass
D170 H80 LIP158
(Suits Clipper style fan light)



F30/RWC-KNOB
Ceiling fan knob
Suits most fan wall controllers



OL58578/3BC
Zip Fan Light
D220 P110 BD80
Rated GU10 35w x 3 (globes not included)








OL58578/3WH
Zip Fan Light
D220 P110 BD80
Rated GU10 35w x 3 (globes not included)



Fans shown for illustration purposes.

ACCESSORIES



ACCESSORIES



OLA01/710WH

B22 Lampholder
4 piece with 10mm thread



OLA01/810WH

B22 Lampholder
10mm thread / pushbar



OLA01/529

ES Lampholder
E27 / 10mm thread



OLA01/528

ES Lampholder
E27 / 10mm thread




OLA01/710BK

B22 Lampholder
4 piece with 10mm thread



OLA01/810BK

B22 Lampholder
10mm thread / pushbar



OLA01/530

SES Lampholder
E14 / 10mm thread



OLA01/531

SES Lampholder
E14 / 10mm thread



OLA01/90

B22 Lampholder
"Snorkel" type lampholder



OLA16/SHADE

Shade adapter
Reduce E27 to B22



OLA01/130

Short B22 skirt
30mm long



OLA16/01

Candle drip cover
L70 D28



OLA01/515

ES Ceramic Lampholder
E27 / insulated with bracket



OLA01/510

ES Ceramic Lampholder
E27



OLA14/8WH

Oyster Knob
Suits ceiling button



OLA01/210A

GU10 Lampholder
Lampholder kit L300



OLA05/628

Washer
Stepped steel ID28 OD60




OLA05/428

Washer
Dished aluminium ID30 OD60



OLA01/278

78mm Lampholder
Suit 78mm linear globe



A-LVLH/300

12v Lampholder - 300mm tail
Also avail: A-LVLH/1000 - 1m tail

transformers + drivers ACCESSORIES



TX-ST60FP
Star-60va 12volt F&P
L107 W40 H25





TX-ETH50.3
IP65 12volt 10-50va
D45 H30





OL7700/60 **IP44**
60va 12V AC
Garden Lighting Transformer



OL7700/150 **IP44**
150va 12V AC
Garden Lighting Transformer



TX-ST60
Star-60va
L107 W40 H25




TX-ST105
Star-105va
L130 W40 H30




TX-TG40 **LED READY**
Tiger - 0-40va
L105 W40 H30
LED ready transformer




TX-TG80 **LED READY**
Tiger - 0-80va
L105 W40 H30
LED ready transformer



LED



LED-CC350-10
350mA 10w
constant current driver



LED



LED-Q4-12V-20W
12volt 20w
constant voltage driver



LED



LED-CV12V-12W
12volt 12w
constant voltage driver




OLA19/01
LED Friendly Dimmer
Leading or Trailing Edge
Load 10-250w

LED



LED-CC350-12
350mA 12w
constant current driver




LED



LED-CC350-12DIM
350mA 12w Dimmable
constant current driver




A-SUCTIONCAP
To make removal of GU10 type
globes easier.

12volt Garden Lighting Cable
OL7703/METRE
Garden Cable (by the metre)
OL7702/15
15m Garden Cable pack
OL7702/30
30m Garden Cable pack



OLA18/32/1500
Aluminium Channel to suit
Sparkle LED strip.
Includes Cover & Clips.
L1500 W32 P7



OLA16/314
Gel Connector 12V AC/DC
Used to connect 12V lights
(2 required per light connection)

LED




5 WATT

A-LED-970553030
LED GU10 retrofit globe
5w | 30° | Ra80 | 350lm
colour temperature **3000K**

A-LED-970554030
LED GU10 retrofit globe
5w | 30° | Ra80 | 365lm
colour temperature **4000K**

allumē  Not Suitable for Dimming


LED



6 WATT


A-LED-970653055
LED GU10 retrofit globe
6w | 55° | Ra80 | 470lm
colour temperature **3000K**

A-LED-970654055
LED GU10 retrofit globe
6w | 55° | Ra80 | 490lm
colour temperature **4000K**


allumē  Not Suitable for Dimming


SMART TC LED

TC- Temperature Control
This SMART globe adapts itself to the luminaire, managing heat and achieving a guaranteed life of 30,000 hrs. If there is a heat build up inside the luminaire, a thermally controlled integrated circuit reduces power and protects the LED chip.





LED



R80 Reflector 

A-LED-7710240 10W E27 4000K



L78 + L118 Linear 

A-LED-L780527 5W L78 2700K
A-LED-L1180927 9W L118 2700K

LED



5 WATT

A-LED-620553045
LED GU10 retrofit globe
5w | 45° | Ra80 | 380lm
colour temperature **3000K**

A-LED-620555045
LED GU10 retrofit globe
5w | 45° | Ra80 | 420lm
colour temperature **5000K**

allumē  Not Suitable for Dimming

LED



7 WATT

A-LED-640753060
LED GU10 retrofit globe
7w | 60° | Ra82 | 500lm
colour temperature **3000K**

A-LED-640755060
LED GU10 retrofit globe
7w | 60° | Ra82 | 550lm
colour temperature **5000K**

allumē  Not Suitable for Dimming

LED



7 WATT

A-LED-660753060
LED GU10 retrofit globe
7w | 60° | Ra82 | 500lm
colour temperature **3000K**

A-LED-660755060
LED GU10 retrofit globe
7w | 60° | Ra82 | 550lm
colour temperature **5000K**

allumē  Not Suitable for Dimming

LED



7 WATT

A-LED-650753040
LED GU10 retrofit globe
7w | 40° | Ra80 | 500lm
colour temperature **3000K**

A-LED-650755040
LED GU10 retrofit globe
7w | 40° | Ra80 | 550lm
colour temperature **5000K**

allumē  LED Dimmer Friendly

LED




6 WATT

A-LED-680693040
LED MR16 retrofit globe
6w | 40° | Ra83 | 350lm
colour temperature **3000K**

A-LED-680695040
LED MR16 retrofit globe
6w | 40° | Ra83 | 380lm
colour temperature **5000K**

allumē  Not Suitable for Dimming


LED




6 WATT

A-LED-690693045
LED MR16 retrofit globe
6w | 45° | Ra80 | 450lm
colour temperature **3000K**


A-LED-690695045
LED MR16 retrofit globe
6w | 45° | Ra80 | 470lm
colour temperature **5000K**

allumē  Not Suitable for Dimming


LED



A-LED-9101.5835
G4 1.5w 12vDC
colour temperature **3500K**



A-LED-9102830
G4 2w 12vAC/DC
colour temperature **3000K**

allumē  Not Suitable for Dimming

LED



3 WATT

A-LED-610383030
LED MR11 retrofit globe
3w | 30° | Ra80 | 220lm
colour temperature **3000K**

A-LED-610384030
LED MR11 retrofit globe
3w | 30° | Ra80 | 240lm
colour temperature **4000K**

allumē  Not Suitable for Dimming

LED + halogen GLOBES

LED




G95 Globe

A-LED-7912130	12W B22 3000K
A-LED-7912140	12W B22 4000K
A-LED-7912230	12W E27 3000K
A-LED-7912240	12W E27 4000K


 Not Suitable for Dimming

LED



G120 Dimmable Globe

A-LED-7615130	13W B22 3000K
A-LED-7615140	13W B22 4000K
A-LED-7615230	13W E27 3000K
A-LED-7615240	13W E27 4000K

 LED Dimmer Friendly


LED



A60 General Lighting

A-LED-7407130	7W B22 3000K
A-LED-7407140	7W B22 4000K
A-LED-7407230	7W E27 3000K
A-LED-7407240	7W E27 4000K
A-LED-7409130	9W B22 3000K
A-LED-7409140	9W B22 4000K
A-LED-7409230	9W E27 3000K
A-LED-7409240	9W E27 4000K

LED



A60 Step Dimmable

A-LED-7509230	9W E27 3000K
A-LED-7509240	9W E27 4000K



Vintage Filament globes

See page 48 for avail. models

LED



S45 Fancy Round

A-LED-42050130	5.5W B22 3000K
A-LED-42050140	5.5W B22 4000K
A-LED-42050230	5.5W E27 3000K
A-LED-42050240	5.5W E27 4000K
A-LED-42050330	5.5W B15 3000K
A-LED-42050340	5.5W B15 4000K
A-LED-42050430	5.5W E14 3000K
A-LED-42050440	5.5W E14 4000K

LED




C37 Candle Style

A-LED-41050130	5.5W B22 3000K
A-LED-41050140	5.5W B22 4000K
A-LED-41050330	5.5W B15 3000K
A-LED-41050340	5.5W B15 4000K
A-LED-41050430	5.5W E14 3000K
A-LED-41050440	5.5W E14 4000K



Halogen globes

We have a large range of legacy 12v & 240v halogen globes in stock. Contact sales for available models.



Energy Reduction - ER

GU10 ER globes

Contact sales for avail. models



Energy Reduction - ER

MR16 ER globes


Contact sales for avail. models



Energy Reduction - ER

G9 ER globes

Contact sales for avail. models



Energy Reduction - ER

Linear Halogen ER globes

Contact sales for avail. models



Energy Reduction - ER

GLS ER globes

Contact sales for avail. models



Energy Reduction - ER

Plain Candle ER globes

Contact sales for avail. models



Energy Reduction - ER

Fancy Round ER globes

Contact sales for avail. models

LED filament lamps

LED



A-LED-8902222
LED VINTAGE FILAMENT
ST64 Ribbed | 2W | 2200K | 160lm

2 WATT

LED



A-LED-8802222
LED VINTAGE FILAMENT
CRYSTAL | 2W | 2200K | 200lm

2 WATT


LED



A-LED-8504227
LED VINTAGE FILAMENT
G95 | 4W | 2700K | 440lm

4 WATT

LED



A-LED-8204227
LED VINTAGE FILAMENT
G125 | 4W | 2700K | 400lm

4 WATT

LED



A-LED-8704227
LED VINTAGE FILAMENT
DIAMOND | 4W | 2700K | 400lm

4 WATT

LED



A-LED-8603227
LED VINTAGE FILAMENT
T30-185 | 3W | 2700K | 300lm

3 WATT

LED



A-LED-8104227
LED VINTAGE FILAMENT
ST64 | 4W | 2700K | 450lm

4 WATT

LED



A-LED-8304227
LED VINTAGE FILAMENT
A60 | 4W | 2700K | 450lm

4 WATT

LED



A-LED-8402427
LED VINTAGE FILAMENT
C35 | 2W | 2700K | 250lm

2 WATT

LED



A-LED-8404427
LED VINTAGE FILAMENT
C35 | 4W | 2700K | 400lm

4 WATT





fluorescent GLOBES

allumē

T5 Circular fluorescent tubes


- A-T5C/G10Q-22/840 T5 22w CIRCULAR TUBE 4000K [G10q] D184mm
- A-T5C-22/840 T5 22w CIRCULAR TUBE 4000K [2GX13] D225mm
- A-T5C-40/840 T5 40w CIRCULAR TUBE 4000K [2GX13] D299mm



allumē

T9 Circular fluorescent tubes

- A-FCL22/830 T9 22w TRIPHOS TUBE 3000K
- A-FCL22/840 T9 22w TRIPHOS TUBE 4000K
- A-FCL22/865 T9 22w TRIPHOS TUBE 6500K
- A-FCL32/830 T9 32w TRIPHOS TUBE 3000K
- A-FCL32/840 T9 32w TRIPHOS TUBE 4000K
- A-FCL32/865 T9 32w TRIPHOS TUBE 6500K
- A-FCL40/840 T9 40w TRIPHOS TUBE 4000K
- A-FCL40/865 T9 40w TRIPHOS TUBE 6500K



allumē

T5 Linear fluorescent tubes

- A-T5L-8/830 T5 8w LINEAR TUBE 2700k
- A-T5L-8/840 T5 8w LINEAR TUBE 4000k
- A-T5L-13/830 T5 13w LINEAR TUBE 2700k
- A-T5L-13/840 T5 13w LINEAR TUBE 4000k
- A-T5L-14/840 T5 14w LINEAR TUBE 4000k
- A-T5L-21/830 T5 21w LINEAR TUBE 2700k
- A-T5L-21/840 T5 21w LINEAR TUBE 4000k
- A-T5L-28/830 T5 28w LINEAR TUBE 2700k
- A-T5L-28/840 T5 28w LINEAR TUBE 4000k
- A-T5L-35/840 T5 35w LINEAR TUBE 4000k



elamp



- A-CFL-2211327 11W B15 2700K
- A-CFL-2211350 11W B15 5000K
- A-CFL-2211127 11W B22 2700K
- A-CFL-2211150 11W B22 5000K
- A-CFL-2211427 11W E14 2700K
- A-CFL-2211450 11W E14 5000K
- A-CFL-2211227 11W E27 2700K
- A-CFL-2211250 11W E27 5000K
- A-CFL-2215127 15W B22 2700K
- A-CFL-2215150 15W B22 5000K
- A-CFL-2215427 15W E14 2700K
- A-CFL-2215450 15W E14 5000K
- A-CFL-2215227 15W E27 2700K
- A-CFL-2215250 15W E27 5000K
- A-CFL-2220127 20W B22 2700K
- A-CFL-2220150 20W B22 5000K
- A-CFL-2220227 20W E27 2700K
- A-CFL-2220250 20W E27 5000K

allumē

Fluorescent Tubes



- A-FLS9/840 9W TUBE 4000K | G23 (2 PIN)
- A-FLD18/840 18W TUBE 4000K | G24D-2 (2 PIN)

Mini Compact Fluorescent Globes



- A-CFL-1609427 9W E14 2700K
- A-CFL-1609450 9W E14 5000K
- A-CFL-1609227 9W E27 2700K
- A-CFL-1609250 9W E27 5000K

R80 Reflector Compact Fluorescent Globes



- A-CFL-5115227 15W E27 2700K
- A-CFL-5115250 15W E27 5000K



allumē

Visit www.allumelighting.com.au for more information about our range of globes.



GENERAL INFORMATION

Where an installation or operational instruction sheet is supplied, it should be followed.

All fixed light fittings must be installed by a licensed electrical contractor in accordance with AS/NZS 3000. Installation by any person other than a licensed electrical contractor voids the warranty, and could cause a safety risk.

Fittings should not be modified, any modification voids warranty and could be a safety risk.

Unless indicated, fittings do not include globes (light bulbs / tubes); and when lamps are included they should be considered to be complimentary.

These fittings are designed for reasonable domestic use, operating in normal conditions and at a normal ambient temperature.

Unless specifically noted, these fittings should be considered to be IP20. Unless noted, they should not be used in damp conditions. They should be regularly dusted & cleaned and should not be used in a caustic or corrosive environment.

Unless noted, fixed fittings require a reliable earth.

Use only the correct lamp type and observe the maximum wattage. Failure to do so may result in premature failure of the fitting or in extreme circumstances, fire.

Repairs to light fittings must be undertaken by a suitably qualified person. Some portable lamps (touch lamps) have flexes and plugs which cannot be repaired.

LED FITTINGS

The LED fittings in this catalogue are designed for reasonable domestic or light duty commercial applications.

Not all LED fittings are dimmable, refer to individual fitting specifications. Not all dimmers are suitable for use with dimmable LED luminaires/drivers. Unless specifically noted, a LED fitting should not be installed with a dimmer.

Many are supplied complete with DRIVERS or have built-in or integral drivers. Modification of these fittings supplied as a complete unit may diminish performance and void warranty.

Where a fitting is not supplied with a driver, a suitable compatible driver must be used - your distributor can advise as to which is the most appropriate.

Refer to the notes above relating to 12 volt fittings with respect to installation.

LOW VOLTAGE (12v) SPOTLIGHTS, DOWNLIGHTS, PENDANTS & WALL LIGHTS

Some fittings are suitable for domestic or light duty commercial applications only - your lighting advisor can assist in the correct selection for your application.

Electronic transformers can, in rare circumstances, cause interference with radios, television and other electronic devices.

Not all dimmers or lighting control systems are compatible with all 12volt transformers, some restrictions apply. Confirm suitability with your installing electrician or the distributor. Using an incorrect dimmer may cause premature failure, and will void warranty.

As some fittings have small tolerances for mounting - ensure holes are cut accurately to size. It is recommended to use an actual fitting to gauge the correct hole size as specifications may change due to constant product review and innovation.

Care should be taken when mounting 12 volt fittings as some surfaces do not allow efficient heat dissipation, and could cause premature transformer failure or even fire. As a general rule recessing into MDF and timber should be avoided. Heat "cages" are available for a number of the recessed halogen downlights offered in this catalogue. All installations should be to AS/NZS3000.

Ensure good ventilation around the transformer and the rear of the light fitting. Mount the transformer away from the rear of the luminaire. Ensure all insulation materials are well clear of the light fitting & transformer.

White fittings are generally not suitable for commercial applications, or for unusually long operating times, as they can discolour in time with excessive exposure to heat.

GU10 (240v) SPOTLIGHTS, DOWNLIGHTS & WALL LIGHTS

These fittings are suitable for domestic use. Due to lamp life limitations they would not be ideal in commercial applications.

It is not recommended that domestic fittings are run continuously for greater than 8 hours per day on a regular basis.

OUTDOOR LIGHTING

Fittings designed for outdoor use are often not suitable for indoor use.

They are designed to operate at lower ambient temperatures with indoor operation often resulting in premature lamp and component failure.

Care should be taken as stainless steel fittings tend to hold the heat of the lamp and will be hot to touch.

Wall or pillar mounted fittings generally require the application of silicon by the installing contractor to minimise the ingress of water.

All exterior fittings should be washed regularly to remove contaminants. Using a mild detergent with warm water helps to achieve the best results.

Stainless Steel enjoys a strong and enduring reputation for long term appearance and structural integrity. But like all materials, stainless steel may become stained or discoloured over time, impairing the overall look. Regular maintenance of the finish will be required.
















If a stainless steel fitting is installed in a harsh environment the use of a surface protecting oil should be considered.

Our range consists of reasonably priced, medium duty products. Your lighting advisor will guide you as to their suitability for your application. Many are not recommended for seaside or high traffic commercial applications.

SYMBOLS USED IN THIS CATALOGUE

There are a number of symbols used in this catalogue to assist in delivering clear information about the fittings.

IP Rating states the resistance of a fitting to the penetration of solid objects (first number) and liquids (second number).

Protection from solid objects.		Protection from liquids.			
1		Protected against the entry of solid bodies with dimensions of more than 50mm.	1		Protected against the vertical falling of water drops.
2		Protected against the entry of solid bodies with dimensions of more than 12mm.	2		Protected against the vertical falling of water with a maximum inclination of 15°.
3		Protected against the entry of solid bodies with dimensions of more than 2.5mm.	3		Protected against the vertical falling of water with a maximum inclination of 60°.
4		Protected against the entry of solid bodies with dimensions of more than 1mm.	4		Protected against water sprayed from any direction. Limited ingress permitted.
5		Protected against the entry of dust.	5		Protected against low pressure water jets from any direction. Limited ingress permitted.
6		Totally protected against the entry of dust.	6		Protected against high pressure water jets from any direction. Limited ingress permitted.
Example: IP65			7		Protected against immersion between 15cm and 1m.
Primo (SG70570) is rated IP65 Totally protected from the entry of dust (6) and against low pressure water jets from any direction (5).			8		Protected against long periods of immersion under pressure.

For more symbols used in this catalogue, see page 2.



All fixed fittings, other than DIY and portable lamps, must be installed by a licensed electrical contractor in accordance with AS/NZS: 3000.



Recycle the packaging and any disused light fittings.

3.2017



Oriel Lighting (Australia) Pty Ltd
 ABN 87 081 823 985
 PO Box 686, Mt Ommaney 4074
 Phone (07) 3715 9800
 Facsimile (07) 3715 7400
 Email: admin@oriel-lighting.com.au
www.oriel-lighting.com.au

